



WINDOWS



Safety glass opening window for VW T6.1 / T6 / T5

SAFETY GLASS	LIGHT TRANSMISSION: 18%	2 STEP-LESS EXHIBITORS	MIT 2 LOCKING BOLTS	WITH VENTILATION POSITION	ECE R43
---------------------	--------------------------------	-------------------------------	----------------------------	----------------------------------	----------------



VW T6.1 / T6 / T5 from 2004 onwards						
Installation position	Wheelbase	Outer dims. W x H (mm)	Review W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1135x585	730x360	12,0	315916	551,-
	short + long	1135x585	730x360	12,0	315915	551,-
Optional Blackout system				Item no.	Price	Item no.
				3181008	130,-	3181012
				Price	108,-	



OPTIONAL

Blackout system w/ privacy & mosquito protection Pleated blind w/ magnetic closure.
NEW: With matt black frame and black pleated blinds in a very high-quality look.



All information on the product can be found on page 633.



Roof ventilation system VanVent, 40x40 cm

12V	UV CONSISTENT	DARKENING	INSECT-PROTECTION	max. 130 km/h	ECE R43
------------	----------------------	------------------	--------------------------	----------------------	----------------

- Ventilation (with open external hood)
- Roof fan (with closed external hood)
- Integrated pleated blackout blind
- Metal insect screens
- Impact-resistant and UV-resistant
- Includes remote control with illuminated display and wall bracket
- ECE-approved

The VanVent roof ventilation system ensures a pleasant climate in the interior. When the outer hood is open, the supply of Outside air & the extraction of inside air.

When hood is closed, the VanVent turns into a roof ventilator and circulates the air in the interior.

The special design prevents the ingress of rainwater. It is controlled via the remote control or via the LED display on the inner frame.

VanVent smoked glass	318028	414,-
VanVent Black	318029	414,-

Smoked glass



Black






All information on the product can be found on page 663.









Safety glass windows.....	632 – 637, 648	Roof hatch spare parts.....	670, 676, 678 – 679
Acrylic windows.....	637 – 646	Fans/vents.....	663 – 664, 671 – 674, 677
Special windows/Portholes.....	647	Fly screens/insect protection.....	680 – 685
Panoramic roof windows.....	648	Thermal mats.....	686 – 690
Tempered glass windows/Roof hoods.....	649	Vehicle insulation/outside protection.....	691 – 696
Window spare parts.....	650 – 652	Motorhome insulation.....	694
Blinds.....	652 – 654	Thermal curtains for vans.....	697
Blackout systems.....	654 – 658	Cabin vents.....	698 – 700
Curtains for cabin/living space.....	659	Wind deflectors.....	701
Roof hatch.....	649, 660 – 675		







Safety glass windows for VW Caddy



VW Caddy Maxi from YOC. 2021			Sliding window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
	long	970x493	6,0	316027	217,-
	long	970x493	6,0	316026	217,-

VW Caddy Maxi YOC. 2008-2020			Rigid windows 			Sliding window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	long	714x538	3,7	316021	96,50	4,7	31618	249,-
	long	714x538	3,7	316020	96,50	4,7	31617	250,-
	long	1044x545	5,5	31605	130,-	—	—	—
	long	1044x545	5,5	31604	130,-	—	—	—
	long	591x504	3,0	316023	207,-	—	—	—
	long	750x596	4,3	316022	207,-	—	—	—











VW Caddy/Maxi YOC. 2015-2020			Rear window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1377x588	9,0	316025	250,-

VW Caddy/Maxi YOC. 2004-2016			Rear window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1257x591	9,0	316024	239,-



Safety glass window for Citroën Jumpy 3 / Spacetourer Peugeot Expert 3 / Traveller Toyota Proace 2 / Proace Verso Opel Vivaro / Zafira Life (from YOC.) 2017) Fiat Scudo / Ulyse (from YOC. 2022)



			Rigid windows 			Sliding window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1100x541	—	—	—	7,0	31701	270,-
	short + long	1100x541	—	—	—	7,0	31700	269,-
	short	851x534	—	31708	108,-	—	—	—
	short	851x534	—	31709	108,-	—	—	—
	long	1175x534	6,0	31705	141,-	7,5	31703	326,-
	long	1175x534	6,0	31704	141,-	7,5	31702	326,-
	short + long	675x495	3,5	31707	207,-	—	—	—
	short + long	735x495	3,5	31706	207,-	—	—	—



When installing windows, please ensure that bonding surfaces are load-bearing & free of dust, adhesives & grease.



For the installation of safety glass windows we recommend:

- Activator 205, for cleaning the adhesive surface**
Solvent-based, colorless adhesive cleaner for cleaning adhesive surfaces in combination with Sika adhesives/sealants. 30 ml GP 43,17/100 ml **294100 14,20**
Gefahr: H225, H319, H336
- SikaTack Pro adhesive set, for bonding the window**
Pane adhesive set for bonding safety glass panes. 1-2 sets are needed for the installation of a vehicle window. Set contents: 1x SikaTack PRO 300 ml cartridge, 1x windscreen adhesive nozzle, 1x SikaPrimer-207 (30ml), 2x sponge **294841 46,80**
Danger: H334



Safety glass opening window for VW T6.1 / T6 / T5



SAFETY GLASS	LIGHT THROUGH-TRANSMISSION: 18%	2 STEP-LESS EXHIBITORS	MIT 2 LOCKING BOLTS	WITH VENTILATION POSITION	E ECE R43
---------------------	---------------------------------	------------------------	---------------------	---------------------------	---------------------

VW T6.1 / T6 / T5 from 2004 onwards				Opening window		
Installation position	Wheelbase	Outer dims. W x H (mm)	Review W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1135x585	730x360	12,0	315916	551,-
	short + long	1135x585	730x360	12,0	315915	551,-

Optional Blackout system

	External dims. (mm)	842x492	Item no.	3181008	Price	130,-
	External dims. (mm)	830x440	Item no.	3181012	Price	108,-



OPTIONAL
Blackout system w/ privacy & mosquito protection
Pleated blind w/ magnetic closure. **NEW:** With matt black frame and black pleated blinds in a very high-quality look.

A suitable substructure must be created before installing the blackout system!



Safety glass window for VW T6.1/T6/T5/T4



SAFETY GLASS	LIGHT THROUGH-TRANSMISSION: 18%	E ECE R43
---------------------	---------------------------------	---------------------

VW T6.1/T6/T5 built since 2004			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1135x585	6,5	315910	114,-	8,0	31591	226,-
	short + long	1135x585				8,0	31590	226,-
	short	922x572	5,0	31599	103,-	6,5	315911	227,-
	short	922x572	5,0	31598	103,-	6,5	315900	227,-
	long	1257x570	6,8	315990	114,-	8,3	315912	227,-
	long	1257x570	6,8	315980	114,-	8,3	315901	227,-
	short + long	729x579	4,0	316004	118,-		—	
	short + long	729x579	4,0	316003	118,-		—	

VW T4 YOC. 1990-2004			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1126x523		—		7,5	31503	244,-
	short + long	1126x523		—		7,5	31504	244,-
	short	967x522	5,0	31505	112,-		—	
	short	967x522	5,0	31506	112,-		—	









VW T6.1/T6 from year 2016			Rear window		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1544x562	8,0	31600	245,-









VW T5 My 2004-2016			Rear window		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1445x575	8,0	316005	217,-



**Safety glass windows
for Mercedes Benz Vito**



















Mercedes Benz Vito YOC. 2004-2014			Rigid windows 			Sliding window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short/med/long	1096x565	6,0	31511	130,-	7,5	31521	239,-
	short/med/long	1096x565	6,0	31510	130,-	7,5	31520	239,-
	short	1169x521	7,5	31523	117,-	—	—	—
	short	1169x521	7,5	31522	117,-	—	—	—
	long	1296x521	6,5	31513	130,-	—	—	—
	long	1296x521	6,5	31512	130,-	—	—	—





Mercedes Benz Vito from YOC. 2015			Rigid windows 			Sliding window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short/med/long	1100x570	6,0	315962	119,-	7,5	31597	239,-
	short/med/long	1100x570	6,0	315961	119,-	7,5	31596	239,-
	medium	1195x531	6,0	315970	119,-	—	—	—
	medium	1195x531	6,0	315960	119,-	—	—	—
	long	1300x529	6,6	315966	119,-	8,1	315964	276,-
	long	1300x529	6,6	315965	119,-	8,1	315963	276,-















Safety glass window for Renault Trafic / Nissan NV300 / Nissan Primastar / Ford Transit Custom









Renault Trafic YOC. 2002-2015			Rigid windows 			Sliding window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1193x665	—	—	—	9,0	316012	270,-
	short + long	1193x665	—	—	—	9,0	316011	270,-
	short + long	670x623	4,0	315914	124,-	—	—	—
	short + long	670x623	4,0	315913	124,-	—	—	—




R. Trafic/Nissan NV300 from YOC. 2015 Nissan Primastar from YOC. 2022			Rigid windows 			Sliding window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1116x598	6,5	316010	119,-	9,0	31593	232,-
	short + long	1116x598	—	—	—	9,0	31592	232,-
	short	919x571	5,0	31602	108,-	—	—	—
	short	919x571	5,0	31601	108,-	—	—	—
	long	1319x579	7,5	316014	124,-	—	—	—
	long	1319x579	7,5	316013	124,-	—	—	—
	short + long	670x623	4,0	315914	124,-	—	—	—
	short + long	670x623	4,0	315913	124,-	—	—	—









Ford Transit Custom YOC. 7/2013-2022			Rigid windows 			Sliding window 		
Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1199x566	—	—	—	8,0	31595	395,-
	short + long	1208x566	—	—	—	8,0	31594	395,-











ATTENTION: **Does not fit vehicles with sliding door on the left.









F. Ducato/P. Boxer/C. Jumper from YOC. 2007 O. Movano from YOC. 2021			Rigid windows 			Sliding window 		
Installation position	Vehicle lengths (mm)	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5413/5998/6363	1400x665	9,0	316190	174,-	10,5	31619	281,-
	5413/5998/6363	1434x665	9,0	316200	174,-	10,5	31620	281,-
	5998/6363	1360x585	8,5	316220	174,-	9,5	31622	265,-
	5998/6363	1360x585	8,5	316210	174,-	9,5	31621	274,-
	6363	1128x665	7,3	316230	163,-	8,5	31623	266,-
	6363	1128x665	7,3	316240	163,-	8,5	31624	266,-
	4963/5413/5998/6363	826x665	5,3	31625	107,-	—	—	—
	4963/5413/5998/6363	826x665	5,3	31626	107,-	—	—	—
	4963/5413/5998/6363 (For 270° door hinges)	826x670	5,3	31627	118,-	—	—	—
	4963/5413/5998/6363 (For 270° door hinges)	826x670	5,3	31628	118,-	—	—	—

MB Sprinter from 2007			Rigid windows 			Sliding window 		
Installation position	Vehicle lengths (mm)	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	356,-
	5910/6945/7345	1408x766	—	—	—	12,0	315003	356,-
	6945/7345	1416x706	10,5	315001	185,-	—	—	—
	6945/7345	1422x766	10,5	315000	185,-	—	—	—
MB Sprinter 2007-2018								
	5910/6945/7345	818x800	6,3	315004	196,-	—	—	—
	5910/6945/7345	818x800	6,3	315005	196,-	—	—	—

MB Sprinter from YOC. 2019			Rigid windows 		
Installation position	Vehicle lengths (mm)	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
	5932/6977/7367	775x775	6,0	315006	211,-
	5932/6977/7367	775x775	6,0	315007	211,-

VW Crafter YOC. 2007-2016			Rigid windows 			Sliding window 		
Installation position	Vehicle lengths (mm)	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	356,-
	5910/6945/7345	1408x766	—	—	—	12,0	315003	356,-
	6945/7345	1416x706	10,5	315001	185,-	—	—	—
	6945/7345	1422x766	10,5	315000	185,-	—	—	—
	5910/6945/7345	818x800	6,3	315004	196,-	—	—	—
	5910/6945/7345	818x800	6,3	315005	196,-	—	—	—

VW Crafter from YOC. 2017			Rigid windows 			Sliding window 		
Installation position	Vehicle lengths (mm)	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5986/6836/7391	1488x713	—	—	—	11,5	31710	403,-
	5986/6836/7391	1492x713	—	—	—	11,5	31711	403,-
	6836/7391	1455x637	—	—	—	11,0	31712	403,-
	6836/7391	1455x702	—	—	—	11,5	31713	403,-
	6836/7391	883x682	—	—	—	7,5	31714	381,-
	6836/7391	883x682	—	—	—	7,5	31715	381,-
	5986/6836/7391	776x649	5,0	31716	169,-	—	—	—
	5986/6836/7391	776x649	5,0	31717	169,-	—	—	—

Ford Transit V 363 from YOC. 2014			Rigid windows 			Sliding window 		
Installation position	Vehicle lengths (mm)	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5531/5981/6704	1369x754	—	—	—	11,0	31730	381,-
	5531/5981/6704	1369x754	—	—	—	11,0	31731	381,-
	5981/6704	972x723	8,0	31732	224,-	—	—	—
	5981/6704	977x729	8,0	31733	224,-	—	—	—
	5981	672x718	5,5	31734	202,-	—	—	—
	5981	672x718	5,5	31735	202,-	—	—	—



Fiat Ducato
Citroën Jumper
Opel Movano



Mercedes-Benz Sprinter



VW Crafter



Ford Transit V 363

SAFETY GLASS WINDOW RW ECO / RW MOTION



NEW
2024

Black
dull



OPTIONAL

Blackout system w/ privacy & mosquito protection Pleated blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.

Tinted security glass windows RW Eco

SAFETY GLASS | **LIGHT THROUGH-TRANSMISSION: 20%** | **WITH VENTILATION-POSITION** | **MATERIAL FRAME: Aluminum** | **FOR WALL-STRENGTHS FROM 30-32 mm** | **CORNER RADIUS WINDOW-FRAME ORK: 75 mm** | **ECE R43**

Detail W x H (mm)	Outer dims. W x H (mm)	Review W x H (mm) app.	Max. Opening	kg	Item no.	Price
350x500	397x554	245x435	54°	2,8	31880	151,-
500x300	547x354	395x250	26°	2,6	31881	143,-
500x350	547x404	395x300	25°	2,8	31889	147,-
500x450	547x504	395x400	45°	3,3	31882	176,-
600x450	647x504	495x400	45°	4,5	31870	190,-
700x300	747x354	595x250	26°	3,4	31883	175,-
700 x 400	747x454	595x350	38°	4,5	31871	199,-
700 x 450	747x504	595x400	45°	4,7	31872	207,-
800 x 450	847x504	695x400	45°	5,2	31884	260,-
900 x 450	947x504	795x400	45°	5,6	31885	263,-
900 x 500	947x554	795x450	54°	6,3	31886	264,-
1000x500	1047x554	895x450	54°	6,8	31887	277,-

RW Eco blackout system

OPTIONAL AVAILABLE | **DARKENING PLISSEE** | **MOSKITO-PROTECTION PLISSEE** | **MATERIAL FRAME: Aluminum**

Outer dims. W x H (mm)	Item no.	Price	Item no.	Price
381x546	318801	102,-	318802	102,-
531x346	318811	99,20	318812	99,20
531x396	318891	97,10	318892	97,10
531x496	318821	105,-	318822	105,-
631x496	318701	106,-	318702	106,-
731x346	318831	115,-	318832	115,-
731x446	318711	112,-	318712	112,-
731x496	318721	116,-	318722	116,-
831x496	318841	131,-	318842	131,-
931x496	318851	135,-	318852	135,-
931x546	318861	139,-	318862	139,-
1031x546	318871	145,-	318872	145,-



OPTIONAL

Blackout system with privacy and mosquito protection pleated blind with magnetic closure

Tinted security glass windows RW Motion

SAFETY GLASS | **DOUBLE GLAST** | **LIGHT THROUGH-TRANSMISSION: 20%** | **LEFT AND RIGHT MOUNTABLE** | **MATERIAL FRAME: Aluminum** | **FOR WALL-STRENGTHS FROM 30 mm** | **CORNER RADIUS WINDOW-FRAME: 87 mm** | **ECE R43**

Detail W x H (mm)	Outer dims. W x H (mm)	Viewing approx. W x H (mm)	Weight (kg)	Item no.	Price
500x300	528x328	380x225	4,8	31657	162,-
500x350	528x378	380x275	6,5	31650	188,-
500x450	528x478	380x375	6,6	31654	217,-
600x350	628x378	480x275	6,2	31653	199,-
600x450	628x478	480x375	7,7	31658	211,-
700 x 300	728x328	580x225	6,4	31659	204,-
700 x 400	728x428	580x325	8,0	31660	230,-
700x450	728x478	580x375	8,7	31661	247,-
800x340	828x368	680x265	7,8	31656	226,-
800x400	828x428	680x325	8,9	31651	242,-
800x450	828x478	680x375	9,9	31655	268,-
900x450	928x478	780x375	10,8	31662	261,-
900x500	928x528	780x425	11,8	31663	326,-
960x450	988x478	840x375	11,4	31652	286,-
1000x500	1028x528	880x425	12,9	31664	337,-

RW Motion blackout system

OPTIONAL AVAILABLE | **DARKENING PLISSEE** | **MOSKITO-PROTECTION PLISSEE** | **MATERIAL FRAME: PVC**

Outer dims. W x H (mm)	Item no.	Price
567x407	316571	85,10
567x457	316501	103,-
567x557	316541	97,10
667x457	316531	94,90
667x557	316581	123,-
767x407	316591	97,10
767x507	316601	106,-
767x557	316611	97,10
867x447	316561	123,-
867x507	316511	127,-
867x557	316551	108,-
967x557	316621	108,-
967x607	316631	121,-
1027x557	316521	127,-
1067x607	316641	129,-



Tinted universal safety glass windows

SAFETY GLASS
LIGHT THROUGH-TRANSMISSION: 18%
LEFT AND RIGHT MOUNTABLE
CORNER RADIUS WINDOW-FRAME: 50 mm
ECE R43

Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
460x280	1,3	31720	217,--
500x350	1,7	31721	261,--
500x450	2,2	31722	264,--
600x350	2,1	31723	277,--
800x340	2,6	31724	256,--
800x450	3,5	31725	305,--
900x450	3,9	31726	316,--



RW Style Slide and RW Style go well together on the vehicle, as they have the same look



OPTIONAL
Blackout system w/ privacy & mosquito protection Pleated blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.

Tinted acrylic glass sliding windows RW Style Slide

ACRYL-GLASS
DOUBLE GLASS
LIGHT THROUGH-TRANSMISSION: 10%
UV CONSISTENT
LEFT AND RIGHT MOUNTABLE
MATERIAL FRAME: Aluminum
FOR WALL-STRENGTHS FROM 30-45 mm
ECE R43

Detail W x H (mm)	Outer dims. W x H (mm)	Viewing approx. W x H (mm)	Window opening W x H (mm)	Weight (kg)	Item no.	Price
500x450	527x477	330x330	120x373	2,7	318022	272,--
700x300	727x327	520x180	220x223	2,6	318023	294,--
700x400	727x427	520x280	220x323	4,0	318024	316,--
900x450	927x477	720x330	320x373	4,8	318025	407,--
1000x500	1027x527	820x380	370x423	5,9	318026	468,--

RW Style Slide blackout system

OPTIONAL AVAILABLE
DARKENING PLISSEE
MOSKITO-PROTECTION PLISSEE
MATERIAL FRAME: Aluminum

Outer dims. W x H (mm)	Item no.	Price	Item no.	Price
528x478	3180010	102,--	3180012	102,--
728x328	31800130	106,--	31800132	106,--
728x428	3180020	113,--	3180022	113,--
928x478	3180030	129,--	3180032	129,--
1028x528	31800170	140,--	31800172	140,--

ACRYLGLASVENT WINDOW RW STYLE



Window closes outside flush with the frame

RW Style and RW Style Slide can be combined well with each other on the vehicle, as they have the same optics.



Additional safety-latch on closure latch

NEW
2024

Black dull



OPTIONAL

Blackout system w/ privacy & mosquito protection
Pleated blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.

Acrylic glass hinged window RW Style

ACRYL-GLASS	DOUBLE GLAST	LIGHT THROUGH-TRANSMISSION: 10%	DISK TO INSIDE WOODED	UV CONSISTENT
WITH VENTILATION-POSITION	MATERIAL FRAME: Aluminum	FOR WALL-STRENGTHS FROM 30-35 mm	ECE R43	

RW Style blackout system

OPTIONAL AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: Aluminum
--------------------	-------------------	----------------------------	--------------------------

Detail W x H (mm)	Outer dims. W x H (mm)	Review approx. W x H (mm)	Max. Opening	Exhibitor (2 pcs.)	kg	Item no.	Price	Outer dims. W x H (mm)	Item no.	Price	Item no.	Price
350x500	377x527	295x425	70°	Stainless steel, stepless	2,9	318009	181,--	378x528	3180090	91,60	---	---
460x220	487x247	405x145	37°	Plastic 3 level	2,3	318010	168,--	688x248	31800100	86,20	---	---
500x300	527x327	445x225	37°	Plastic 3 level	2,6	318011	174,--	528x328	31800110	86,20	---	---
500x350	527x377	445x275	36°	Stainless steel stepless	3,1	318000	183,--	528x378	3180000	96,--	3180002	96,--
500x450	527x477	445x375	60°	Stainless steel stepless	3,4	318001	203,--	528x478	3180010	102,--	3180012	102,--
600x450	627x477	545x375	68°	Stainless steel stepless	3,9	318012	235,--	628x478	31800120	105,--	---	---
700x300	727x327	645x225	37°	Plastic 3 level	3,4	318013	215,--	728x328	31800130	106,--	31800132	106,--
700x400	727x427	645x325	47,5°	Stainless steel stepless	4,1	318002	224,--	728x428	3180020	113,--	3180022	113,--
700x450	727x477	645x375	68°	Stainless steel stepless	4,4	318014	275,--	728x478	31800140	115,--	---	---
800x450	827x477	745x375	68°	Stainless steel stepless	4,9	318015	300,--	828x478	31800150	123,--	31800152	123,--
900 x 450	927x477	845x375	60°	Stainless steel stepless	5,4	318003	308,--	928x478	3180030	129,--	3180032	129,--
900x500	927x527	845x425	70°	Stainless steel stepless	5,8	318016	347,--	928x528	31800160	137,--	---	---
1000x500	1027x527	945x425	70°	Stainless steel stepless	6,3	318017	374,--	1028x528	31800170	140,--	31800172	140,--
1000x800	1027x827	945x725	47°	Stainless steel stepless	8,8	318004	476,--	1028x828	3180040	156,--	---	---
1100x450	1127x477	1045x375	60°	Stainless steel stepless	6,4	318005	358,--	1128x478	3180050	142,--	---	---
1200x300	1227x327	1145x225	37°	Stainless steel stepless	5,4	318006	323,--	1228x328	3180060	119,--	---	---
1200x500	1227x527	1145x425	65°	Stainless steel stepless	7,3	318007	402,--	1228x528	3180070	148,--	3180072	148,--
1450x550	1477x577	1395x475	50°	Stainless steel stepless	9,2	318008	457,--	1478x578	3180080	152,--	---	---

i Please pay attention during installation of the windows to ensure that the Adhesive surfaces load-bearing, dust-, are free of adhesives and grease.



For the We recommend installing acrylic glass windows:

DEKAseal 8936

Can be used without primer. Dabable Sealant for window frames, open exterior surfaces, drains, skylights, hoses and cable ducts. Application on paints, aluminum, ABS, PMMA or wood.


310 ml Anthracite 50030 GP* 60,97/ 1 Liter 20,60
310 ml Black 500314 GP* 60,97/ 1 Liter 20,60

Danger: H315, H412

Technical product improvements possible in the course of the year. You can find detailed product descriptions at www.reimo.com



Window closes outside flush with the frame



OPTIONAL
Blackout system with privacy and mosquito protection
Pleated blind with magnetic closure

Acrylic glass hinged window Comfort

ACRYL-GLASS	DOUBLE GLAST	LIGHT THROUGH-TRANSMISSION: 40%	DISK TO INSIDE WOODED	UV CONSISTENT
WITH VENTILATION-POSITION	MATERIAL FRAME: Aluminum	FOR WALL-STRENGTHS FROM 28-32 mm	CORNER RADIUS WINDOW-FRAME: 75 mm	E ECE R43

Blackout system Comfort

OPTIONAL AVAILABLE	DARKENING PLISSEE
MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: Aluminum

Detail W x H (mm)	Outer dims. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
350x500	380x530	295x425	70°	Stainless steel stepless	1,9	318100	176,-
500x300	530x330	445x225	2/17/30°	Plastic 3 level	1,9	318101	162,-
500x350	530x380	445x275	2/17/30°	Plastic 3 level	2,0	318102	177,-
500x450	530x480	445x375	70°	Stainless steel stepless	2,1	318103	208,-
600x450	630x480	545x375	70°	Stainless steel stepless	2,4	318104	237,-
700x300	730x330	645x225	2/17/30°	Plastic 3 level	2,5	318105	209,-
700 x 400	730x430	645x325	70°	Stainless steel stepless	2,6	318106	247,-
700 x 450	730x480	645x375	70°	Stainless steel stepless	2,7	318107	271,-
800 x 450	830x480	745x375	70°	Stainless steel stepless	3,0	318108	302,-
900 x 450	930x480	845x375	70°	Stainless steel stepless	3,2	318109	329,-
900 x 500	930x530	845x425	70°	Stainless steel stepless	3,4	318110	355,-
1000x500	1030x530	945x425	70°	Stainless steel stepless	3,6	318111	386,-

Outer dims. W x H (mm)	Item no.	Price
392x542	3181000	86,20
542x342	3181001	77,40
542x392	3181002	86,20
542x492	3181003	103,-
642x492	3181004	117,-
742x342	3181005	103,-
742x442	3181006	121,-
742x492	3181007	113,-
842x492	3181008	130,-
942x492	3181009	141,-
942x542	3181010	152,-
1042x542	3181011	152,-

Technical product improvements possible in the course of the year.
You can find detailed product descriptions at www.reimo.com

ACRYLGLASOPENING WINDOW RW COMPACT



RW Compact and RW Van can be easily combine with each other on the vehicle, as they have the same optics.

Window closes outside flush with the frame



NEW 2024
Black dull

OPTIONAL
Blackout system w/ privacy & mosquito protection
Pleated blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.

Acrylic glass vent window RW Compact

ACRYL-GLASS	DOUBLE GLAST	LIGHT THROUGH-TRANSMISSION: 10%	DISK TO INSIDE WOODED	UV CONSISTENT
WITH VENTILATION-POSITION	MATERIAL FRAME: Aluminum	FOR WALL-STRENGTHS FROM 30-32 mm	CORNER RADIUS WINDOW-FRAM: 75mm	ECE R43

RW Compact blackout system

OPTIONAL AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: Aluminum
--------------------	-------------------	----------------------------	--------------------------

Detail W x H (mm)	Outer dims. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening	Exhibitor (2 pcs.)	(kg)	Item no.	Price	Outer dims. W x H (mm)	Item no.	Price	Outer dims. W x H (mm)	Item no.	Price
350x500	378x528	290x430	63°	Stainless steel stepless	2,2	31890	201,-	377x544	318901	115,-		318902	1,15
500x300	528x328	440x260	37°	Plastic 3 level	2,1	31891	178,-	527x344	318911	114,-		318912	114,-
500x350	528x378	440x290	40°	Stainless steel stepless	2,2	31901	199,-	527x394	319011	113,-		319012	113,-
500x450	528x478	440x390	57°	Stainless steel stepless	2,8	31892	233,-	527x494	318921	119,-		318922	119,-
600x450	628x478	540x390	57°	Stainless steel stepless	3,4	31899	240,-	627x494	318991	132,-		318992	132,-
700x300	728x328	640x240	37°	Plastic 3 level	2,9	31893	233,-	727x344	318931	130,-		318932	130,-
700 x 400	728x428	640x340	54°	Stainless steel stepless	3,5	31900	254,-	727x444	319001	137,-		319002	137,-
700 x 450	728x478	640x390	57°	Stainless steel stepless	3,6	31902	287,-	727x494	319021	141,-		319022	129,-
800 x 450	828x478	740x390	57°	Stainless steel stepless	4,2	31894	338,-	827x494	318941	149,-		318942	149,-
900 x 450	928x478	840x390	57°	Stainless steel stepless	4,7	31895	347,-	927x494	318951	152,-		318952	152,-
900 x 500	928x528	840x440	64°	Stainless steel stepless	5,0	31896	350,-	927x544	318961	159,-		318962	159,-
1000x500	1028x528	940x440	57°	Stainless steel stepless	5,4	31897	367,-	1027x544	318971	165,-		318972	165,-



RW Compact and RW Van can be easily combine with each other on the vehicle, as they have the same optics.

The curved aluminum frame (Radius: 5000 mm) adapts perfectly to contour of the vehicle.

Window closes outside flush with the frame



OPTIONAL
Blackout system w/ privacy & mosquito protection
Pleated blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.

Acrylic glass vent window RW Van

ACRYL-GLASS	DOUBLE GLAST	LIGHT THROUGH-TRANSMISSION: 10%	DISK TO INSIDE WOODED	UV CONSISTENT
WITH VENTILATION-POSITION	MATERIAL FRAME: Aluminum	FOR WALL-STRENGTHS FROM 32-34 mm	CORNER RADIUS WINDOW-FRAME: 75mm	ECE R43

RW Van blackout system

OPTIONAL AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: Aluminum
--------------------	-------------------	----------------------------	--------------------------

Detail W x H (mm)	Outer dims. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening	Exhibitor (2 pcs.)	(kg)	Item no.	Price	Outer dims. W x H (mm)	Item no.	Price	Item no.	Price
280x380	308x407	225x325	40°	Stainless steel stepless	1,7	31911	235,--	307x420	319111	128,--	319112	128,--
350x500	377x527	295x445	63°	Stainless steel stepless	2,6	31929	300,--	377x540	319291	155,--	319292	155,--
490x500	518x527	435x445	63°	Stainless steel stepless	3,0	31912	321,--	517x540	319121	165,--	319122	165,--
500x300	528x327	445x245	37°	Plastic 3 level	3,1	31924	277,--	527x340	319241	150,--	319242	150,--
500x500	528x527	445x445	63°	Stainless steel stepless	3,0	31919	322,--	527x540	319191	166,--	319192	166,--
600x450	628x477	545x395	57°	Stainless steel stepless	3,3	31917	350,--	627x490	319171	144,--	319172	144,--
600x600	628x627	545x545	58°	Stainless steel stepless	4,0	31925	389,--	627x640	319251	188,--	319252	188,--
750x455	778x477	695x400	56°	Stainless steel stepless	3,9	31913	378,--	777x495	319131	193,--	319132	193,--
800x500	828x527	745x445	63°	Stainless steel stepless	4,5	31927	398,--	827x540	319271	167,--	319272	167,--
818x315	846x342	763x260	37°	Plastic 3 level	3,3	31914	326,--	845x355	319141	167,--	319142	167,--
900 x 400	928x427	845x345	55°	Stainless steel stepless	4,2	31918	427,--	927x440	319181	181,--	319182	181,--
900x450	928x477	845x395	57°	Stainless steel stepless	4,4	31916	440,--	927x490	319161	188,--	319162	188,--
900x500	928x527	845x445	63°	Stainless steel stepless	4,9	31928	441,--	927x540	319281	192,--	319282	192,--
960x450	988x477	905x395	57°	Stainless steel stepless	4,8	31910	457,--	987x490	319101	177,--	319102	177,--
985x465	1013x482	930x410	52°	Stainless steel stepless	5,1	31915	482,--	1012x505	319151	205,--	319152	205,--
1100x600	1128x627	1045x545	58°	Stainless steel stepless	6,7	31926	537,--	1127x640	319261	228,--	319262	228,--

Technical product improvements possible in the course of the year. You can find detailed product descriptions at www.reimo.com



Classic acrylic glass display window

ACRYL-GLASS	DOUBLE GLAST	LIGHT THROUGH-TRANSMISSION: 40%	DISK TO OUTSIDE WOODED	UV CONSISTENT
EXHIBITOR WITH FIXED-SCREW	MATERIAL FRAME: ASA	FOR WALL-STRENGTHS FROM 28-32 mm	CORNER RADIUS WINDOW-FRAME: 12 mm	(E) ECE R43

Detail W x H (mm)	Outer dims. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
500 x 300	529 x 329	375x175	32°	2	318581	299,--
500 x 350	529 x 379	375x225	60°	3,7	318580	305,--
500 x 450	529 x 479	375x325	70°	4,2	31858	342,--
700 x 400	729x429	575x275	70°	5,5	31859	399,--
900x450	929x479	775x325	70°	7,0	31857	411,--
900x550	929x579	775x425	70°	8,0	318582	442,--
1100x450	1129x479	975x325	70°	8,5	31855	435,--
1200x500	1229x529	1075x375	78°	9,5	31868	510,--
1450x550	1479x579	1375x425	70°	13,0	31869	643,--

INCLUSIVE
Blackout system with privacy and mosquito protection pleated blind with magnetic closure



Classic blackout system

IN SUPPLY-SCOPE INCLUDED	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: PLASTIC
--------------------------	-------------------	----------------------------	-------------------------

Window closes outside flush with the frame



Elegance acrylic glass display window

ACRYL-GLASS	DOUBLE GLAST	LIGHT THROUGH-TRANSMISSION: 40%	DISK TO INSIDE WOODED	UV CONSISTENT	WITH VENTILATION-POSITION
EXHIBITOR WITH FIXED-SCREW	MATERIAL FRAME: ASA	FOR WALL-STRENGTHS FROM 28-32 mm	CORNER RADIUS WINDOW-FRAME: 12 mm	(E) ECE R43	

Detail W x H (mm)	Outer dims. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
500 x 350	529 x 379	400x265	45°	3,2	318500	305,--
500 x 450	529 x 479	400x365	45°	3,75	318501	326,--
900x350	929x379	800x265	45°	6,32	318507	398,--
900x450	929x479	800x365	45°	5,93	318502	423,--
1000x800	1029x829	900x715	50°	12,4	318506	627,--
1100x450	1129x479	1000x365	45°	7,05	318503	453,--
1200x300	1229x329	1100x215	12°	7,67	318504	417,--
1200x500	1229x529	1100x415	45°	8,09	318505	529,--

INCLUSIVE
Blackout system with privacy and mosquito protection pleated blind with magnetic closure



Elegance blackout system

IN SUPPLY-SCOPE INCLUDED	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: PLASTIC
--------------------------	-------------------	----------------------------	-------------------------



PolyVision acrylic vent window CURVED (curved) or AERO (straight)

- Black, high-quality aluminum frame
- With tinted window for more privacy
- You will need the mounting clamps, depending on the wall thickness and the dimensions of the wall cut-out
- Windows are supplied without inner frames

CURVED - Curved design



AERO - Straight design



PolyVision CURVED -

curved design Radius 4991 mm for panel vans

Cut-out dims. (WxH)	Weight (kg)	itemNo	Price
900x550	5,9	31120	719,-
520x315	2,5	31121	442,-
750x465	4,4	31122	535,-
490x500	3,3	31123	507,-
258x396	1,7	31124	451,-
686x298	2,9	31125	492,-
280x380	1,7	31126	419,-
220x380	1,4	31127	402,-
818x315	3,6	31128	500,-

PolyVision AERO -

straight design for flat wall, flush design double thermoformed

Cut-out dims. (WxH)	Weight (kg)	itemNo	Price
700x520	4,5	31130	573,-
900x520	5,6	31131	668,-
700x400	3,7	31132	552,-
600x560	4,2	31133	566,-
600x450	3,6	31134	548,-
600x550	4,2	31135	548,-
500x400	2,8	31136	488,-
500x520	3,5	31137	532,-
900x500	5,5	31138	662,-
800x450	4,6	31139	595,-

Number of mounting clamps required:

Height of wall cut-out	Wide wall cut-out		
	WA<=643	643>WA<=1093	WA>1093
WA<490	8 pcs.	10 pcs.	12 pcs.
490<=WA<580	10 pcs.	12 pcs.	14 pcs.
WA>=580	12 pcs.	14 pcs.	16 pcs.

Mounting clamps Scope of delivery: 1 pc.

For wall thicknesses from 23-32 mm	39001	2,75
For wall thicknesses from 33-37 mm	39002	2,75
For wall thicknesses from 38-42 mm	39003	2,75
Screw (one screw is required per mounting bracket)	39004	0,80

All-plastic window with integrated blackout blind and mosquito protection

- No thermal bridges
- Optimum thermal insulation
- With insect screen and blackout
- Fully pre-assembled
- Deformation-proof with steel insert

Double Acrylic glazing. Optimizes thermal insulation - complies with residential building standards. Outer frame polyurethane, highly insulating. Fully pre-assembled. Quick and easy to install. One-hand operation for roller blinds. Safe, with new safety technology.

Flat window catches and adjusters. With telescopic stays and security window latches. Version: Acrylic glass tint gray. Outer frame black (RAL 9005) Inner frame cream white (RAL 9001). Blackout blind, aluminum-coated outside, white inside, white insect screen gauze.

Installation tip for Seitz windows

The inner and outer frames are screwed together. Ready to install for a wall thickness of 26 mm. An inner frame (e.g. wooden frame) must be used for thinner walls. A frame is installed for thicker walls. It may be necessary to use longer screws. Maximum wall thickness is 53 mm.

Complete with inner frame in cream white and insect screen and blackout blind.

S4 sliding window

Disk-dims. WxH	Cut-out-dims.: WxH	itemNo	Price
568x434	600x500	31247	616,-
568x534	600x600	31249	686,-
668x232	700x300	31251	507,-
668x332	700x400	31253	584,-
668x382	700x450	31255	638,-
668x484	700x550	31257	708,-
668x534	700x600	31259	741,-
718x534	750x600	31263	784,-
768x282	800x350	31265	595,-
768x382	800x450	31267	686,-
868x334	900x400	31271	686,-
968x434	1000x500	31281	850,-
968x534	1000x600	31285	970,-
1268x534	1300x600	31295	1144,-



For wall thickness 26 mm

The preferred choice

S4 sliding window with acrylic glass pane and security window latch. The front window (viewed in the direction of travel) can be moved. The outer and inner frames are screwed together from the inside, providing a durable and effective seal.

Cutout dimension

The dimension of the outer frame is approx. 45 mm wider and approx. 33 mm higher than the cut-out dimension.

The proven complete window for motorhomes and caravans

With telescopic extension arms and integrated blackout and insect screen roller blind. Optimizes thermal insulation. Security bolts prevent the window from being opened from the outside.




The S4 Sliding windows can be fitted to the left and right of the vehicle.

S4 vent window			
All over dims. WxH	Cut-out-dims: WxH	item-No.	Price
544x380	500x350	31192	435,-
544x480	500x450	31193	486,-
594x581	550x550	31195	616,-
594x631	550x600	31197	627,-
644x531	600x500	31198	599,-
745x430	700x400	31202	529,-
745x481	700x450	31203	544,-
745x431	700x500	31239	653,-
745x481	700x550	31204	708,-
745x631	700x600	31205	708,-
797x631	750x600	31208	730,-
846x380	800x350	31209	599,-
846x481	800x450	31210	616,-
948x430	900x400	31211	708,-
948x481	900x450	31212	675,-
948x631	900x600	31215	817,-

Replacement pane gray glass		
Disk-measured	itemNo.	Price
468x282	31532	202,-
468x382	31533	208,-
518x484	31535	256,-
518x534	31537	207,-
568x434	31538	227,-
668x332	31542	229,-
668x382	31543	204,-
668x484	31544	248,-
668x534	31545	236,-
718x534	31548	261,-
768x282	31549	238,-
768x382	31550	240,-
868x334	31551	228,-
868x382	31552	254,-
868x534	31555	292,-
868x534	31555	292,-

S4 Opening window			
All over dims. WxH	Cut-out-dims: WxH	item-No.	Price
1048x481	1000x450	31216	762,-
1048x531	1000x500	31217	762,-
1048x631	1000x600	31219	861,-
1048x832	1000x800	31220	970,-
1148x481	1100x450	31222	616,-
1148x581	1100x550	31223	871,-
1248x330	1200x300	31225	584,-
1343x631	1300x600	31232	1035,-
1500x631	1450x600	31234	1089,-

Replacement pane gray		
Disk-measured	item-No.	Price
968x382	31556	266,-
968x434	31557	263,-
968x534	31559	280,-
968x734	31560	344,-
1068x382	31562	294,-
1068x484	31563	305,-
1168x232	31565	256,-
1268x534	31572	323,-
1418x534	31574	324,-



Complete with inner frame in cream white and insect screen and blackout blind.



Aluminum frame window w/ Acrylic glazing
S7P for panel vans w/ slightly curved outer surface

- Flush-fitting pane
- Excellent thermal insulation
- Double acrylic glazing, dark tinted
- Lightweight aluminum frame
- For wall thicknesses from 22 to 43 mm
- Optional blackout system available

Windows w/ a curvature radius of 5000 mm, powder-coated aluminum profiles, light weight, excellent thermal insulation, high surface quality, perfectly coordinated darkening system, homely atmosphere in the interior, w/ stepless adjusters. Pls. order blackout system for S7P separately.

Cutout dims. W x H (mm)	Overall dims. W x H (mm)	Light measure W x H (mm)	Weight (kg)	Item no.	Price
280 x 380	308 x 408	230 x 330	2,9	31351	490,--
280 x 380	308 x 408	230 x 330	2,9	313510 (Opal)	596,--
490 x 500	518 x 528	440 x 450	4,0	31350	529,--
560 x 465	588 x 493	510 x 415	4,5	31349	529,--
700 x 510	728 x 538	650 x 460	4,8	31348	584,--
750 x 455	778 x 493	700 x 415	4,8	31347	584,--
818 x 315	843 x 343	768 x 265	4,6	31346	584,--
960 x 450	988 x 478	910 x 400	5,6	31304	595,--
985 x 465	1013 x 493	935 x 415	6,1	31344	627,--



Accessories Mounting kit for S7P 5000 windows

Scope of delivery: Mounting brackets and screws for the respective wall thickness. Important accessories that facilitate the installation of windows.

Wall thickness in mm	Item no.	Price	Wall thickness in mm	Item no.	Price
22-23	31330	16,40	38-39	31338	21,80
26-27	31332	16,40	40-41	31339	21,80
28-29	31333	16,40	42-43	31340	21,80

**Darkening-
system**



Blackout system for S7P 5000, cream-colored

- Duet Honeycomb roller blind and insect screen in flat-fitting cassette
- Infinitely adjustable with one hand
- Can be moved individually or together

For cut-out - dims. W x H (mm)	Item no.	Price	For cut-out - dims. W x H (mm)	Item no.	Price
280 x 380	31325	300,--	960 x 450	31324	398,--
490 x 500	31326	344,--	985 x 465	31327	398,--
700 x 510	31321	344,--			

ParaPress - Sliding window

- Thermal separation - without a cold bridge
- Gray glass with screen printing on the edge
- Frame painted gray (RAL 9007)

Sliding window (W x H in mm) Only fits right (passenger side)
900 x 450 30972 359,--

900x450 mm
For passenger side



CURTAIN-TYPE ACRYLIC GLASS DISPLAY WINDOWS FOR PANEL VANS



The curved acrylic glass (Radius: 5800 mm) adapts perfectly to the vehicle contour



OPTIONAL
Blackout system with privacy and mosquito protection pleated blind with magnetic closure

Acrylic glass Hinged window RW Rear

ACRYL-GLASS	DOUBLE GLASS	LIGHT THROUGH-TRANSMISSION: 10%	DISK TO OUTSIDE WOODED
UV CONSISTENT	3 LEVELS-ADJUSTER	FRAME-LESS	ECE R43


Installation position	Detail W x H (mm)	Outer dims. W x H (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
Page	260x560	340x653	60°	1,6	31920	185,-
Page	735x560	814x653	60°	4,6	31922	265,-
Sliding door	970x560	1050x653	60°	5,8	31923	299,-
Tail	620x560	700x653	60°	4,1	31921	217,-

RW Rear blackout system

OPTIONAL AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: Aluminum
--------------------	-------------------	----------------------------	--------------------------

Outer dims. W x H (mm)	Item no.	Price
347x669	319201	112,-
822x669	319221	130,-
1057x669	319231	141,-
707x669	319211	128,-

Rear window does not fit with the 270° door hinges (Fiat Ducato). Not suitable for replacing the original glazing.



Order at the same time:

- ① Sealing rubber profile self-adhesive, for curtain wall windows
For wall thicknesses of 28-32 mm. Self-adhesive. Color: Black
- | | | | |
|------|---------------|---------|-------|
| 4 m | GP* 14,99/1 m | 322704 | 65,40 |
| 40 m | GP* 13,97/1 m | 3227040 | 610,- |
- ② Filler profile for rubber sealing profile 322704/3227040
Color: gray, dims.: 23 mm x 0.9 mm.
- | | | | |
|------|--------------|--------|-------|
| 10 m | GP* 1,23/1 m | 322730 | 13,50 |
|------|--------------|--------|-------|



512,-



Opening window for Fiat Ducato, Peugeot Boxer and Citroën Jumper from YOC. 7/2006

- Optimally adapted to contour of the vehicle
- Very good privacy protection due to black tint
- Low loss of brightness in the interior
- No protruding fittings - maximum possible safety
- Thermal protection through acrylic insulating glazing

Scope of delivery: Window with exhibitor, bolt catches and rubber profile

- | | | |
|--|-------|-------|
| ① Sliding door window 1051 x 650 mm for cut-out dims. 985 x 465 mm, 2 locking bolts | 32200 | 512,- |
| Side window (not shown) 816 x 650 mm for cut-out dimension 750 x 465 mm, 2 locking bolts | 32204 | 335,- |
| ② Side frames 566 x 650 mm for cut-out size 500 x 520 mm. 2 locking latch | 32201 | 299,- |
| Frosted glass | 32202 | 314,- |
| ③ Rear window 816 x 650 mm for cut-out dim. 550 x 490 mm. 1 locking bolt | 32203 | 369,- |

These windows are suitable for panel vans (not suitable for replacing original glazing). Rear window does not fit w/ the 270° door hinges.

CARBEST 



Sliding window for horse trailers - RW TRAILER

Window for horse trailers with protective grid, provides ventilation as well as protection from insects due to integrated mosquito net. Lockable and lockable from the outside. For 40 mm wall thickness, corner radius 100 mm. Width 790 mm, height 515 mm **31970 381,-**



With sealing rubber

Real glass sliding windows

- Black aluminum frame, gray tinted lens
- Usable left and right
- Corner radius: 85R

Cut-out dims. W x H (mm)	Overall dims. W x H (mm)	app. weight	Art. No.	Price
400 x 300	433 x 333	3,1 kg	31610	207,-
800 x 400	833 x 433	6,9 kg	31850	257,-
960 x 450	993 x 483	8,8 kg	31612	268,-
600 x 250	633 x 283	3,8 kg	31613	268,-
500 x 450	533 x 483	5,1 kg	31614	239,-
800 x 450	833 x 483	7,5 kg	31615	261,-
800 x 340	833 x 373	6,1 kg	31616	250,-



319,-

① Aluminum high roof hinged window

- Ideal for alcoves or high roofs
- Sturdy aluminum frame
- Safety glass pane without tint
- Angle of swing max. 90
- Aluminum display with manual locking screw
- Wall thicknesses from 30-35 mm, cut-out dimensions 460 x 160 mm

Frame color black	34435	319,-
② Window display, Length 20 cm	34475	20,70
Replacement sash (without illustration)	34433	244,-



Rear window insert for VW T6 with integrated hinged window S7P 5000

- Rear window insert made of GRP
- For good ventilation in sleeping area of VW bus
- Acrylic vent windows with tinted double glazing for excellent thermal insulation
- Pane closes flush with the frame on the outside
- Lightweight aluminum frame, black color

Window incl. frame: 980x480 mm. A rear window wiper, if present, is not required. For wall thicknesses of 22-43 mm. Supplied without interior cladding.

31299 927,-

Blackout system for hinged windows S7P 5000 Pleated blind w. a cozy honeycomb pattern & black fly screen in flat-fitting cassette. The Roller blinds can be infinitely adjusted.

31324 398,-

Delivery only via a Reimo specialist dealer.

CARBEST 

① Porthole - RW NAUTIC Ø 295 mm

- Tinted acrylic
- Double glazed
- UV-resistant
- Powder coated aluminum frame, black
- For wall thicknesses of 40 mm

Rigid version (cannot be opened), outer Ø: 323 mm, window Ø: 295 mm. Weight: approx. 1.4 kg. **32263 119,-**

② Darkening system for RW NAUTIC

with privacy and Mosquito protection pleated blind with magnetic closure. Aluminum frame, white. Overall dims.: 374x318 mm, weight: app. 1 kg **322631 65,30**



E
ECE R43

Rigid



Portholes rigid or hinged

- Double glazed, Glass color: Grey
- ③ Fixed porthole incl. rubber profile for clean internal finish
For wall thickness 25-27 mm.
Ø 282 mm, cut-out dimension: 300 mm **32260 136,-**
Ø 362 mm, cut-out dimension: 380 mm **32261 160,-**
- ④ Opening porthole
Dims.: 404 x 426 mm, cut-out dim.: 350 mm, suitable for wall thickness: 28-32 mm, incl. upper hinge strip + 1 exhibitor, with fine screen printing around the edge **32265 275,-**
- ⑤ Porthole exhibitor **32265**
Length app. 19 cm **32278 32,70**



Rigid



Adjustable



GP* = Base price per specified unit

PREMIUM SAFETY SLIDING GLASS WINDOW




Premium safety sliding glass windows for VW T6/T5, Mercedes Vito, Ford Transit Custom





- High-quality workmanship and a perfect fit
- Green tinted safety glass
- Window pane is flush with the glass frame
- Wide metal window lock



VW T6 / T5 > 2004

Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
 short/long	short/long	1136x581	8,0	31861	673,-

Mercedes Benz Vito > 2015

Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
 short/long	short/long	1108x569	7,5	31863	682,-
 short/long	short/long	1108x569	7,5	31862	674,-

Ford Transit Custom > 2013

Installation position	Wheelbase	Outer dims. W x H (mm)	Weight (kg)	Item no.	Price
 short/long	short/long	1200x560	8,5	31865	744,-
 short/long	short/long	1200x560	8,5	31864	674,-



Close window pane and glass frame flush on the outside



Window lock over the entire window height




Photo: Silvio Züllig



Seawater-resistant fittings - durable and easy to maintain



High-quality tempered glass windows for demanding use in expedition and long-distance motorhomes

- Fully insulating real glass with high-quality coating
- Glass with high solar and thermal insulation coating
- Steel-reinforced rigid PVC window frame (flush with outer wall)
- Stainless steel/aluminum/carbon fittings
- Integrated sun and insect screen roller blind
- Mosquito net made of black coated fiberglass threads
- Stepless ventilation positions with one-hand operation



Including sun - and mosquito blind

For 60 mm wall thickness w/ 3 mm GRP outer skin (standard wall thickness in expedition vehicle sector). For different wall thicknesses, optional mounting accessories at www.reimo.com.
Frame color white (similar to RAL9016), paintable.



Cutout dims. W x H (mm)	Overall dims. W x H (mm)	Clearance dims. W x H (mm)	Weight (kg)	Item no.	Price
364x524	440x600	220x380	16	360001	2573,--
524x364	600x440	380x220	16	360002	2573,--
744x424	820x500	600x280	21	360003	2802,--
864x424	940x500	720x280	25	360004	2562,--
724x524	800x600	580x380	23	360005	2584,--
924x524	1000x600	780x380	28	360006	3107,--
1124x524	1200x600	980x380	34	360007	3194,--
1324x524	1400x600	1180x380	38	360008	3358,--

Adhesive recommended for installation: Dekasyl MS-5 or Sikaflex 554 w/ pre-treatment.

Photo: Susanne Brüsche



Handle in black lacquered beech wood



Including sun - and mosquito blind

Tempered glass roof hoods for expedition and long-distance motorhomes

- Fully insulating real glass with solar control coating
- Frame made of GRP / CFRP
- Fittings made of seawater-resistant stainless steel
- Gas pressure dispenser made of 2-ply painted steel
- Integrated sun and insect screen roller blind
- Tread-resistant and burglar-resistant
- Stepless opening with real wood handle



Without forced ventilation. Roof hood height above roof: 84 mm. For roof thicknesses of 38-47 mm as standard. If the roof thickness differs, you can find optional mounting accessories at www.reimo.com.
Frame color white (similar to RAL9016), paintable.


Cutout dims. W x H (mm)	Overall dims. W x H (mm)	Step-through (mm)	Weight (kg)	Item no.	Price
500x500	560x560	320x340	16	36008	4121,--
960x655	1020x710	780x480	29	36007	5102,--

Sealant recommended for installation: Dekaseal 8936

Window adjusters (fittings) for Polivitrum windows

① Polyfix fittings with click-clack mechanism (A)						Screw fittings with click-clack mechanism					
with locking bolt			without locking bolt			with locking bolt			without locking bolt		
200 mm left	322596	17,40	200 mm left	322598	25,40	230 mm left	32259	14,80	200 mm left	322600	25,10
200 mm right	322597	17,40	200 mm right	322599	25,40	230 mm right	322591	14,80	200 mm right	322601	15,20
230 mm left	322594	17,80				280 mm left	322592	18,70			
230 mm right	322595	17,80				280 mm right	322593	18,70			
280 mm left	32250	22,90									
280 mm right	32251	22,90									

② Polyfix fittings with stepless adjustment						③ Screw fittings with stepless adjustment					
with locking bolt			without locking bolt			with locking bolt			without locking bolt		
135 mm left	322602	16,90	135 mm left	322842	26,20	135 mm left	322608	14,--	135 mm left	322616	26,20
135 mm right	322603	16,90	135 mm right	32282	26,20	135 mm right	322609	14,--	135 mm right	322617	26,20
200 mm left	322604	18,20	200 mm left	322841	30,80	200 mm left	322610	15,60	200 mm left	322620	34,90
200 mm right	322605	18,20	200 mm right	32284	27,50	200 mm right	322611	15,60	200 mm right	322621	34,90
300 mm left	32252	18,90				300 mm left	322612	18,20			
300 mm right	32254	18,90				300 mm right	322613	18,20			
230 mm left	322606	18,90				230 mm links	322614	15,30			
230 mm right	322607	18,90				230 mm right	322615	15,30			



Edge cover profile

Cutting out the sheet metal often results in an unsightly cut edge. This can be concealed with the edge protection profile. When attaching, please check whether the pane can still be glued in correctly. **Small clamping range: 0.5-1.5 mm**

5 m, black 294559 16,30

GP* 2,98/ 1 m

10 m, black 294551 32,60

GP* 2,99/ 1 m

Large clamping range: 1.5-4.0 mm

10 m, black 294560 87,10

GP* 7,99/ 1 m



Lip profile

Clamping range: 1.0-4.0 mm. Is pushed onto the edge of the sheet metal. Clamps due to incorporated metal profile.

10 m GP* 12,07/ 1 m 294502 132,--

50 m GP* 12,00/ 1 m 294503 654,--



Edge protection for acrylic glass panes

- High-quality silicone rubber
- Fits almost all standard curtain-type vent windows
- Effective protection against possible injuries

Clamping range: 2.8 to 3.5 mm

5 m GP* 9,19/ 1m 312411 50,10

10 m GP* 9,50/ 1m 312412 104,--



Rubber sealing profile for curtain-type windows


- Self-adhesive

For wall thicknesses of 28-32 mm. Self-adhesive for quick and easy installation. Color: Black.

(filler profile not incl. in scope of delivery)

4 m GP* 14,99/ 1 m 322704 65,40

40 m GP* 13,97/ 1 m 3227040 610,--



Window cover profiles light gray Perfect transition to the interior or cladding. The profile is cut to the depth of the respective wall thickness, glued or fastened with cap screws (not included).

① **Internal profile bar 2 m** 38000 18,90

② **Round bend radius 80°** 38004 5,15

③ **Rund bend radius 60°** 38003 5,15



Accessories for Polivitrum windows

① **Bolt lock for screw fitting window** 32253 8,95

② **Bolt lock for Polyfixfitting window with button lock** 32258 28,90


③ **Fixing plate set** 20 plates with 3.5 x 16 mm screws for wall thicknesses of 23 to 33 mm 32255 15,50

Filler profile for Rubber sealing profile

Suitable for rubber seal profile 322704/3227040.

Color: grey, dimensions: 23 mm x 0.9 mm.

10 m GP* 1,23/ 1 m 322730 13,50



All dimensions are approximate

S3 and S4 Window spare parts



Sealing rubbers, small parts

- ① End pieces for hanging rail S4 window pair **39825 7,55**
- ② Sealing rubber outer frame wall S3 window 5 m **39821 17,70**
- ③ Outer frame wall sealing rubber S4-S6 Window 5 m **39822 16,30**
- ④ Pane seal for vent window **39820 26,-**
- ⑤ Closure with counterpart and screws until 10/2006 **39817 32,60**
from 11/2006 **39818 36,70**

Window adjuster, transom

Window adjuster for window height:


- ⑥ 300 mm, pair **SA104 45,70**
- ⑦ 400 mm, pair **E8031 51,30**
- 450 mm, pair **E8030 50,70**
- 550 mm, pair **E8029 54,50**
- 600 mm, pair **E8032 54,40**
- 700 mm, pair **E12191 54,40**

Pair: one spare part each for left and right side.

Locking bolt

- ⑧ left **39816 15,80**
- ⑨ right **39815 15,80**

S4 Window spare parts




Cutout dimension	① Fly screen roller blind White	② Blackout roller blind White	③ Inner frame Cream complete with roller blind
350 x 500	315302 29,50	315301 31,90	E5660 166,-
500 x 300	315342 33,30	315341 35,50	E434 166,-
500 x 350	315342 33,30	315341 35,50	E5661 167,-
500 x 450	315342 33,30	315341 35,50	E4437 168,-
500 x 600	315342 33,30	315341 35,50	E5662 171,-
550 x 550	315372 38,-	315371 36,60	E3756 172,-
550 x 580	315372 38,-	315371 36,60	
550 x 600	315372 38,-	315371 36,60	E5664 173,-
600 x 500	315392 32,60	315391 39,20	E454 172,-
600 x 600	315392 32,60	315391 39,20	E5659 177,-
650 x 300	315402 34,30	315401 38,20	E5666 169,-
700 x 300	315452 37,40	315451 40,80	E5667 171,-
700 x 400	315452 37,40	315451 40,80	E4010 174,-
700 x 450	315452 37,40	315451 40,80	E480 176,-
700 x 550	315452 37,40	315451 40,80	E5668 178,-
700 x 600	315452 37,40	315451 40,80	E4777 180,-
750 x 400	315482 39,30	315481 46,40	E6050 178,-
750 x 450	315482 39,30	315481 46,40	E3877 180,-
750 x 600	315482 39,30	315481 46,40	E5669 184,-
800 x 350	E11926 34,80	315501 40,30	E5670 176,-
800 x 450	E11926 34,80	315501 40,30	E3055 179,-
800 x 550	E11926 34,80	315501 40,30	
900 x 400	315552 37,10	315551 47,40	E5671 184,-
900 x 450	315552 37,10	315551 47,40	E5672 185,-
900 x 500	315552 37,10	315551 47,40	E493 186,-
900 x 550	315552 37,10	315551 47,40	E473 188,-
900 x 600	315552 37,10	315551 47,40	E416 189,-
1000 x 450	315553 42,90	315554 47,90	E5674 189,-
1000 x 500	315553 42,90	315554 47,90	E4914 190,-
1000 x 550	315553 42,90	315554 47,90	E4510 191,-
1000 x 600	315553 42,90	315554 47,90	E5675 192,-
1000 x 800	315602 41,10	315601 54,-	E5673 228,-
1100 x 450	31583 39,20	31633 49,50	
1100 x 550	31583 39,20	31633 49,50	E4587 197,-
1100 x 700	315642 40,30	315641 52,80	E5676 200,-
1200 x 300		315644 54,40	E5677 192,-
1200 x 350		315644 54,40	E5678 193,-
1200 x 500		315644 54,40	E6051 198,-
1200 x 600		315644 54,40	
1200 x 700	31584 46,50	315643 56,70	E1924 221,-
1300 x 550	315722 49,60	315721 54,40	E5679 207,-
1300 x 600	315722 49,60	315721 54,40	E417 213,-
1450 x 550	315752 43,80	315751 62,10	E5680 214,-
1450 x 600	315752 43,80	315751 62,10	E4001 227,-
1450 x 700	315752 43,80	315751 62,10	E5681 238,-
1600 x 600	315772 43,10	315771 64,80	E5682 234,-

- ④ Spring motor for roller blind width 900 to 1600 mm **37208 21,-**
- ⑤ Parts kit for S3 + S 4 windows, color grey. Scope of delivery: Guide piece, lateral counterholder. One-hand operation, lock, dovetail profile, slider, bearing bush. **399931 28,30**
- ⑥ Cover caps + screws **37224 10,80**



REPLACEMENT PANES FOR WINDOWS / SHORTENABLE DARKENING SYSTEMS




Acrylic glass replacement window panes with attachments suitable for e.g. Dometic/Seitz hinged windows (not original Dometic window panes)

- Suitable for Dometic window models S3/S4/S5
- The replacement window panes are attached to the original window frame hinge
- Double-glazed for optimum insulation
- Window panes curved outwards
- Acrylic glass color: grey or bronze
- Scope of delivery: Acrylic glass replacement window pane, window adjuster, hinge & locking bolt

Cut-out Window W x H (mm) approx.	Outer dimension Acrylic glass W x H (mm)	Grey		Bronze	
		Item no.	Price	Item no.	Price
350x500	318x434	31400	153,--	31401	157,--
500x300	468x232	31402	154,--	31403	162,--
500x350	468x282	31404	162,--	31405	166,--
500x450	468x380	31406	171,--	31407	179,--
500x600	468x534	31408	182,--	31409	188,--
550x550	518x484	31410	206,--	---	---
550x580	518x512	31411	182,--	31412	188,--
550x600	518x534	31413	182,--	31414	191,--
600x500	568x434	31415	188,--	31416	199,--
600x600	568x534	31417	206,--	31418	211,--
650x300	618x232	31419	188,--	31420	193,--
700x300	668x232	31421	150,--	31422	153,--
700x350	668x282	31423	173,--	---	---
700x400	668x332	31424	175,--	31425	175,--
700x450	668x382	31426	179,--	31427	188,--
700x500	668x434	31428	206,--	---	---
700x550	668x484	31429	206,--	31430	211,--
700x600	668x534	31431	211,--	31432	218,--
750x400	718x332	31433	181,--	31434	181,--
750x600	718x534	31435	214,--	31436	218,--
800x350	768x282	31437	188,--	---	---

Cut-out Window W x H (mm) approx.	Outer dimension Acrylic glass W x H (mm)	Grey		Bronze	
		Item no.	Price	Item no.	Price
800x450	768x382	31438	213,--	31439	218,--
900x400	868x334	31440	213,--	31442	216,--
900x450	868x382	31443	218,--	31444	218,--
900x500	868x434	31445	218,--	31446	221,--
900x550	868x484	31447	218,--	31448	226,--
900x600	868x534	31449	226,--	31450	235,--
1000x450	968x380	31452	226,--	31453	240,--
1000x500	968x434	31456	229,--	31458	242,--
1000x550	968x484	31459	240,--	31461	251,--
1000x600	968x534	31462	250,--	31463	255,--
1100x450	1068x382	31465	262,--	31466	271,--
1100x550	1068x484	31467	273,--	31468	285,--
1200x300	1168x232	31469	197,--	31470	205,--
1200x350	1168x282	31471	217,--	31472	231,--
1200x500	1168x434	31474	289,--	31475	300,--
1200x600	1168x534	31476	294,--	31482	309,--
1300x550	1268x484	31483	299,--	31484	313,--
1300x600	1268x534	31485	302,--	31486	319,--
1450x550	1418x484	31487	316,--	31491	332,--
1450x600	1418x534	31492	327,--	31493	342,--



At the height can be shortened individually



Adjustment mechanism made of plastic

The interior window frames with blackout and fly screen roller blinds are the perfect addition to make your motorhome shine again.

The Roller blind system is available in various widths, the height of 650 mm can be individually shortened and thus adapted to the existing requirements in the vehicle. (blackout system not pre-assembled)

Overall dimension W x H (mm)	A	B	C	D	Item no.	Price
600x650	694	650	600	750	37833	90,40
700x650	794	650	700	750	37834	91,50
800x650	894	650	800	750	37835	95,90
900x650	994	650	900	750	37836	99,10
1000x650	1094	650	1000	750	37837	103,--
1100x650	1194	650	1100	750	37838	110,--
1200x650	1294	650	1200	750	37839	113,--
1250x650	1344	650	1250	750	37840	117,--
1300x650	1394	650	1300	750	37841	121,--
1400x650	1494	650	1400	750	37842	125,--
1450x650	1544	650	1450	750	37843	125,--
1500x650	1594	650	1500	750	37844	130,--


Blackout system incl. mosquito net

- Complete system for retrofitting or conversion
- Can be individually shortened in height
- Simple assembly
- Almost complete blackout
- Effective insect protection
- Frame color: Cream white
- Color blackout blind: White
- Mosquito net color: Grey
- Frame material: Plastic

Double cassette roller blind REMiflair I - very flat

The inexpensive combination roller blind. Blackout and flyscreen roller blind, high-quality fittings, w/ excellent insulating properties: Outside: Aluminum-coated sun protection film w/ almost complete blackout. Effective insect protection, both roller blinds are guided from above. Ideal for worktops and seating areas. Roller blind is only 3.5 cm thick. Color: cassette cream white, sun protection film: cream white or grey inside; silver-coated outside, effectively reflects sunlight. Insect screen gauze: White.

Window cut-out (WxH in mm)	External frame (WxH in mm)	Light gray: Silver	Price	Cream white: Silver	Price
700 x 550	770 x 655	–		370506	113,-
800 x 550	870 x 655	–		370516	99,20
900 x 550	970 x 655	–		370526	108,-
1000 x 600	1070 x 705	–		370536	128,-
1100 x 600	1170 x 705	–		370546	141,-
1450 x 700	1520 x 805	37055	159,-	–	



DoublePleated blind REMiflair IV

The elegant combination roller blind. Blackout roller blind with homely pleated blind, looks very homely, insect roller blind with integrated sealing brushes so that annoying biting flies don't stand a chance. Flat design: only 4 cm thick. Ideal for worktops and seating areas. Color: cassette cream white; pleated blind: grey-white coated. Insect screen roller blind & blackout blind are firmly connected to each other via handle strip. Roller blinds are infinitely adjustable.

Window cut-out (WxH in mm)	External frame (WxH in mm)	Gray-white White	Price
400 x 350	464 x 450	36700	106,-
500 x 450	564 x 550	36701	119,-
550 x 520	614 x 620	36702	125,-
600 x 550	664 x 650	36703	130,-
650 x 550	714 x 650	36704	136,-
700 x 550	764 x 650	36705	152,-
750 x 550	814 x 650	36706	152,-
800 x 550	864 x 650	36707	149,-
900 x 550	964 x 650	36708	155,-
1000 x 600	1064 x 700	36709	167,-
1100 x 600	1164 x 700	36710	176,-
1200 x 600	1264 x 700	36711	185,-
1300 x 600	1364 x 700	36712	191,-
1450 x 700	1514 x 800	36713	220,-
1600 x 700	1664 x 800	36714	232,-



REMIS spring roller blind - effective darkening

The spring roller blind - functional & cost-effective. Fits all window types. Effective sun protection and darkening. Can be used individually, as the height can be adapted to specific requirements.

Window cut-out (WxH in mm)	Gray-white Silver	Price	Cream white Silver	Price
For side windows				
770 x 600	37102	46,40	371026	46,30
870 x 600	37103	47,90	371036	47,90
970 x 600	37104	50,80	371046	50,80
1020 x 600	37105	54,50	371056	54,50
1120 x 600	37106	55,60	371066	55,60
1270 x 600	37107	59,90	371076	59,90
1420 x 700	37109	63,80	371096	63,80
1620 x 700	–		371116	81,30
For roof hoods				
620 x 600	37101	33,70	371016	32,70





Video

* Please note that you must add following installation areas to your window dims. in order to find right roller blind size: DC (window from Horrex)/RK (window w/ rubber frame): Width + 78 mm / Height + 78 mm, PV (aluminum windows): Width + 46 mm / Height + 46 mm, S7 (window from Dometic): Width + 36 mm / Height + 36 mm. Example: DC: Window dims.: 700 x 500 mm > 778 x 578 mm > Roller blind 872 x 808 mm

Pleated Roller blind with fly screen & blackout

- Blinds can be individually cut to size*
- Sturdy aluminum construction
- Fly protection and blackout pleated blinds
- Smooth Softline operation
- Infinitely adjustable
- With aluminum handle strip
- Upper and lower profile with ventilation slits
- Completely pre-assembled, supplied in kit form

Dimensions W x H	Item no.	Price
472 x 501 mm	35100	127,--
472 x 808 mm	35101	152,--
872 x 1100 mm	35105	237,--
1172 x 501 mm	35106	191,--
1172 x 808 mm	35107	230,--
1172 x 1100 mm	35108	283,--
1472 x 501 mm	35109	217,--
1472 x 808 mm	35110	263,--
1472 x 1100 mm	35111	334,--
1800 x 501 mm	35112	247,--
1800 x 808 mm	35113	326,--
1800 x 1100 mm	35114	357,--



Duo pleated UCS profile set for replacement

- Available in gray and white


Replacement profile set for UCS Duo pleated blind. Consisting of 4 long parts and 4 corners. The long parts must be shortened to the appropriate length

For internal frames up to 800 mm wide:

Grey	35093	49,60
White	35095	49,60

For internal frames from 900 mm width:

Grey	35094	49,60
White	35096	50,10



Example: Seitz spring roller blind

You can find more roller blind spare parts at: www.reimo.com
The spare parts are listed below the product.

Roller blind spare parts Dometic

For spring roller blinds:

Parts set (pull tab, retaining knob and 2 end caps)

Beige	E5001
Grey	E5002

Pull tab Grey 37212

Pull tab Beige 37211

Retaining button Beige 37218

End cap Beige E5003

Roller blind bracket 3-piece. 37210

Spring motor all sizes 37205

For cassette roller blind 1302:

Parts set for one-hand operation (locking and additional parts)

Grey E3813

For roller frame S3 windows:

Cover caps

Ø 9 mm, beige, 12 pcs. E5014

Ø 10.5 mm, beige, 12 pcs. E5015

For roller frame S4 windows:

Screws incl. cover caps

Grey, 12 pcs. each. 37224

White, 12 pcs. each. 372241

Beige, 12 pieces each. 372242

For latching roller blind 2000:

End piece Roller blind E2712

Preload bushing (pair) E442

For latching roller blind 2001:

End piece Roller blind E1521



DOMETIC FP200 -

Windshield roller blind for Fiat Ducato (1994 - 2006)

The windshield roller blind specially developed for Fiat Ducato, Peugeot Boxer and Citroën Jumper (without roof rack) ensures that your vehicle stays pleasantly cool. The outside of the roller blind is aluminum-coated, darkened and insulated in one. Color gray.

37407

370,-

370,--





darkSTAR darkening systems for Fiat Ducato X250/X290 and identical models from Citroën and Peugeot

- Double pleated polyester with aluminum coating
- Infinitely adjustable
- Suitable for vehicles w/ & without sensor
- Can be used in left- and right-hand drive vehicles
- Frame parts made of plastic (PP) and aluminum

This innovative blackout system protects your private area in vehicle from unwanted glances and at the same time ensures pleasant temperatures through cold & heat insulation.

The double-pleated honeycomb material ensures optimum insulation & high durability. Continuous adjustment from bottom to top enables individual lighting conditions. Suitable for vehicles with and without sensor. Can be used in both left- and right-hand drive vehicles.



Blackout system	Feature	For vehicle models	Item no.	Price
Windshield	For panel vans with original Fiat headliner	Fiat Ducato, Citroën Jumper, Peugeot Boxer X250/X290	37491	436,-
Windshield	For motorhomes The blackout system has more pronounced curves on the A-pillar. (different headliners depending on manufacturer)	Fiat Ducato, Citroën Jumper, Peugeot Boxer X250/X290 (for old and new model)	37490	436,-
Side window set (left and right)	---	Fiat Ducato, Citroën Jumper, Peugeot Boxer X250/X290	37492	502,-
Side window set (left and right)	---	Fiat Ducato X290 >2021/09	37493	502,-

↔ DOMETIC OUTDOOR

Cab darkening for Fiat Ducato, Citroën Jumper, Peugeot Boxer

- Double honeycomb material for maximum insulation
- Operation from bottom to top
- Lightning-fast installation - no need to remove existing components!
- Slim upper panel - leaves space for a fold-down bed
- Infinitely adjustable
- Also suitable for vehicles with rain sensor box
- Beige color

FP300 windshield,

not suitable for vehicles with rear-view mirror or side airbag **37463 399,-**

SP300 Side windows right/left, for Ducato < 8/21 **374395 490,-**



Assembly? A matter of minutes! Neither the A-pillar nor the sun visors need to be removed.



SIMPLE INSTALLATION No need to remove the interior trim - clear view of the entire exterior mirror.



Perfect connection Operation from bottom to top - optimum privacy protection.



Secure mounting Simply click into place and it fits.

DARKENINGBLACKOUT / BLACKOUT WITH MAGNETIC ATTACHMENT



LIPPERT

SKIA - Darkening system for Fiat Ducato X290

- Magnetic closure
- Patent pending
- Anti-tilt technology
- Easy to lock, easy to unlock
- Complete blackout
- Also suitable for vehicles with rain sensor box
- Color cream white/grey

For windshield (YOC. > 2015, also for Ducato 8)

Weight app. 3.5 kg 37470 332,-

For side windows (Fiat Ducato YOC. < 2021)

Weight app. 2.5 kg 37471 384,-

For side windows (Fiat Ducato 8 YOC. > 2021)

Weight app. 2.5 kg 37486 384,-




CARBEST

Universal windshield darkener w/ suction cups

- Suitable for many vehicle models such as VW T6, MB Vito and many more
- Extendable to a maximum width of 155 cm
- Can be individually cut to size (cutting clamp included)
- The reflective outer surface reduces heat in the vehicle
- Can also be used for the rear window
- Attachment with vacuum suction cups (included in scope of delivery)

Quick and easy to attach. Roller blind dimensions:
W 155 x H 70 cm, material: polyester with aluminum foil.
Pack size: 70 x 6.5 x 6 cm, weight: app. 0.6 kg.

374100 21,70



Picture shows blackout in VW Caddy



CARBEST

Blackout set with magnetic attachment

- 8-piece (living area + driver's cab)
- Blackout fabric, absolutely opaque
- Magnetic attachment
- Washable
- Material: 100% PES
- Minimum pack size

For VW Caddy 5 Maxi / Ford Connect 3 L2 from 7/2022

372272 163,-

For VW T7 Multivan, L2

372273 196,-





REMISSfront IV for Fiat Ducato, Peugeot Boxer,CitroënJumper, Ford

- High-quality and stable roller blind system for the cab
- Effective heat and cold insulation
- Heating and cooling of the interior is significantly reduced
- Perfectly adapted to the cab and interior mirror
- No visual obstruction - Roller blind is perfectly integrated into the A-pillar

Model / YOC.	Remarks	Windshield	Price	Side window left + right	Price
X250 YOC. 2006-2011 ***	Without sensor housing	37414	380,-	374141	474,-
X250 YOC. 09/2011-2014 ***	Without sensor housing	374142	359,-	374143	447,-
X290 from YOC. Model 2014 ***	Ducato codes LA1/41J/051	374146	475,-	374143	447,-
X290 from YOC. Model 2014/2019 ***	Without sensor housing	374144	394,-	374143	447,-
X290 from YOC. Model 2019 ***	Front with sensor package	37464	469,-	374143	447,-
X290 from YOC. Model 2021 Also for Opel Movano **	Front without sensor package	37480	399,-	37483	501,-
	Front with sensor package small	37481	426,-	37483	501,-
	Front with large sensor package	37482	479,-	37483	501,-
Ford Transit Custom V362 2012 - 2017	Without visual package	374180	523,-	374184	483,-
	Viewing package 2	374187	617,-	374184	483,-
	Viewing package 3	374188	617,-	374184	483,-
Ford Transit Custom V362 * from 2018	Without visual package	374140	544,-	374148	515,-
	Viewing package 2	374149	617,-	374148	515,-
	Viewing package 3	374149	483,-	374148	515,-
Ford Transit V363 2014 - 2019	Without sensor housing	374183	526,-	374189	483,-
Ford Transit V363 from 2019 *	Front with light and rain sensor	374150	621,-	374194	483,-
	Without sensors	374190	526,-	374194	483,-

* Left-hand drive & right-hand drive. ** Does not apply to boxers and jumpers. *** Also for boxers and jumpers.

Adapter for sun visor from model year 2006	374213	27,20
Additional screen for even better dimming on the dashboard from YOC. 2011	374212	130,-

DARKENING SYSTEMS FOR DRIVER'S CABS



Front and side Side window blinds for Volkswagen Transporter 5/6

REMIfront for the windshield and the Reimo side curtains for perfect insulation and darkening. The cab area is optimally integrated into the living area. Does not fit in the California Beach, Comfortline and Generation, not even with head airbag!

- High-quality and stable roller blind system for the cab
- Heating or cooling of the interior is reduced
- Perfectly adapted to the cab of the vehicle
- No visual obstruction - roller blind perfectly integrated into the A-pillar

Model	YOC.	Position	Color	Item no.	Price
VW T5/T6	< 2009	Windshield	Frame gray Pleated blind gray	37409	337,-
VW T5/T6	< 2009	Side windows	Frame gray Pleated blind gray	19241	209,-



REMIfront III for Mercedes Sprinter and VW Crafter / REMIfront IV for Renault Master

Model / YOC.	Remarks	Windshield	Price	Side window Left + Right	Price
Sprinter 2006 - 2018, Crafter 2006 - 2016	Straight mirror base	37417	397,-	374171	501,-
	Angled mirror base	374170	397,-		
	With rain sensor	E5926	407,-		
Sprinter from 2013, Crafter from 2013 - 2016	Special packages MB Code LA/JP4/JP2	E6133	479,-		
MAN Crafter from 2019	Front with top storage compartment	374162	573,-	374161	501,-
Mercedes Sprinter from 2019	for large sensor housing	37465	507,-	37469	512,-
	for small sensor housing	37478	507,-	37479	512,-
Renault Master / Opel Movano / Nissan Interstar from 04/2011 - 08/2019	Without rain sensor	37424	435,-	374241	531,-
	With or without interior mirror	374195	460,-		
Renault Master from 2019, identical in construction Opel Movano 2019 - 2021	With rain sensor	374196	515,-		
	With assistance systems	374197	579,-		



Curtain set for cab Prevents the cab from heating up and protects against unwanted views into the vehicle interior. For front and side windows.

VW T5/T6 from YOC. 2003	3-piece, gray/black	19220	174,-
VW Caddy Maxi 2015 - 2020	1-piece, gray	19221	174,-
Mercedes Vito Metris	1-piece, gray	19229	174,-



CARBEST

Partition curtain for VW T5/T6 cab

Opaque curtain to separate the driver's cab from the living area. Protects against unwanted view into the vehicle interior Scope of delivery: 1 partition curtain, rail, screws and press studs.

VW T5/T6	Color grey, 2-ply, 180 denier	19245	141,-
----------	-------------------------------	-------	-------

Opaque Curtains

- Extremely high-quality double curtain
- 5-piece including all attachments
- Complete sets, pre-assembled + pre-bent
- Best fabric tension, because curtain guide at the top and bottom


Material: 36% polyester, 32% polyamide, 23% spandex, 9% other fibers.
Fastening with curtain rails (pre-bent) and press studs for screwing on.



Model	YOC.	Wheelbase	Interior trim	Color	Item no.	Price
VW Caddy	2015-2020	briefly	no	Inside gray outside black	19218	294,-
VW Caddy Maxi	2015-2020	lang	no	Inside gray outside black	19219	294,-
VW T5/T6 Multivan/Caravelle	2003-2022	briefly	yes	Inside gray outside black	19239	326,-
VW T5/T6	> 2003	briefly	no	Inside gray outside black	19201	326,-
VW T5/T6 (UK)	> 2003	briefly	no	Inside gray outside black	192014	326,-
VW T5/T6	> 2003	lang	no	Inside gray outside black	19202	326,-
VW T5/T6 (UK)	> 2003	lang	no	Inside gray outside black	192024	326,-
VW T5/T6 (UK)	> 2003	briefly	no	Bordeaux inside black outside	192016	326,-
VW T5/T6 (UK)	> 2003	briefly	no	Inside cream outside black	192017	326,-
VW T5/T6 (UK)	> 2003	lang	no	Inside cream outside black	192027	326,-
MB Vito	> 2015	medium	no	Inside gray outside black	19227	326,-
MB Vito	> 2015	lang	yes	Inside gray outside black	19228	326,-
MB Vito (UK)	> 2015	lang	yes	Inside gray outside black	192281	326,-
Ford Transit Custom	> 2014	lang	no	Inside gray outside black	19217	326,-
Renault Trafic	> 2015	briefly	no	Inside gray outside black	19216	326,-
Renault Trafic	> 2015	lang	no	Inside gray outside black	192161	326,-
Renault Trafic	> 2015	briefly	no	Inside cream outside black	192164	326,-
Renault Trafic	> 2015	lang	no	Inside cream outside black	192167	326,-



Available in the colors: grey/black, cream/black, bordeaux/black.



Translucent curtains for VW T5/T6

- High-quality translucent gray fabric curtains
- 5-piece including all attachments
- Best fabric tension, because curtain guide at the top and bottom
- Privacy screen and still light in the vehicle

Material: 36% polyester, 32% polyamide, 23% spandex, 9% other fibers.
Fastening with curtain rails and press studs for screwing on for 5 windows (side and rear windows). Not suitable for VW T6 vehicles with plastic interior trim, e.g. Multivan, Caravelle etc.

Model	YOC.	Wheelbase	Color	Item no.	Price
VW T5/T6	> 2003	briefly	Grey	19231	272,-
VW T5/T6	> 2003	lang	Grey	19232	185,-



When mounting a roof hood, we additionally recommend the installation of a front spoiler

12V VENT

HOOD WHITE


 ECE R10



HOOD MILK-GLASS



Roof hoods for wet rooms



- Ideal for wet cells and sanitary areas
- Mosquito protection included
- With inner frame, without forced ventilation

Cutout size: 280x280 mm
 Overall dimension: 365x365 mm
 Installation height: 85 mm
 For roof thicknesses from 25-65 mm

Power Vent with 12 V fan

Fan can rotate in both directions: For ventilation or for air extraction. Technical data fan: Power: 9.6W, capacity 9 m³/h, noise level ≤ 50dB, Ø 175 mm, 5 fan blades, Hood: White (opaque), inner frame: White. Weight: approx. 2.3 kg **31853 95,90**


Power Vent without 12 V fan

Hood: frosted glass look, interior frame: White. Weight: approx. 2.1 kg **318530 76,30**

When mounting a roof hood, we additionally recommend the installation of a front spoiler



Aerodynamic roof hood



- UV resistant dark tinted acrylic glass
- Pleated blackout and mosquito protection
- With night lock
- With inner frame, without forced ventilation

Cutout size: 400x400 mm
 Overall dimension: 500x500 mm
 Mounting height: 106 mm
 For roof thicknesses of 30-50 mm Weight: approx. 4,3 kg Inner frame: White **31888 137,-**



Roof hoods with gray tinted glazing, pleated darkening and mosquito protection

40x40 cm	UV CONSISTENT	DOUBLE GLASS	DARKENING
INSECT-PROTECTION	MAX. 50°	max. 130 km/h	
ECE R43			

- UV-resistant tinted acrylic glass
- Aerodynamic acrylic glass hood
- Inner frame with pleated blind darkening, mosquito protection and magnetic closure
- 2 openers for safe opening
- 12V LED lighting (warm white) in the inner frame
- Ready to install

Technical data:

Cutout dimensions: 400x400 mm
 Overall dimension: 530x490 mm
 Overall dimension of inner frame: approx. 540x520 mm
 Opening angle up to 50
 Mounting height: approx. 120 mm
 Roof thickness: 28 - 50 mm
 Weight: approx. 3.5 kg



Roof hood without LED lighting in the inner frame, without forced ventilation 318020 137,-



Roof hood without LED lighting in the inner frame, with forced ventilation (Ventilation opening approx. 100 cm²)

318027 137,-



Roof hood with LED lighting in the inner frame, without forced ventilation 318021 163,-

Perfect fit Protective cover for Carbest roof hoods: 318020/318021/318027/31888

- Protects against scratches, dirt and hail damage
- High-quality multi-layer insulation ensures pleasant temperatures in the interior
- Prevents the vehicle from heating up in the Summer and insulated in winter
- UV-resistant material

Supplied without roof hood. 420603 33,30

Further protective covers on page 676

When mounting a roof hood, we additionally recommend the installation of a front spoiler



Without LED ambient lighting in the inner frame (318020 / 318027)



Warm white LED ambience-lighting in the inner frame (318021)





Designer roof hoods w/ white acrylic glass frame

- 4 integrated LED lights with switch
- Double glazed dome
- Integrated blackout system
- Integrated insect screen

For roof thicknesses from 25-60 mmm Installation height: app. 98 mm, inner frame: White

Design roof hoods 45x40 cm

Cut-out size: 452x402 mm
Overall dimensions: 577x577 mm. Weight: 5.8 kg



With LED lighting, without forced ventilation

31877 305,-



With LED lighting, with forced ventilation (Ventilation opening: app. 182 cm²)

318770 316,-

Design roof hoods 70x50 cm

Cutout size: 702x502 mm
Overall dimension: 818x617 mm. Weight: 8.3 kg



With LED lighting, without forced ventilation

31878 484,-



With LED lighting, w/ forced ventilation
(ventilation opening: app. 300 cm²)

318780 512,-

Panorama roof hoods with complete clear glass cover

- 4 integrated LED lights with switch
- Double glazed dome
- Integrated blackout system
- Integrated insect screen

For roof thicknesses of 25-60 mm, installation height: app. 98 mm, interior frame: White

Panorama roof hoods 45x40 cm

Cut-out dimensions: 452x402 mm
Overall dimensions: 577x577 mm, weight: approx. 5.5 kg



With LED lighting, without forced ventilation

31851 272,-



W/ LED lighting, w/ forced ventilation
(Ventilation opening: app. 182 cm²)

318510 305,-

Panorama roof hoods 70x50 cm

Cut-out dimensions: 702x502 mm
Overall dims.: 833x633 mm, weight: app. 8.0 kg



With LED lighting, without forced ventilation

31854 512,-



W/ LED lighting, w/ forced ventilation
(Ventilation opening: app. 300 cm²)

318540 512,-

Custom-fit protective cover (70x50 cm) for Carbest roof hoods: 31878/318780/31854/318540



- Protects against scratches, dirt and hail damage
- High-quality multi-layer insulation ensures a comfortable Temperatures in the interior

- Prevents the vehicle from heating up in summer and insulates in winter
- UV-resistant material

Supplied without roof hood. 420601 47,90

Further protective covers on page 676



Roof ventilation system VanVent, 40x40 cm

- For roof cut-outs of 40x40 cm
- Ventilation (with open external hood)
- Roof fan (with closed external hood)
- Integrated pleated blackout blind
- Metal insect screens
- Impact-resistant and UV-resistant
- Includes remote control with illuminated display and wall bracket
- ECE-approved

The VanVent roof ventilation system ensures a pleasant climate in the interior. When the outer hood is open, the supply of outside air & the extraction of inside air.

When hood is closed, the VanVent turns into a roof ventilator and circulates the air in the interior.

The special design prevents the ingress of rainwater. It is controlled via the remote control or via the LED display on the inner frame.

max. ventilation flow: 3000m³/h

max. power 20W + 4W


Operating voltage: min. 9V - max. 16V

LED lighting, warm white: 3000K

Cutout size: 400x400 mm

For roof thicknesses from: 27-80 mm Weight: 4.5 kg

VanVent smoked glass	318028	414,-
VanVent Black	318029	414,-



UV
CONSIS-
TENT

DARKENING

INSECT-
PROTECTION

12V
LEDS

max.
130
km/h

E
ECE R43



Inner frame with LED display, LED lighting, integrated pleated blind and mosquito screen. The roof hood can also be opened manually using the rotary knob or closed.



Warm white LED lighting on the side



Illuminated LED operating display



Remote control with LED operating display and wall bracket

SkyMaxx roof hoods 40x40 and 50x70 cm

- Manual elevator with 3 opening positions
- Inner frame w/ integrated pleated blind & Venetian blind for partial or complete darkening

SkyMaxx roof hoods are suitable for motorhomes and caravans for New or replacement installations. Different ventilation positions ensure optimum air circulation in the vehicle. (Manual lift via a bracket with 3 opening positions.) Inner frame with integrated pleated blind and venetian blind.

MaxxAir SkyMaxx without LED lighting

40x40 cm, for roof thickness 23-60 mm	39830	
164,- 50x70 cm, für Dachstärke 24-43 mm	39832	326,-
50x70 cm, for roof thickness 43-63 mm	39835	326,-

MaxxAir SkyMaxx incl. LED lighting

40x40 cm, for roof thickness 23-60 mm	39831	185,-
50x70 cm, für Dachstärke 24-43 mm	39836	345,-
50x70 cm, for roof thickness 43-63 mm	39833	345,-



MaxxFan Deluxe roof hood with raincover

- Ventilation & extraction w/ external hood open
- Roof fan with closed external hood
- Protection from rain even when open
- Patented, impact-resistant and UV-resistant outer cover
- Temperature selection via electronic thermostat
- Remote control or manual control in the event of a power failure

Features: 12 V ball bearing motor, 2 opening levers, mosquito net, remote control, manual control. Roof cut-out: 40x40 cm.

① MaxxFan Deluxe clear glass	398192	523,-
② MaxxFan Deluxe White	39819	523,-
③ MaxxFan Deluxe Smoke	398191	523,-

④ Blackout blind for MaxxFan Deluxe roof hood without LEDs	398193	92.70
With LED lighting (without fig.)	398194	116,-

Replacement hoods (without illustration)

With an existing MaxxFan roof hood, the hood can easily be replaced without replacing the frame

Clear glass replacement hood	398195	141,-
White replacement hood	398196	141,-
Smoke exchange hood	398197	185,-


⑤ **Adapter frame for Fiat Ducato 40x40 cm**

For mounting the MaxxFan Deluxe roof hood on a Fiat Ducato roof.

398198	44,60
--------	-------



Blackout blind optionally available




MaxxFan Dome Plus roof vent incl. LED lighting

- Designed for roof or sidewall ventilation applications
 - White LED lighting
 - Ø 15 cm exhaust air fan with manual flap
 - Lockable lid with one-handed operation at the touch of a button
 - Removable panels make cleaning child's play
 - For 2.5 cm roof thicknesses - extensions up to 15 cm available
 - Fan guard included in the scope of delivery, for side wall applications
- Roof cut-out: Ø 15.8 cm.

White, 12 V, 2 A	39834	207,-
Black, 12 V, 2 A	39837	207,-





roofSTAR roof hood 4 and 7

- STAR 4 = 400x400 mm
- STAR 7 = 700x500 mm
- Including inner frame with effective blackout and flyscreen blind
- Extremely flat design, the external height is only 72 mm
- 3 opening positions with a maximum opening angle of 60
- For roof thicknesses from 25-32 mm
- Optional accessory kit for roof thicknesses from 33-45 mm (362001)
- Low noise development while driving
- Effective water drainage system
- Particularly durable thanks to UV-resistant ASA and PMMA material
- ECE R43 tested



The roofSTAR 4 roof hoods (400x400 mm) and the roofSTAR roof hoods 7 (700x500 mm) have been specially developed to meet the highest demands. They combine a completely new, innovative design with simultaneous weight savings. The extremely flat design also significantly improves aerodynamics, wind resistance and noise levels while driving.



roofSTAR roof hood 4 (400x400 mm)

Cutout size: 400x400 mm
 External dimensions: 502x511x72 mm
 Internal dimensions: 516x513x26 mm
 Weight: 3.7 kg

12V Motor	Forced ventilation	LED-Lighting	Item no.	Price
—	✓ (150 cm ²)	—	36200	186,-
—	✓ (150 cm ²)	✓	36201	218,-
—	—	—	36202	191,-
—	—	✓	36203	224,-
✓	✓ (150 cm ²)	—	36204	369,-
✓	✓ (150 cm ²)	✓	36205	390,-
✓	—	—	36206	375,-
✓	—	✓	36207	396,-

roofSTAR roof hood 7 (700x500 mm)

Cut-out size: 700x500 mm
 External dimensions: 810x620x72 mm
 Internal dimensions: 814x617x26 mm
 Weight: 7.8 kg

12V Motor	Forced ventilation	LED-Lighting	Item no.	Price
—	✓ (150 cm ²)	—	36240	675,-
—	✓ (150 cm ²)	✓	36241	752,-
—	—	—	36242	697,-
—	—	✓	36243	784,-
✓	✓ (150 cm ²)	—	36244	1002,-
✓	✓ (150 cm ²)	✓	36245	1089,-
✓	—	—	36246	1046,-
✓	—	✓	36247	1166,-

Accessory kit for roofSTAR roof hood 4

For mounting roof hoods with roof thicknesses of 33-45 mm.
362001 **32,60**

Accessory kit for roofSTAR roof hood 7

For mounting roof hoods with roof thicknesses of 33-45 mm.
362401 **54,40**



28 x 28 cm

max. 130 km/h

VisionVent S eco - 28 x 28 cm

- Rain protection due to large overhang
- Double glazed - good insulation
- Aerodynamic shape, low height
- Less draughts despite continuous ventilation
- Folding insect screen frame

Technical data Telescopic display unit w/ locking mechanism, can be set up on four sides. Cut-out dims. 280 x 280 mm, external dims. of the hood 380 x 395 mm, internal frame dims.: 315x315x8 mm, roof thickness 24 - 46 mm, continuous ventilation up to 75cm², height above roof 80 mm.

VisionVent S eco roof hood incl. inner frame	Frame color cream white	35913	76,30
Frame color grey		35912	76,30
Frame color beige		35911	76,30

Replacement hoods			Replacement mosquito net frame		
cream white	35910	62,10	Cream white	360231	13,10
Gray	35909	62,10	Gray	36024	12,60
Beige	35908	62,10	Beige	36023	13,10



28 x 28 cm

max. 130 km/h

VisionVent S pro - 28 x 28 cm

- Smoked glass hood incl. inner frame
- Telescopic display, can be set up on four sides
- With condensation stop
- Aerodynamic shape, low driving noise
- Covered ventilation in inner hood
- Blackout and fly screen as pleated blinds
- Inner frame w/ double pleated blind, cream white


Technical data Telescopic display unit with locking mechanism, can be set up on four sides. Cut-out dims. 280 x 280 mm, external dims. of the hood 380 x 395 mm, internal frame 365 x 340 x 32 mm, continuous ventilation up to 75cm², height above roof 80 mm. Roof thickness 24 - 46 mm

	35920	114,-
Roof thickness 46-72 mm	35921	109,-

Adapter frame for Fiat Ducato

For MPK models 29, 42, 46, VisionVent, VisionStar Color: cream white

Frame 28 x 28 cm	35923	25,70
Frame 40 x 40 cm	35924	31,60
Frame Front 70x50 cm	35925	58,90
Frame Heck 70x50 cm	35926	62,70



28 x 28 cm

40 x 40 cm

max. 130 km/h

Foldable Mosquito net frame

MPK 29 / MPK 42 frosted glass roof hoods in beige or gray

- Can be set up on four sides
- Double glazed
- White frosted glass hood
- Folding mosquito net frame
- With Continuous ventilation
- Blackout blind (optional)

MPK 29

Cut-out dims.: 280x280 mm external dims. 340 x 340 mm, roof thickness 24 - 46 mm, height above roof 78 mm, continuous ventilation 60 cm², weight 1.1 kg

Roof hood incl. inner frame		
Beige	36025	69,80
Gray	360251	69,80

Replacement lenses with fittings for 36025, handle color beige

36022	69,80
--------------	--------------

for 360251, Handle color grey

36021	65,30
--------------	--------------

Replacement mosquito net frame		
Beige	36023	13,10
Cream white	360231	13,10
Gray	36024	12,60

MPK 42

Cut-out dims.: 400x400 mm, external dims. 460 x 460 mm, roof thickness 24 - 46 mm, height above roof 91 mm, continuous ventilation 150 cm², weight 1.4 kg

Roof hood incl. inner frame		
Beige	360573	79,10
Grey	360574	79,10

Blackout blind		
Beige	E1231	50,10
Grey	E1086	50,10
Cream white	E4168	50,10

Mosquito net frame		
Beige	36092	16,90
Grey	360921	16,90

Replacement lenses with fittings for 360573, handle color beige	36067	84,50
for 360574, Handle color grey	360671	84,50

MPK 46K (frosted glass) MPK 4600K (clear glass)

- With ventilation
- Double glazed
- Can be set up on four sides
- Fly screen and blackout blind
- Snow and splash protection edge

Cut-out dims. 400 x 400 mm, external dims. 560 x 560 mm, height above roof 92 mm, roof thickness 24 -46 mm, continuous ventilation up to 150cm², weight 2.8 kg



40 x 40 cm

max. 130 km/h

MPK 46K frosted glass hood with inner frame color grey	360641	109,-	Replacement clear glass with handle in the color Beige	36069	87,20
MPK 4600K Clear glass hood with Inner frame color			Cream white	360691	87,20
Cream white	360661	118,-	Gray	360692	87,20
Gray	360663	118,-	Replacement milk glass w/ handle in color		
			Beige	360693	87,20
			Cream white	360695	87,20
			Grey	360694	87,20

**VisionStar M pro 2 - 40 x 40 cm and
VisionStar L pro - 70 x 50 cm**

- Infinitely adjustable (VisionStar M = max. 50° / VisionStar L = max. 55°)
- Automatic locking and unlocking
- Double-walled frame for better insulation
- Very flat smoked glass hood w/ double glazing
- Including inner frame (cream white) w/ double pleated blind
- Optionally w/ or without illuminated inner frame



40 x 40 cm

① VisionStar M pro 2 40x40 cm

Roof thickness from 25 - 60 mm, cut-out dims. 400 x 400 mm, hood dims. 490 x 470 mm, inner frame dims.: 565x530x35 mm, height above roof 80 mm

VisionStar M pro without illumination 35916 149,-
VisionStar M pro with LED lighting, light color: warm white, dimmable 35915 235,-

② Side panels with LED lighting for VisionStar M

For retrofitting a VisionStar M pro without illuminated inner frame (35916) including connection kit. Light color: Warm white, dimmable 359320 90,50

③ VisionStar L pro 70x50 cm

Roof thickness from 25 - 60 mm, cut-out dims. 700 x 500 mm, hood dims. 815 x 583 mm, inner frame dims.: 872x610x37 mm, height above roof 105 mm

VisionStar L pro without lighting 35922 490,-
VisionStar L pro with LED lighting Light color: Warm white, dimmable 3592 588,-



70 x 50 cm

④ Side panels with LED lighting for VisionStar L For retrofitting a VisionStar L pro without illuminated inner frame (35922) including connection kit. Light color: Warm white, dimmable 359321 130,-

INCLUSIVE
Inner frame with double pleated blind



RetrofitInner frame for all MPK roof hoods


- Inner frame with pleated blind and mosquito net
- Continuous ventilation even when the pleated blind is closed
- Easy installation and handling
- Color inner frame: Cream white

Modern inner frame with integrated pleated blackout blind and mosquito net.
28x28 cm without LED lighting Continuous ventilation: 75 cm² dimensions: 365x340x32 mm 360232 75,20
40x40 cm without LED lighting Continuous ventilation: 150 cm² dims.: 565x530x35 mm 360913 88,20
40x40 cm mit LED-Beleuchtung Continuous ventilation: 150 cm², dimensions: 565x530x35 mm 35932 162,-
70x50 cm mit LED-Beleuchtung Continuous ventilation: 150 cm² dimensions: 872x610x37 mm 35934 280,-



max.
130
km/h

from **152,-**



**Spoiler for
MINI HEKI**

Mini Heki S - Especially for caravans 40 x 40 cm

- Can be extended to all sides
- Convenient positioning of the glass hood via operating handles
- With forced ventilation: 150 cm² cross-section
- Black pleated insect screen roller blind, light beige, aluminum-coated on the outside, reflects the sun's rays
- Pleated blackout blind
- Gray tinted hood
- Single-glazed, aerodynamically shaped roof hood
- Frame made of weather-resistant ASA plastic

Technical data:

Cutout size: 400x400 mm
Outer dimensions: 500x520 mm

Weight: 2.9 kg
Color: Cream white

**MINI-HEKI S roof hood w/ forced ventilation
for roof thickness 43-60 mm
Spoiler for Mini Heki 570 mm long**

**380981 152,-
38109 67,60**



Suitable adapter frames can be found on page 676

max.
130
km/h



FantasticVent roof hood 40 x 40 cm with 12 volt fan

- With quiet 12 volt fan for fast air exchange
- Rain sensor for automatic closing on models 3350 and 7350

Technical data:

Roof cut-out: 40 x 40 cm External dims.: 47 x 47 cm
Installation height: 12.5 cm
With supply and exhaust air and thermostat.
Model 7350 with temperature control by remote control.



Included
Remote control
at 35954

Model	2250	3350	7350
Rain sensor	no	yes	yes
Opening	Manual	automatically	
Hood:	White	White	White
Item no:	35951	35953	35954
Price	392,-	533,-	605,-

Suitable adapter frames can be found on page 676

① Micro Heki 28 x 28 cm for toilet rooms

- Double-glazed transparent roof hood
- With pleated blackout blind (optional)
- Aluminum-coated top surface reflects solar radiation
- Black pleated fly screen
- Maximum opening angle approx. 50°
- Roof thicknesses from 23-42 mm

Technical data:

Cut-out size: 280 x 280 mm
 Clear passage dimensions: 238 x 186 mm
 External dimensions: 408 x 370 mm
 Outer dims. of inner frame: 312 x 312 mm
 Depth of inner frame: 75 mm
 Height above roof: 99 mm
 Weight: 1.7 kg

- ② With forced ventilation, insect screen and blackout blind **37333 130,-**
 ③ Without forced ventilation, with insect screen and blackout blind **37334 136,-**

Installation set for Micro Heki

- ④ Roof thicknesses**
 28-29 mm + 46-47 mm **38115 13,10**
 30-31 mm + 48-49 mm **38116 13,10**
 40-41 mm + 58-59 mm **38121 13,10**



The pleated blackout blind provides privacy and can be opened continuously.



Midi Heki Style - 70 x 50 cm

- Cut-out size: 70 x 50 cm
- Well-insulated dome w/ double acrylic glazing
- Aerodynamic shape
- Closed position is automatically positively locked
- Recommended up to 130 km/h, depending on vehicle body and installation position
- Inner frame with pleated blackout and flyscreen blind in black
- Reflection of the sun's rays on the aluminum-coated surface of the blackout blind

from 671,--



max. 130 km/h

W/ operating handle which is automatically guided in 3 pos. in guide rails. 1. fully open, 2. half open, 3. Bad weather position.

With fixation of the glass dome when open.

W/ stepless crank operation:

Frame made of weather-resistant, hard-wearing ASA.

Installation: Clamping principle, outer frame is fitted and sealed, the inner frame is clipped in.

Technical data MIDI Heki:

Cut-out dimensions: 700 x 500 mm / Clear passage dimensions: 585 x 404 mm.

External dims.: 880 x 650 mm / Outer dims. of inner frame: 790 x 575 mm.

Depth of inner frame: approx. 32 mm / standard roof thickness: 30-34 mm Height above roof: 105 mm.

Midi HEKI Style with bracket, max. opening angle 45°

Grid settings: 3, Weight: 8.0 kg

Fiat white with forced ventilation	38090	671,--
Gray RAL 7016 w/ forced ventilation	38001	671,--

Midi HEKI Style with crank, max. opening angle 60°

Grid settings: stepless, Weight: 8.5 kg

Gray RAL 7016 w/o. forced ventilation	38127	904,--
---------------------------------------	-------	--------

Installation set for all Midi Heki Style:

(nec. for unequal roof thicknesses 30-34 mm)

Roof thickness from 30-34 mm	38093	30,60
Roof thickness from 53-60 mm	38096	45,80

With operating handle:
3 automatic positions in guide rails.
1. fully open , 2. half open,
3. Bad eather position.



With operating handle or crank operation

Heki 2 Deluxe - Hinged roof hood for caravans

- Gas springs hold window in 3 locking positions
- Maximum opening angle 50°
- Double acrylic glazing
- Integrated work lights
- With forced ventilation
- Up to a maximum speed of 100 km/h.



max. 100 km/h

Hard-wearing plastic (ASA). Medium ventilation position raises the roof by approx. 15 cm (bracket lock) Double roller blind in inner frame w/ insect screen & blackout blind, infinitely variable adjustment. For roof thicknesses from 25-60 mm. Installation up to 60 mm roof thickness possible when using adapters for greater roof thicknesses.

Technical data:	External dimension:	1080x790 mm
Cut-out dimension:	960x655 mm	Straight surface required: 1050x750 mm
Clearance dimension:	780x530 mm	Outer dimension inner frame: 1000x700 mm

HEKI 2 - w/ inner frame cream white (RAL 9001)

Roof thickness from 25-32 mm	38067	882,--
DeLuxe inner frame with lighting and blackout blind for retrofitting for Heki 2	38069	337,--

Roof thickness from: 25-60 mm
Height above roof: 105 mm
Weight: 11 kg



882,--

Heki 2 with combination blind and lighting

- With ironing operation
- With integrated lighting, 4 x 5 watts
- Gas springs hold window in 3 locking positions
- With forced ventilation

High thermal insulation thanks to Duette honeycomb roller blind. The roller blind and insect screen can be operated steplessly together, otherwise like Heki 2.

38077	1046,--
-------	---------



Heki Luxus for caravans with honeycomb roller blind and interior lighting

TurboVent crank roof hoods with 12 volt fan

① **TurboVent Premium w/ touch control unit**

- System control is activated by light finger pressure on the touch pad control
- Electrical surface with signal LED lighting
- Speed regulation and changing the direction of travel with the touch control unit
- Increased service life of motor and control unit
- "Polar Control" thermostat with on/off switch
- Air exchange in seconds: fan: 3-stage for ventilation, 2-stage for air extraction
- Control unit with LED signal lighting
- Includes 2 sturdy mosquito nets

② **TurboVent w/ "Polar Control" thermostat**

- Air exchange in seconds: fan: 3-stage for ventilation, 2-stage for air extraction
- "Polar Control" thermostat with on/off switch
- Includes 2 sturdy mosquito nets

Technical data for TurboVent Premium + TurboVent:

Cut-out size: 39 x 39 cm	External dims: 45.5 x 45.5 cm
Roof thickness: 3 - 4.5 cm.	Height above roof: 8.5 cm,
Inner frame dims: 43 x 43 cm,	Weight: 4.6 kg,
Power consumption; 36 W.	
Min. current consumption: 0.3/0.2 A,	Max. Current draw: 3 A,
Ventilation diameter: 300 mm	max: Air flow: ^{35m3/min}
Variable ventilation speed	max. ventilation: 80 cm ²
Outer frame white	Ivory white inner frame

TurboVent Premium with touch control unit

White hood	36187	369,--
Crystal hood	36188	391,--

TurboVent 12 V Polar Control

White hood	360971	334,--
Crystal hood	36180	360,--



TurboVent Premium with touch control unit



TurboVent with "Polar Control" thermostat



max.
130
km/h



107,--

VENT 28 F with aerodynamic shape

- Fresh air for bathroom & kitchen of your motorhome
- Ideal for small rooms
- Aerodynamically shaped outer dome
- High quality, impact-resistant & UV-resistant
- Continuous ventilation
- Including aluminum mosquito net

Technical data: Cut-out dims.: 28x28 cm, outer dims.: 32x34 cm, roof thickness: 2.8 - 6 cm, height above roof 9 cm, inner frame dims.: 31x34 cm. Installation according to the sandwich principle: no drilling on the roof, inner frame is screwed directly to the outer frame. Weight: 2.1 kg. Optional Turbo Vent F kit for motorization possible.

① White	36033	107,--
② Crystal (slightly translucent)	36038	89,50
③ Kit-Turbo-Vent 28F		
To the Fan retrofit on the Vent 28F roof hood		
	36004	116,--
④ Kit-Frame 28 Ducato		
Kit-Frame Ducato enables the VENT 28 F roof hood to be installed on the Fiat Ducato vehicle roof. Frame shape is specially adapted to roof shape of the Fiat Ducato and can be fitted precisely. Made from durable ASA material. Weight 0.3 kg.		
	440469	20,40



123,--

Turbo Kit on Hymer roof hood, 50x70 cm

TURBO-KIT - The 12 volt fan for Retrofitting for almost all roof hoods


- W/ adjustable clamping system for hanging
- Can be retrofitted without great effort
- Suitable for large roof hoods
- Fan can also be used standing or hanging
- Direction of rotation can be reversed at the connector plug
- can also be operated with batteries

Fits Seitz Mini/Midi, Heki Remi-Top 400, Omni-Vent, Fiamma Vent 50 x 50.

Can be attached to all roof hoods from 40 x 40 - 50 x 70 cm w/ telescopic clamping system. (Operation when the vehicle is stationary and the roof hatch is open). Supplied with 12 volt power cable for the cigarette lighter (can also be operated with 8 1.5 volt batteries).

Technical data: 12 Volt/3 Watt Min/Max. current draw: 0.22/0.26 Amp. Air flow max: 7.2m³/min. Fan diameter 24 cm. Weight: 1.3 kg.

361861 123,--



Dometic Midi Heki



Standing or hanging



Omni Vent




Dometic Mini Heki

VENT 40 - Aerodynamic roof hoods 40x40 cm

- Vent cranked roof hood for roof cut-out 39 x 39 cm
- With integrated mosquito net
- Aerodynamically shaped outer dome
- High quality, impact-resistant & UV-resistant
- Continuous ventilation
- Reimo recommends installation of front spoilers

Technical data: Cut-out dims.: 39 x 39 cm, outer dims.: 45.5 x 45.5 cm Inner frame: 43 x 43 cm, roof thickness: 3 - 4.5 cm Height above roof 8.5 cm

① White	360822	91,40
② Crystal	36190	108,-
③ Kit frame 40 Ducato		
Kit-Frame Ducato enables the VENT 40 roof hood to be installed on the Fiat Ducato vehicle roof. Frame shape specially adapted to roof shape of the Fiat Ducato and can be fitted precisely. Made from durable ASA material. Weight 0.4 kg.		
	440470	26,2026,20



max. 130 km/h

Vent F Pro roof hood 40 x 40 cm with modern pleated blind

- Aerodynamic shape with large roof overhang
- 2 openers for safe, even opening
- Retractable crank handle - opening w/ just one movement
- Removable mosquito net (easy cleaning)
- Pleated blackout blind - stylish and elegant

Technical data:

Cut-out dims.: 40 x 40 cm, outer dims.: 57 x 53 cm
Height above roof: 9 cm, inner frame: 49 x 49 cm,
Roof thickness: 2.8 - 5.5 cm,
Assembly according to the sandwich principle, no drilling on the roof, inner frame is screwed directly to the outer frame.
Weight: 4.7 kg

Fresh air for the Vent F Pro roof hood for retrofitting
Effective ventilation with the retrofit kit for the above roof hood
Fan diameter 300mm, power: 36Watt/3Amp
Max. Air delivery: 35m³/min.

① Kit-Turbo-Vent F Premium		
With user-friendly touch control unit and thermostat		
	360832	285,-
② Kit-Turbo-Vent F with thermostat	360833	283,-
	360834	256,-




max. 130 km/h



Blackout blind for roof hoods

- ① **Vent blackout roller blind 40x40 cm.** For retrofitting to Fiamma Crank roof hoods 40 cm. Side grilles for continuous ventilation, housing dims. outside: 44.5x44.5 cm. White **360271** **51,30**
- ② **Vent 50 flyscreen and blackout roller blind**
For retrofitting to roof hoods 50 cm. External roller blind with reflective Aluminum foil. Cold in winter and heat in summer stay outside. External dimensions: 52x52 cm. **360911** **155,-**



XXL roof hood 50x50 cm

- Can be set up on 4 sides
- With fly screen and blackout blind
- Made of high-quality and UV-resistant plastic.
- Wide overhang, therefore largely storm and rain-proof.

Technical data: Cut-out dims.: 50x50cm, external dims.: 57x57cm, roof thickness: 3-7cm, height above roof: 8.5 cm, Inner frame dimensions: 55x55cm

Hood glass:

① White (weight: 4.5 kg)	360881	180,-
② Crystal (weight: 4.7 kg)	361822	237,-

max. 130 km/h

ROOF HOOVES



63,20



Fig. shows front spoiler

Crank hood/front spoiler

- Ventilation area: 38 x 38 cm, Can be set up to 70°
- Single glazed w/ forced ventilation & mosquito net

① Cut-out dimensions: 40 x 40 cm, outer dims.: 46 x 46 cm, roof thickness: from 30-60 mm, height above roof: 95 mm, weight: 2.2 kg

Roof hood: Color white	36035	63,20
Replacement glass: Color white	36045	42,50
Mosquito net	36049	14,20

② **Front spoiler:** Reimo generally recommends installation of the front spoiler, especially with faster vehicles. Dims: LxDxH 535 x 240 x 90 mm

	36043	24,40
--	-------	-------



Frosted glass hood removable 50 x 50 cm

- Suitable as emergency exit
- Double-glazed, high insulation
- Can be set up and tilted to all sides

Cut-out: 500 x 500 mm, external dims.: 600 x 600 mm, roof thickness: 26-100 mm, height above roof: 110 mm, weight: 5.8 kg. Installation frame and inner frame gray.

Roof hood	36080	126,-
Replacement glass	36081	71,90



12V



Thule Omnivent crank roof hood w/ 12 V fan

- Aerodynamic design, size 40x40 cm
- All materials made of impact-resistant and waterproof plastic
- Touch control panel with LED display
- W/ blackout blind & mosquito protection cover

Opening size: 400 x 400 mm, external dims.: 459 x 472 mm, for roof thicknesses of 25-60 mm. Adjustable fan speed. In addition to 12 ventilation levels, the Thule Vent has an energy-saving function, a boost function & a safety mechanism to protect against overvoltage, incorrect connection and blocking. Comfort mode: Fan starts at lowest speed in extraction function. Boat function; fan switches back to original speed after 5 minutes. Power consumpt.: 0.17-3 A, max. air flow: 20 m³/min, Ø fan: 300 mm, weight: 4.5 kg.

White	360763	343,-
Translucent	360765	343,-



12V



Thule Vents 40 x 40 cm

① **Crank canopy** with blackout blind and mosquito protection. Roof cut-out: 40 x 40 cm, external dims.: W: 45.9 x D: 47.2 cm, weight: 3.2 kg
Color: White **360752** **136,-**
Translucent **360754** **136,-**

② 12 volt fan for retrofitting to the above crank roof hood, 6 speeds, regulation of rotation speed and direction via control panel. Comfort mode: Fan starts at the lowest speed. Boat function; fan switches back to original speed after 5 minutes. Power consumption: 0.17-3 A, max. air delivery: 20 m³ /min., weight: 4.5 kg.

360631 **228,-**

Thule Omnivent mounting kit for roof thicknesses 40-60 mm

necessary for installation at 40-60 mm **360632** **14,20**



127,-

Roof hood with 3 bars and smoke-colored plastic glass

- All 4 sides can be opened
- With 3 bars to protect against animals
- Single glazed

Cut-out dims.: 350x500 mm, outer frame dims.: 380x530 mm Outer hood dims.: 560x600 mm, roof thickness from 20-45 mm, height above roof: 70 mm, weight app. 2.8 kg

36020 **127,-**

REMItop Vista 40 x 40 cm
w/ mosquito net & blackout blind

- Extremely flat construction of inner frame 7 cm
- Inner frame made of heat-resistant ASA material
- With opaque black mosquito net blind
- Including pleated blind
- Very flat application, therefore low driving noise
- Height above roof: 7.8 cm
- Aerodynamic shape
- Gray tinted
- Opening angle: 60°
- With and without forced ventilation



Dims.: 40x40 cm, for roof thicknesses of 28-42 mm
with pleated blackout blind and black insect screen blind

36191 **175,-**



Including sun pleated blind

REMItop Vario II roof hood

- Available in 2 sizes
- Incl. Blackout and insect screen pleated blind
- Excellent insulation thanks to double glazing
- Comfortable and smooth-running thanks to new hand crank
- Installation angle of 60° / installation angle of 45° for 90x60
- Including fastening set for roof thicknesses of 24 - 60 mm, adapter sets available for greater roof thicknesses
- Can be installed lengthways and crossways to the direction of travel
- Inner frame: Gray-white / outer frame: Beige



REMItop Vario II 40x40 cm with locking stand and with standard frame (without lighting, without fan)

36167 **208,-**

Mounting brackets:

for Roof thickness 24-35mm	36170	33,30
for Roof thickness 36-45mm	361701	43,10
for Roof thickness 46-55mm	361702	59,50
for Roof thickness 56-65mm	361703	147,-

REMItop Vario II 40x40 cm with crank and with standard frame (without lighting, without fan) not shown.

36160 **224,-**

Replacement glass 40x40 cm
made of tinted acrylic

E4211 **185,-**

REMItop Vario II 60x90 cm with crank and with standard frame (without lighting, without fan)

36165 **923,-**

Replacement glass 60x90 cm tinted acrylic

E4461 **653,-**

Fastening clips for roof thickness 24-35 mm	36172	70,90
for Roof thickness 36-45 mm	361721	85,10
for Roof thickness 46-55 mm	361722	101,-




Standard frame without Lighting incl. pleated blinds for sun protection and mosquito protection

All prices include mounting kit for roof thicknesses 24-60 mm



CARBEST



Protective cover for roof hoods

- Protects against scratches, dirt and hail damage
- High-quality multi-layer insulation ensures a pleasant Temperatures in the interior
- UV-resistant material

Carbest roof hoods 318020/318021/318027/31888	420603	33,30
Carbest roof hoods 31878/318780/31854/318540	420601	47,90
MPK Vision Star M	420604	47,50
MPK Vision Star L	420605	49,60
REMItop Vista and Vario II	420603	33,30
Dometic Mini Heki	420600	33,30
Dometic Midi Heki	420601	47,90
Dometic Heki 1/2/3/4	420602	49,60

DOMETIC OUTDOOR



Front spoiler for HEKI 1-4 & other roof hoods

810 mm long **38070** **86,20**
 Double-sided adhesive tape included (no screws)




HINDERMANN

Protective cover for roof hoods

Protective cover keeps heat out in summer and insulates in winter and on cold nights. Glass is protected from scratches. Cover can be easily adjusted w/ elastic band. Color: White.

Mini Heki	42061	51,80
Mini Heki Plus	42066	51,80
Mini Heki Style	42094	51,80
Midi Heki	42062	51,80
Heki 1/2/3	42063	51,80
Remitop Vario 40 x 40 cm	42085	30,-
Remitop Vario 50 x 70 cm	42086	42,60
Remitop Vario 90 x 60cm	42087	49,10
Hartal 28 x 28 cm	42088	31,70
Hartal 48 x 48 cm	42089	31,70
MPK 40 x 40 cm	42092	31,70
HYMER 1,260 x 830	42093	57,30



Aerodynamic front spoiler

- Individually shortenable, length from min. 28 cm to max. 110 cm
- Reduces vibrations and noise
- For roof hoods & solar modules up to 90 cm
- Dims.: 110 x 20 x 12 cm can be cut to size
- Easy installation with Sika Flex 252i

Color white **360442** **40,40**

NiteAir

NEW
2024



NiteAir Video

Roof ventilation panel for roof hoods / roof ventilators

Supplied without inner frame

- Full air circulation despite darkening
- Fits perfectly for MaxxFan and other roof hoods with or without fans
- Special blackout material with AirMaze technology
- Quick and easy installation without tools

NiteAir 50x50 cm, color grey	390011	115,-
NiteAir 70x50 cm, color grey	390012	119,-



Front spoiler for 40 cm Fiamma roof hoods

- For all Fiamma roof hoods with 40x40 cm
- Prevents strong air intake and vibrations while driving

Color white **36044** **27,30**



12V

Exhaust air set


Contents: Aluminum filter for extractor hood, roof chimney, exhaust fan with 12 V motor, air extraction fan connection. Exhaust air aluminum filter dims.: 30 x 15 x 2 cm. Exhaust fan dimensions: Ø 9 cm. Connecting piece dimensions: Ø 6-9 cm.

35219	75,20
--------------	--------------



Roof chimneys

① Roof chimney: Ø 60mm, polypropylene MOPLEN, (extractor hood)	35216	9,30
② Roof chimney with splash guard: Ø 60mm, polypropylene MOPLEN, (extractor hood)	352161	10,40
③ Waste heat roof chimney: Ø 60mm, POCAN resistant up to 200 degrees (heating)	352162	14,10



12V

Mushroom fans and ventilators

① For continuous ventilation in vehicle. Made of polypropylene, color white. For roof thicknesses from 25 mm, roof cut-out Ø 110 mm. Weight 0.2 kg.

Ø 180 mm with inner grille	35220	18,60
Ø 180 mm with hose connection 60 mm	35222	15,80
② Ø 200 mm. Installation height: app. 40 mm	35221	18,50
③ Dometic mushroom fan GY20 , Air exchange through negative pressure & passing air (w/o. motor). Ø 200 mm	35210	52,40
④ Dometic roof fan 12 V with built-in blower motor 12 Volt/24 Watt. Fan capacity: 90 m³/h Hose connection for extractor hood 65 mm. Cut-out dims: 105 mm. Dims: Ø 120 mm	35200	300,-

Comet tube ventilator 80 x 80 mm (not shown) Length: 112 mm, connection Ø 60 mm on both sides, 12 V/6 Watt

70549	29,40
--------------	--------------



Exhaust air fans & Air outlets for kitchen or bathroom

① Exhaust air fan with 12 V motor: 110 x 75, diameter 90 mm, polypropylene	35213	32,60
② Exhaust air fan with 12 V motor: 160 x 55 x 55, diameter 100 mm, polypropylene	35214	38,10
③ Air exhaust fan connection: 95 x 60 mm, highly effective polystyrene	35215	2,30
④ Air outlet: 243 mm, 165 mm hole diameter, polypropylene	35211	34,80
⑤ Air outlet with 12V fan: 243 mm, 165 mm hole diameter, polypropylene	35212	74,10

Solar fans made of stainless steel and plastic

- Solar-powered fan for active air exchange
- For motorhomes, caravans, boats

Stainless steel solar fan

Technical data: Air flow: 19 m³/h in full sunshine. Power: 1.2 W, 0.6 A at full sunshine, Ø 215 mm, height above roof 36 mm, interior depth 40 mm, cut-out dims. Ø 120 mm

35231	82,30
--------------	--------------

Solar fan plastic white, with switch


Technical data: Air flow: 19 m³/h in full sunshine. Power: 1.2 W, 0.6 A at full sunshine, Ø 215 mm, height above roof 50 mm, interior depth 40 mm. Cut-out dims. Ø 120 mm.

35230	81,70
--------------	--------------

CARBEST 




from **81,70**



Heki 1

① Glass frame w/o. forced ventilation Cream white	E482	1062,--
② Inner frame w. flyscreen/darkening blind	SA370	444,--
③ Handle with folding linkage	E1570	202,--
④ Seal 5 m	E422	39,30
⑤ Disk seal 5 m	39820	26,--
⑥ Seal with forced ventilation 5 m	E423	13,10
⑦ Rubber buffer/run-in wedge w. mounting set	E3678	24,40
⑧ Wall seal 5 m	39821	17,70
⑨ Drive	E2601	307,--
⑩ Drive shaft	E2600	99,20


⑪ Crank gear	E492	140,--
⑫ Drive pinion	SA397	6,25
⑬ Drive pinion long	E412	7,10
⑭ Crank with mounting parts	E4025	53,50
⑮ Roller blind guide rail cpl. 1 pair	E3919	119,--
⑯ Spring motor	183	19,--
⑰ Blackout blind cpl. Cream white	E407	120,--
⑱ Fly screen gray	AA0294	71,10
⑲ Ventilation grille 10 pcsk	E12522	19,20



Heki 3

① Replacement glass with attachments	380762	566,--
② Hinge 03-04	AA0400	6,35
③ Inlet wedge with mounting part	E1577	7,55
④ Retaining profile with mounting parts	E1578	8,85
⑤ Spring clip 12 pieces 1 set	E5023	7,55
⑥ Rocker with spring	E441	7,55
⑦ Crank with mounting parts	SA671	26,10
⑧ Drive pinion	E494	7,55
⑨ Adapter 32-39 mm	E418	7,55
⑩ Electronics 03-04	SA435	113,--
⑪ Blackout blind	E436	123,--
⑫ Spring motor	183	19,--
⑬ Ventilation grille and cover for lighting	E2710	25,--

⑭ Interior frame cream white 03-04	E12520	362,--
⑮ Seal for Heki without forced ventilation 5 m	E422	39,30
⑯ Seal for Heki with forced ventilation 5 m	E423	13,10
⑰ Outer frame cream white	E4411	215,--
⑱ Mounting bracket 25-32 mm gray	E4140	16,30
Mounting bracket 32-39 mm black	E4410	21,70
Mounting bracket 46-53 mm blue	E1579	29,30
Mounting bracket 53-60 mm red	E1580	35,60
⑲ Wall seal 5 m	39821	17,70
⑳ Drive	E2894	215,--
㉑ Crank gear	E492	140,--
㉒ Drive shaft pair	E5042	79,60
Adapter rail with mounting parts	E4516	30,--





Heki 4

① Replacement glass with attachments	380791	577,--
② Hinge 03-04	AA0400	6,35
③ Retaining profile with mounting parts	E1578	8,85
④ Inlet wedge with mounting parts	E1577	7,55
⑤ Seal for Heki without forced ventilation 5m	E422	39,30
⑥ Seal for Heki with forced ventilation 5 m	E423	13,10
⑦ Outer frame cream white	E4411	215,--
⑧ Mounting bracket 25-32 mm gray	E4140	16,30
Mounting bracket 46-53 mm blue	E1579	29,30
Mounting bracket 53-60 mm red	E1580	35,60

⑨ Rain sensor	E3443	51,80
⑩ Wall seal 5 m	39821	17,70
⑬ Drive shaft pair	E5042	79,60
⑭ Emergency crank	E462	7,55
⑮ Electrical control	E4223	174,--
Electronics 03-04	SA435	113,--
⑯ Spring motor	183	19,--


Mini Heki

① Replacement glass without seal and hinge pin	380891	130,--
② Seal 1.65 m	38063	9,85
③ Slider for safety catch	E5022	6,90
④ Push-button Cream white	E408	8,65
⑤ Inner frame with roller blinds Cream white	E5020	73,10
⑥ Spring clip 12 pieces	E5023	7,55
⑦ Mounting frame cream white, roof thickness: 25-42 mm	E5021	27,70
Mounting frame cream white, roof thickness: 43-60mm	E1723	30,50
⑧ Bracket with mounting parts	E1797	22,90



Midi Heki

① Replacement glass without attachments	E10900	250,--	⑪ Ventilation grille	A1072010	32,10
Replacement glass for bracket version w/ att.	E10900	250,--	⑫ IR crank handle cover compl. with attachments	E7014	16,20
Replacement glass f. Crank/electric version + att.	E10900	250,--	⑬ IR Electro cover compl. with attachments	E4998	26,40
② Hinge with mounting parts	E5024	28,80	⑭ Outer frame without attachments	E5027	91,60
③ Functional plate for bracket version w/ mounting parts	E5025	28,40	⑯ Spring left right	E5030	10,50
④ Function plate crank handle - electric version	E5026	31,30	⑰ Seal (only without forced ventilation) 2.3 m	E4021	24,20
⑤ Spring	E1753	10,40	⑱ Gearbox crank drive complete	SA166	35,90
⑥ Bracket with mounting parts	E1752	32,30	Complete electric drive gearbox	E3056	35,90
⑦ Inner frame without attachments	E5035	108,--	⑳ Adjustment lever with attachments (left/right)	SA549	15,60
⑧ Cover for inner frame	E5036	17,--	㉑ Flex shaft cpl. with tube, glides, clamping brackets	AA0523	43,10
⑨ Spring clip 12 pieces	E5023	7,55	Outer frame cpl. Crank drive	E5033	322,--
			Outer frame cpl. Electric drive	E5034	435,--



Heki 2

① Replacement glass without attachments	38076	406,--	⑥ Mounting bracket 25-32 mm gray	E4140	16,30
Replacement glass cpl. with attachments	E3153	544,--	Mounting bracket 32-39 mm black	E4410	21,70
② Gas spring	E3186	53,30	Mounting bracket 46-53 mm blue	E1579	29,30
③ Gas spring holder left and right	AA0311	28,90	Mounting bracket 53-60 mm red	E1580	35,60
④ Outer frame cream white	E420	208,--	⑦ Blackout blind	E3666	164,--
⑤ Scribe with screws 1 set	E477	7,55	⑧ Ventilation grille and cover, for lighting	E2710	25,--



Mosquito nets for VW Caddy & Citroën Spacetourer

- Easy attachment w/ elastic band or magnets
- Fine mesh flexible insect screen net
- No modification to the vehicle necessary
- Center door opening
- Zipper opening operable from inside & outside

For right or left sliding door w/ & without glazing. Easy to attach thanks to the integrated elastic band or magnets. The tailgate net with 2 zippers can be rolled up & fixed. Net closes reliably at the bottom of the sill w/ a lead tape.

For Volkswagen Caddy

YOC. 2003-2020 (short wheelbase) YOC. 2008-2020 (long wheelbase)

Sliding door opening (w/ elastic band)	46283	196,-
Rear door (with elastic band)	46284	196,-

Caddy Maxi 5 from YOC. 2021 (also suitable for Ford Connect 3)

Sliding door opening (with magnets)	461336	239,-
Rear door (with elastic band)	461335	266,-

For Citroën Spactourer/Jumper & identical vehicle types

Peugeot Traveller/Expert, Toyota Proace Verso (all from 2016), Opel Zafira Life/Vivaro C (from 2019)

Sliding door opening (with magnets)	461334	203,-
Rear door (with elastic band)	461333	239,-

Mosquito nets for sliding doors, rear doors/flaps and driver's cab for Volkswagen Transporter

- Fastening with elastic or Velcro and press studs, depending on type
- Close-meshed mosquito net
- UV resistant polyester fabric
- Flexible and soft falling
- With zipper and lead tape



The mosquito net is stretched around tailgate or sliding door seal using a rubber cord or Velcro fastener or press studs & is tightly fitted at the bottom w/ lead tape. A large door with two-way zipper allows passage from the inside and outside without removing the net. The tailgate/sliding door can be closed easily. For the ride we recommend to remove the net.



For Volkswagen Transporter 6/5

Station wagon, Startline up to model year 2010 & California Beach w/o. comfort trim

① Sliding door opening (w/ Velcro strip)	461351	189,-
--	---------------	--------------

Multivan, Caravelle & Startline from YOC. 2010 with comfort cladding

① Sliding door opening (w/ Velcro strip)	461350	207,-
--	---------------	--------------

California and California Beach from YOC. 2010 w/ comfort cladding

① Sliding door opening (w/ Velcro tape)	461353	214,-
---	---------------	--------------

YOC. from 2003 estate, panel van, Multivan, California/California Beach, Caravelle w/ & w/o pop-up roof.

② Tailgate (w/ elastic band)	461331	214,-
③ Tailgate (w/ Velcro tape)	46135	174,-

For Volkswagen T4 (w/o illustration)

Until YOC. 2003

Sliding door opening (w/ Velcro strip)	46132	158,-
--	--------------	--------------

Station wagon and panel van

Rear door (w/ Velcro strip)	46133	179,-
-----------------------------	--------------	--------------

For Volkswagen T3 YOC. 1980-1989 (w/o illustration)

Sliding door opening (w/ Velcro strip)	46130	174,-
--	--------------	--------------



Premium mosquito net for Volkswagen T5/T6 sliding door (right) & tailgate

- Fastening with Velcro tape under rubber seal
- Velcro tape can remain permanently under rubber seal on vehicle
- Made from high-quality, robust & dense canvas fabric
- UV-resistant
- Roll-up and wide door
- Sliding door w/ magnetic catch for quick entry and exit



For Volkswagen T5/T6

Sliding door opening	461360	197,-
Tailgate	461361	197,-



Insect screen for sliding and rear doors

- Held in place by Velcro & press studs / magnets or elastic band
- Close-meshed mosquito net

- UV resistant polyester fabric
- Flexible and soft falling
- Center zipper opening can be operated from inside & outside
- Bottom lead tape
- Mounting material included with all nets

For Mercedes Vito and Viano

Mercedes Vito YOC. < 2003 Sliding door opening (w/ Velcro)

	46139	185,-
Rear door (with Velcro)	46142	234,-

Mercedes Vito/Viano YOC . 2004 - 2014 Sliding door opening (w/ Velcro)

	46140	185,-
Rear door (with Velcro)	461401	185,-

Mercedes Vito/Viano YOC . > 2014

① Sliding door opening (w/ Velcro tape)	461402	185,-
Rear door (with Velcro)	461403	185,-
② Rear door, w/ blackout (w/elastic band)	461332	304,-

For Ford Transit/Ford Transit Custom

Fastening with Velcro tape.

Ford Transit 2000-6/2012

Sliding door	46451	196,-
Tailgate	46136	245,-


Ford Transit Custom > 2007/2012

③ Sliding door	461404	185,-
Tailgate	461405	185,-

For Renault Trafic, Opel Vivaro, Nissan NV300

Fastening with Velcro tape.

Sliding door opening YOC. 2007-2013	461411	196,-
④ Sliding door opening YOC. > 2014	461412	185,-
Rear door YOC. > 2014	461413	196,-



Make mosquito nets yourself

① Mosquito net, close meshed, soft falling. TOP quality for doors and windows, flame retardant. Width 145 cm
5 m Black. GP* 9,92/1 m **56019 78,50**
10 m black. GP* 8,27/1 m **560241 131,-**

② Velcro tape (fleece and adhesive tape) heat-resistant, up to 120°C, self-adhesive backing. 20 mm wide, 5 m roll
Black GP* 4,39/1 m **56319 24,-**

③ Velcro tape (fleece and adhesive tape) self-adhesive, 20 mm wide, 5 m roll.
Black GP* 3,39/1 m **56317 18,50**
White GP* 3,39/1 m **56305 18,50**

④ Adhesive tape 5 m
Black GP* 2,39/1 m **56324 13,10**

Lead tape (not shown), for weighting mosquito nets, hangs securely in doorway.
5 meters GP* 1,39/1 m **560250 7,60**
10 Meter GP* 1,10/1 m **560251 12,-**

⑤ Zipper especially for mosquito nets. 32mm wide.
5 meters GP* 1,99/1 m **550560 10,90**

⑥ Zipper (double slider) for zipper
55056 **55057 2,15**

BP* = Base price per specified unit



MOSQUITO NETS FOR VANS



Insect screen doors for Volkswagen / Fiat Ducato / MB Sprinter / VW Crafter

- Effective protection against insects
- Preamsembled kit
- Aluminum/composite construction
- Upper profile offers protection against head injuries
- Concealed threshold secures the pull cord

Volkswagen T5/T6

Sliding door Volkswagen Transporter 6/5	46131	638,-
Schiebetür Volkswagen Transporter 6/5 UK	461311	638,-

Fiat Ducato

Sliding door Ducato flat roof type H1 >2007 Dimensions: W 1185 x H 1449 mm	350465	495,-
Sliding door Ducato large box type H2 >2007 Dimensions: W 1185 x H 1731 mm	350466	544,-
Hecktür Ducato Typ H1 >2007	46239	490,-
Hecktür Ducato Typ H2 >2007	462391	490,-

MB Sprinter / Volkswagen Crafter

Sliding door Sprinter/VW Crafter <2018 Dimensions: W 1300 x H 1820 mm	350467	526,-
Schiebetür Sprinter >2018 Dimensions: W 1300 x H 1820 mm	350469	526,-
Schiebetür Sprinter <2013 UK Dimensions: W 1300 x H 1820 mm	350464	518,-



→ DOMETIC OUTDOOR

Insect screen sliding door FlyTec200 for Fiat Ducato H2 X250/X290 & Fiat Ducato 8 (> 09/2021)



- High quality insect screen door
- Convenient one-hand operation
- Secure brush closure
- Vehicle door can remain open
- Flies, mosquitoes, moths stay outside

Installation dims.: W 1298 x H 1765 mm for right-hand drive

350461 518,-



NEW
2024
461737
461738
461739



HINDERMANN

Insect screen for rear doors/tailgates

The insect screen curtains for the rear of the vehicle have two zippers. They are mounted using self-adhesive magnetic strips (incl. in scope of delivery).


Fiat Ducato > 2007/2014 Type 250/290, Citroën Jumper and Peugeot Boxer

Rear doors standard door cut-out	461735	316,-
Rear doors high door cut-out	461731	316,-
Hecktüren H3 variant (extra high)	461737	326,-

T5/T6 tailgate 461733 316,-

Ford Transit tailgate >7/2014
high door cut-out, H3 roof 461738 326,-

Renault Master rear doors >2024 461739 322,-



Mosquito nets for Fiat Ducato, Peugeot Boxer, Citroën Jumper

- Fastening with velcro tape on side and top, additional support w/ snaps
- Tight mosquito net against even the smallest insects
- UV stable and flexible polyester fabric
- Flame retardant
- Durable and high quality
- Good visibility and air circulation
- Zippers to operate from inside and outside
- Lead tape for weighting at the bottom
- Soft fall and dark color
- High quality, no snagging with velcro tape

Mosquito net for the sliding door or rear wing door w/ convenient zipper entrance.

Scope of delivery:

Black mosquito net and mounting hardware (snaps, velcro)

For years of construction from 2007

Suitable for roof height H2 & H3 (stand. high roof), vehicle length 541 cm, 599 cm and 636 cm and sliding door dims.: H 1755 x W 1250 mm

Adapted for vehicles w/ kitchen parts protruding into sliding door cut-out. With practical J-shape zipper.

① Front entry **464522** **207,-**

Suitable for large-capacity box or Adria Twin 640 SHX e.g.

② Rear entry **464520** **201,-**

Mosquito net for rear door, standard high roof from YOC. 2007

Door height: 1760 mm

(without illustration) Center entry **46452** **201,-**

Suitable for roof height H 1 (flat roof) vehicle length: 496 cm & sliding door dims.: H 1480 mm x W 1075 mm

③ Front access **46240** **217,-**

For rear wing doors: H 1790 mm

suitable for roof height H2 (high roof) (not shown) Center entry **464521** **201,-**

④ For rear door: H1 (flat roof) w/ 2-way zipper, allows only upper part of net to be opened. **461730** **217,-**

For years of construction 1994 - 2006

Suitable for roof height H2 and H3 (high roof) Mosquito net for sliding door opening. With center zipper

⑤ Central access **46435** **188,-**

For MB Sprinter / VW Crafter

Fine-mesh insect screen net w/ 2-way zipper. Reliable fastening w/ elastic, magnet or Velcro tape on body panel, sealing at the bottom w/ lead tape. Rear doors can be closed with net. For the ride we recommend to remove the net.



Sprinter 1996-2006 Roof height H1 (not suitable for standard high roof) Sliding door opening (with Velcro tape) **46143** **185,-**

MB Sprinter/Crafter >2007 Roof height H1 from L2 (from vehicle length 5261 mm) (not suitable for stand. high roof) Sliding door opening (w/ Velcro strip) **46450** **207,-**

Rear door (with Velcro) **464501** **207,-**

MB Sprinter w/ standard high roof (H3), >2006 and VW Crafter with standard high roof (H3) 2006 - 2016

Sliding door right (with magnet) **464524** **234,-**

Rear doors (with elastic band) **461736** **326,-**

VW Crafter YOC. > 2017 with high roof H3 and H4

Rear door (w/ elastic band) **464502** **240,-**

Sliding door on the right (with magnet) **464523** **234,-**



REMIcare Van Fiat Ducato



REMIcare Van Ford Transit Custom



REMIcare Van Volkswagen T5/T6



REMIcare Van Mercedes Sprinter



Rain deflector Fiat Ducato

REMIcare Van Insect screen door

- All around insect protection
- A rain deflector ensures a dry entrance area for the Fiat Ducato
- Ventilated camping trips, without mosquito or gnat visitation
- Light and air are provided
- Perfect closure

To complete the all-round comfort package, door must also be protected from insects in addition to insect protection on windows. So you can enjoy pleasant, ventilated camping trips, without mosquito or gnat visitation. Even at night, you can simply open vehicle door & close insect screen door directly and nothing will stand in the way of a restful night - w/ fresh air & without annoying mosquitoes.

For Fiat Ducato (models X250/X290)

Size: 1435 mm x 1080 mm

Low door cutout, short wheelbase

Without table rail for left-hand drive **35066 482,-**

With table rail for left-hand drive

35061 585,-

Size: 1435 mm x 1250 mm

Low door cutout, long wheelbase

with table rail for left-hand drive **35073 571,-**

Size: 1710 mm x 1250 mm

High door cutout long wheelbase

Without table rail for left-hand drive **35068 454,-**

Without table rail for right-hand drive **35074 467,-**

With table rail for left-hand drive

35075 518,-

With table rail for right-hand drive **35076 571,-**

For Ford Transit Custom / Ford Nugget

Ford Transit Custom (Model V362)

for left hand drive **35069 457,-**

For Volkswagen T5/T6

Transporter and Transporter station wagon in the Startliner version

for left hand drive **35062 585,-**

Multivan and Caravelle

for left hand drive **35063 588,-**

For Mercedes Sprinter

(Identical in construction: VW Crafter from YOC. 2006-2016)

From YOC. 2006: Size: 1650 x 1360 mm

for left hand drive **35070 483,-**

From YOC. 2006: Size: 1960 x 1360 mm

for left hand drive **35071 528,-**

Rain deflector for Fiat Ducato

Suitable for all sizes

for left hand drive **46307 172,-**



Mosquito nets w/ magnetic attachment

- Very simple & quick attachment w/ magnets
- UV resistant polyester fabric
- Mosquito nets for sliding doors suitable for driver's side and passenger's side

- Zipper on both sides for opening from the inside & outside (mosquito net for sliding door & rear door)
- No modifications to vehicle necessary
- No additional tools required
- Scope of delivery mosquito nets cab windows: 2 pcs.



Cab window (2 mosquito nets included)



Sliding door



Tailgate



Vehicle type	YOC.	Mounting	Item no.	Price
Citroën Dispatch/Jumpy/Spacetourer	>2017	Cab window	461301	70,80
Peugeot Expert/Traveler		Sliding door	461302	141,-
Toyota Proace/Proace Verso		Tailgate	461303	141,-
Fiat Scudo/Ulysse	>2022	Tailgate	461303	141,-
Opel Vivaro/Zafira Life	>2019			
Citroën Jumper Fiat Ducato Peugeot Boxer	>2006	Cab window	461304	70,80
		Sliding door (H2/H3)	461305	141,-
		Tailgate (H2)	461306	141,-
Ford Tourneo Custom/Transit Custom	>2013	Cab window	461307	70,80
		Sliding door	461308	141,-
		Tailgate	461309	141,-
Ford Transit	>2014	Cab window	461310	141,-
		Sliding door	461312	141,-
		Tailgate	461313	141,-
MB Sprinter	2006-2018	Cab window	461314	70,80
Volkswagen Crafter	2006-2017	Sliding door (H2/H3)	461315	141,-
		Tailgate (H2/H3)	461316	141,-
			461317	70,80
MB Sprinter	>2018	Sliding door	461318	141,-
		Tailgate	461319	141,-
			461320	70,80
MB Viano/Vito	2003-2014	Cab window	461321	141,-
MB Vito	>2014	Sliding door	461321	141,-
		Tailgate	461322	141,-

Opel Movano	>2010	Cab window	461323	70,80
Renault Master	2010-2020	Sliding door	461324	141,-
		Tailgate	461325	141,-
Opel Vivaro	2014-2019	Cab window	461326	70,80
Renault Trafic	>2014	Sliding door	461327	141,-
		Tailgate	461328	141,-
Volkswagen Crafter	>2017	Cab window	461341	141,-
		Sliding door	461342	141,-
		Tailgate	461343	141,-
Volkswagen Caddy	2003-2020	Cab window	461329	70,80
		Sliding door	461330	141,-
		Tailgate	461337	141,-
Volkswagen Caddy V	>2021	Cab window	461338	70,80
		Sliding door	461339	141,-
		Tailgate	461340	141,-
Volkswagen T4 Caravelle/T4 Multivan/T4 Transporter	1990-2003	Cab window	461344	70,80
		Sliding door	461345	141,-
		Tailgate	461346	141,-
Volkswagen T5 Caravelle/T5 Multivan/T5 Transporter	2003-2015	Cab window	461347	70,80
		Sliding door	461348	141,-
		Tailgate	461349	141,-
Volkswagen T6 Caravelle/T6 Multivan/T6 Transporter	>2015	Cab window	461363	70,80
		Sliding door	461364	141,-
		Tailgate	461365	141,-
Volkswagen Multivan	>2022	Cab window	461366	141,-
		Sliding door	461367	141,-
		Tailgate	461368	141,-
Volkswagen ID BUZZ	>2023	Cab window	461366	141,-
		Sliding door	461367	141,-
		Tailgate	461368	141,-



Vanscreen - Insect screen sliding door for Fiat Ducato X290, H2 high door cut-out, long wheel-base from YOC. 2015

- Aluminum frame for high resistance

Scope of delivery: Mosquito net, PVC frame & mounting material incl. screws. Dims.: 1204 x 1709 mm, weight: app. 4.5 kg

35008 382,-



Mosquito net for windows Suitable for VW T4 station wagon /bus YOC. until 2003 for original sliding windows

46134 60,-



Fly screens for bathroom windows

- Perfect fit for Adria Twin Supreme & Twin Plus from YOC. 2019

461300 163,-




Isoflex Thermal mats

- Insulating Isoflex material (PVC)
- 9-ply

- Reflection of solar radiation
- Insulation against heat and cold

- The ideal privacy screen
- Suction cups included




Driver's cab, 3-piece set

For vehicles with short and long wheelbase

Vehicle type	YOC.	Item no.	Price
Citroën Berlingo	2008 - 2018	37364	65,40
Citroën Spacetourer	from 2017	37346	65,40
Campster/Vanster (Pössl)			
Fiat Ducato	1990 - 1993	37245	65,40
Citroën Jumper/Peugeot Boxer			
Fiat Ducato 230 Citroën Jumper/ Peugeot Boxer	1994 - 2001	37246	65,40
Fiat Ducato 244 Citroën Jumper/ Peugeot Boxer	2002 - 2005	37270	65,40
Fiat Ducato 250 Citroën Jumper/ Peugeot Boxer	2006 - 2014	37315	65,40
Fiat Ducato 290 Citroën Jumper/ Peugeot Boxer	as of 2015	37313	65,40
Ford Transit	2000 - 2006	37269	65,40
Ford Transit	2006 - 2014	372691	65,40
Ford Transit	as of 2015	372692	65,40
Ford Custom	as of 2012	372690	65,40
Iveco Daily	2000 - 2006	37361	65,40
Iveco Daily	2006 - 2014	37362	65,40
Iveco Daily	as of 2014	37363	65,40
Mercedes Benz Sprinter	1995 - 2006	37242	65,40
Mercedes Benz Sprinter	2006 - 2018	372421	65,40
Mercedes Benz Sprinter	as of 2018	37213	65,40

Mercedes Benz Vito	as of 2015	372693	65,40
Pössl Vanstar + Campstar			
Nissan NV200 5-piece / 5-ply	2009 - 2021	37320	70,--
Renault Master	2005 - 2010	37274	65,40
Renault Master	as of 2011	37349	65,40
Renault Trafic	as of 2001	372732	65,40
Renault Trafic II/NissanNV300/ OpelVivaro A	2002 - 2014	37273	65,40
Renault Trafic III/NissanNV300/ OpelVivaro B	as of 2015	372731	65,40
VW Caddy	2004 - 2020	37226	65,40
VW Caddy 5	as of 2020	372261	65,40
VW Crafter	2006 - 2016	372421	65,40
VW Crafter	from 2017	372422	65,40
VW LT	until 1996	37238	65,40
VW T2/T3	1979 - 1990	37230	65,40
VW T4	as of 1990	37232	65,40
VW T6.1/T6/T5	as of 2003	37281	65,40
VW Multivan	as of 2021	372423	65,40
VW ID BUZZ	as of 2023	372440	65,40



Living room, 4 piece set

Vehicle type	Wheelbase	YOC.	Item no.	Price
Citroën Campster	-	from 2017	37347	65,40
Citroën Vanster				
Mercedes Benz Vito/ Pössl Vanstar + Campstar	short	as of 2015	372445	98,10
VW T2/T3	short	1979 - 1990	37237	87,20
VW T4	short	as of 1990	37235	87,20
VW T4	long	as of 1990	37236	87,20


VW T4	short with air-conditioned headliner	as of 1990	37252	87,20
--------------	--	------------	--------------	--------------

VW T5/T6 panel van, Multivan Startline, California Beach until 6/2010 w/ hard fiber paneling:				
VW T5/T6¹	short	as of 2003	37296	65,40
VW T5/T6²	long	as of 2003	37297	65,40
VW T5/T6 Caravelle, Multivan, California with comfort interior trim:				
VW T5/T6³	short	as of 2003	37311	87,20
VW T5/T6⁴	long	as of 2003	37312	87,20
VW Multivan	short	as of 2021	372424	87,20
VW Multivan	long	as of 2021	372431	95,90
VW ID BUZZ	-	as of 2023	372441	95,90

¹ w/o. VW comfort trim (hard fiber), station wagon, Multivan Startline up to 6/2010 T5 California up to 6/2010 | ² w/o. VW comfort trim (hard fiber), station wagon

³ with comfort trim, Caravelle, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010 |

⁴ with comfort cladding, Caravelle from 2003




Rear window 1-piece / rear door 2-piece set

for vehicles with short and long wheelbase

Vehicle type	YOC.	Parts	Item no.	Price					
Fiat Ducato 230 Citroën Jumper/Peugeot Boxer	1994 - 2001	2	372462	24,-	Renault Traffic II	2002 - 2014	2	372335	24,-
Fiat Ducato 244 Citroën Jumper/Peugeot Boxer	2002 - 2005	2	372701	24,-	Renault Traffic III	as of 2015	2	372336	24,-
Fiat Ducato 250 Citroën Jumper/Peugeot Boxer	2006 - 2014	2	373151	24,-	VW T3	9/79 - 7/90	1	37231	24,-
Fiat Ducato 290 Citroën Jumper/Peugeot Boxer	as of 2015	2	373131	24,-	VW T4	as of 1990	1	37233	24,-
Ford Transit	1986 - 1989	1	37233	24,-	VW T4 low doors	as of 1990	2	37234	24,-
Ford Transit	2000 - 2006	1	372330	24,-	VW T5/T6²	as of 2003	1	37283	24,-
Ford Transit	2006 - 2014	2	372331	24,-	VW T5/T6³	as of 2003	2	37282	24,-
Ford Transit	as of 2015	2	372332	24,-	VW T5/T6⁴	as of 2003	1	37306	30,50
Mercedes Benz Vito/ Pössl Vanstar + Campstar	as of 2015	1	372446	21,95	VW Multivan	as of 2021	1	372425	24,40
Renault Master	2005 - 2010	2	372333	24,-	VW ID BUZZ	as of 2023	1	372442	24,40
Renault Master	as of 2011	2	372334	24,-					

¹ Panel van, Multivan Startline, California Beach up to 6/2010 w/ hard fiber cladding: | ² w/o. VW comfort paneling (hard fiber), station wagon, Multivan Startline up to 6/2010, California Beach up to 6/2010 | ³ w/o. comfort trim, estate | ⁴ w/ VW comfort trim, Caravelle from 2003, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010



Complete set 8-piece (with rear window) / 9-piece (with rear door) / 12-piece

Vehicle type	Wheel-base	YOC.	Parts	Item no.	Price						
Citroën Spacetourer Campster/ Vanster (Pössl)	-	from 2017	8	372813	173,-	Renault Kangoo	short	1997 - 2007	8	37229	173,-
Ford Tourneo Custom	short	2012 - 2018	8	37123	173,-	Renault Kangoo II	short	2008 - 2021	8	372291	173,-
Ford Tourneo Custom	short	2012 - 2018	9	37124	173,-	Renault Kangoo II	short	2008 - 2021	9	372290	173,-
Ford Tourneo Custom	long	2012 - 2018	8	37125	173,-	Renault Traffic II	short	2002 - 2014	8	37215	173,-
Ford Tourneo Custom	long	2012 - 2018	9	37126	173,-	Renault Traffic II	short	2002 - 2014	9	37216	173,-
MB Vito	short	1996 - 2003	8	37366	173,-	Renault Traffic II	long	2002 - 2014	8	37219	173,-
MB Vito	short	1996 - 2003	9	37367	173,-	Renault Traffic II	long	2002 - 2014	9	37221	173,-
MB Vito/Viano	short	2004 - 2014	8	37368	173,-	Renault Traffic III	short	as of 2015	8	37222	173,-
MB Vito/Viano	short	2004 - 2014	9	37369	173,-	Renault Traffic III	short	as of 2015	9	37223	173,-
MB Vito/Viano	medium	2004 - 2014	8	37114	173,-	Renault Traffic III	long	as of 2015	8	372000	173,-
MB Vito/Viano	medium	2004 - 2014	9	37115	173,-	Renault Traffic III	long	as of 2015	9	372001	173,-
MB Vito/Viano	long	2004 - 2014	8	37116	173,-	VW Caddy	short	2004 - 2020	8	37228	173,-
MB Vito/Viano	long	2004 - 2014	9	37117	173,-	VW Caddy Maxi	long	2004 - 2020	8	37227	173,-
MB Vito Tourer/ V-Class	short	as of 2015	8	37118	173,-	VW Caddy 5	short	as of 2020	8	372281	173,-
MB Vito Tourer/ V-Class Vanstar/ Campstar (Pössl)	long	as of 2015	8	37121	173,-	VW Caddy 5 Maxi	long	as of 2020	8	372271	173,-
Nissan NV200	-	2009 - 2021	12	373202	215,-	VW T3	short	1979-1990	8	372426	173,-
						VW T4	short	as of 1990	8	372427	173,-
						VW T6.1/T6/T5¹	short	as of 2003	8	372428	173,-
						VW T6.1/T6/T5²	short	as of 2003	8	372429	173,-
						VW Multivan	short	as of 2021	8	372430	173,-
						VW Multivan	long	as of 2021	8	372432	173,-
						VW ID BUZZ	-	as of 2023	8	372443	173,-

¹ Panel van, Multivan Startline, California Beach up to 6/2010 w/ hard fiber trim.

² w/ VW comfort paneling, Caravelle from 2003, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010

Premium suction cups for thermal mats, 10 pieces

- With screw function
 - Ø suction cup 55mm
 - With tab for easy removal from the disc
 - For eyelets up to max. 15 mm diameter
- 10 piece **37335** **9,75**



Premium thermal mats Blackline

- 9-layer Isoflex material (PVC)
- Black insidereflective on the outside
- Insulation against heat and cold
- The ideal privacy screen
- Fastening with screw-in suction cups




Premium suction cups included




Driver's cab, 3-piece set (for vehicles with short and long wheelbase)

Vehicle type	YOC.	Item no.	Price	Vehicle type	YOC.	Item no.	Price
Citroën Spacetourer/Opel Vivaro/ Peugeot Expert/Toyota Proace/ Pössl Campster/Vanster	>2017	372340	81,70	Mercedes Benz Sprinter	2006-2018	372348	81,70
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	1994-2001	372341	81,70	VW Crafter	2006-2016	372348	81,70
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2002-2005	372342	81,70	Mercedes Benz Sprinter	>2018	372349	81,70
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2006-2014	372343	81,70	VW Crafter	>2016	372355	81,70
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	>2015	372344	81,70	Mercedes Benz Vito/Viano Pössl Campstar/Vanstar	>2016	372350	81,70
Ford Transit	2006-2014	372345	81,70	Renault Trafic/Opel Vivaro	2002-2014	372351	81,70
Ford Transit	>2015	372346	81,70	Renault Trafic/Opel Vivaro	>2015	372352	81,70
Mercedes Benz Sprinter	1995-2006	372347	81,70	VW Caddy	2004-2020	372353	81,70
				VW Caddy	>2021	372354	81,70
				VW T4	>1990	372356	81,70
				VW T6.1/T6/T5	>2003	372357	81,70




Living room, 4 piece set

Vehicle type	Wheel-base	YOC.	Item no.	Price	Vehicle type	Wheel-base	YOC.	Item no.	Price
Citroën Spacetourer/Opel Vivaro/ Peugeot Expert/Toyota Proace/ Pössl Campster/Vanster	briefly	>2017	372386	97,10	VW Caddy	briefly	2004-2020	372400	97,10
Ford Transit	briefly	2006-2014	372391	97,10	VW Caddy	briefly	>2021	372401	97,10
Ford Transit	briefly	>2015	372392	97,10	VW Caddy Maxi	long	2004-2020	372379	97,10
Mercedes Benz Vito/Viano	briefly	>2015	372397	97,10	VW Caddy Maxi	long	>2021	372381	97,10
Renault Trafic/Opel Vivaro	briefly	2002-2014	372398	97,10	VW T4	briefly	>1990	372402	97,10
Renault Trafic/Opel Vivaro	briefly	>2015	372399	97,10	VW T6.1/T6/T5 ¹	briefly	>2003	372403	97,10
					VW T6.1/T6/T5 ²	briefly	>2003	372404	97,10



Tailgate/rear door (for vehicles with short and long wheelbase)

Vehicle type	YOC.	Parts	Item no.	Price	Vehicle type	YOC.	Parts	Item no.	Price
Citroën Spacetourer/Opel Vivaro/ Peugeot Expert/Toyota Proace	>2017	1	372358	32,70	Mercedes Benz Vito/ Viano/ Pössl Campstar/ Vanstar	>2015	1	372372	32,70
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	1994-2001	2	372360	32,70	Renault Trafic/Opel Vivaro	2002-2014	2	372375	32,70
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2002-2005	2	372361	32,70	Renault Trafic/Opel Vivaro	>2015	2	372377	32,70
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2006-2014	2	372362	32,70	VW Caddy	2004-2020	1	372378	32,70
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	>2015	2	372363	32,70	VW Caddy	>2021	1	372380	32,70
Ford Transit	2006-2014	2	372365	32,70	VW T4	>1990	1	372382	32,70
Ford Transit	>2015	2	372367	32,70	VW 6.1/T6/T5 ¹	>2003	1	372384	32,70
					VW 6.1/T6/T5 ²	>2003	2	372385	32,70
							1	372383	32,70



¹ Panel van, Multivan Star, California Beach >06/2010 w. Hard fiber cladding
² Panel van, Multivan, California with comfort paneling

Thermal mats with magnetic attachment

- 7-layer Isoflex material (PVC)
- Black insidereflective on the outside
- Insulation against heat and cold
- The ideal privacy screen
- Attachment via magnets
- Ffor vehicles w/ short and long wheelbase




372405 / 372406 / 372407
372408 / 372409



Cab, 3-piece set

Vehicle type	YOC.	Item no.	Price
Citroën Spacetourer Pössl Campster/Vanster	>2017	372359	108,-
Fiat Ducato	1993-2006	372408	108,-
Fiat Ducato	2006	372390	108,-
Ford Transit	>2015	372376	108,-
Mercedes Benz Sprinter	>2006	372393	108,-
VW Crafter	2006-2017	372406	108,-
VW Crafter	>2017	372389	108,-
Mercedes Benz Vito/V-Class Pössl Campstar/Vanstar	>2015	372373	108,-
Renault Trafic	2004-2014	372407	108,-
Renault Trafic/Opel Vivaro	>2015	372374	108,-
VW Caddy	2012-2020	372409	108,-
VW Caddy	>2021	372364	108,-
VW T4	1990-2003	372405	108,-
VW T6.1/T6/T5	>2003	372366	108,-




10
PIECE



Suction cups for thermal mats, 10 pieces

- With screw function
 - Ø suction cup 55mm
 - Quick + easy screw on
 - With tab for easy removal from the pane
 - For eyelets up to max. 15mm diameter
- pack of 10 37335 9,75



Do It Yourself Kit Make your own thermal mat

Use the enclosed foil to make a template, place it on the material and cut it out. Baste the edges of thermal mat and finish with binding tape. Insert the suction cups, done. (For inserting the suction cups we recommend eyelet set 14mm art. no. 90211)


Scope of delivery: 3.5 m Isoflex material (1.55 m wide), 30 suction cups, 30 m edging tape & 1 plastic film for making your template.

Black/silver	37487	80,60
Gray/silver	37285	80,60




Thermal darkening mats with suction cup attachment

- 8 mm thick thermal mats
- UV protection and insulation against heat and cold
- Soft anti-condensation fabric
- Screening for privacy
- Screw-on suction cups for a strong hold
- Color: inside grey / outside silver



Cab, 3-piece set



Living room, 5-piece set

Vehicle type	YOC.	Wheel-base	Item no.	Price
Fiat Ducato	1994-2001	short+long	372745	76,30
Fiat Ducato	2002-2005	short+long	372746	76,30
Fiat Ducato	2006-2014	short+long	372747	76,30
Fiat Ducato	>2015	short+long	372748	76,30
MB Vito/Viano/V-Class Pössl Campstar/Vanstar	>2015	short+long	372728	76,30
MB Sprinter VW Crafter	2006-2018 2006-2017	short+long	372716	76,30
Mercedes-Benz Sprinter	>2018	short+long	372717	76,30
VW Caddy + Caddy Maxi	<2020	short+long	372719	76,30
VW Caddy 5 Caddy Maxi	>2020	short+long	372741	80,60
VW T4	1990-2003	-	372713	76,30
VW T5/6/6.1	>2003	short+long	372710	76,30
VW Multivan	>2021	short+long	372720	82,60
VW ID.BUZZ	>2022	-	372725	82,60
VW Crafter	>2017	short+long	372718	76,30

Vehicle type	YOC.	Wheelbase	Item no.	Price
MB Vito/Viano/V-Class, Pössl Campstar/Vanstar	>2015	long	372729	126,-
VW Caddy 5	<2020	briefly	372749	130,-
VW Caddy 5 Maxi	<2020	long	372750	130,-
VW Caddy 5	>2020	briefly	372742	130,-
VW Caddy 5 Maxi	>2020	long	372744	136,-
VW T4	1990-2003	briefly	372714	130,-
VW T4	1990-2003	long	372715	130,-
VW T5/6/6.1	>2003	briefly	372711	130,-
VW T5/6/6.1	>2003	long	372712	133,-
VW Multivan	>2021	briefly	372721	132,-
VW Multivan	>2021	long	372722	135,-
VW ID.BUZZ	>2022	-	372726	130,-



Travel interior insulation mats for VW T5/T6, Ford Transit, Fiat Ducato



- Protects against heat in summer & cold in winter
- Fastening with large-area quality suction cups

The travel mats are made of thermal foil coated on both sides with an aluminized polyester film. The edges are neatly edged all around. There are pull loops along the upper edges.

Incl. Suction cups with knurled screws. The insulating mats for the cab side windows are dimensioned in such a way that the outer contours are clamped by the door rubber, creating an insulating air cushion between the window mat and the window glass.

VW T5/T6* 3-piece cab	37472	152,-
VW T5/T6* California living area 5-piece	37473	163,-
*For vehicles with plastic-clad window surrounds (Multivan, Caravelle or Shuttle).		
Ford Transit > 2014 3-piece cab	37488	152,-
Fiat Ducato > 2007 3-piece cab	37489	174,-



Fig. show VW T5

Tent bellowsInsulation for Volkswagen Transporter, Mercedes Benz & Pössl Campster sleeping roofs

- Protection from extreme heat and cold
- For Reimo folding roofs VW California and California Beach
- With window and ventilation openings
- Fastening w. enclosed. Velcro discs and sewn-on Velcro tape*

For VW T5/6 kR, super flat roof front high	37396	490,--
For VW T5/6 kR, super flat roof rear high	37385	486,--
For VW T5/6 kR, EasyFit roof front high until 2020	37398	501,--
VW T6 kR, EasyFit roof front high, for high scissors from 2021	373981	501,--
For VW T5/6 IR, super flat roof rear+front high	37397	512,--
For VW T5/6 California from 2003 and California Beach from 6/2010	37389	501,--
For VW T5/6 IR, EasyFit roof front high until 2020	37388	501,--
VW T6 IR, EasyFit roof front high, for high scissors from 2021	373881	490,--
For VW T6 kR, Easyfit roof front extra high	373981	501,--
For VW T4 kR, super flat roof front high	37395	533,--
For VW T4 California	37399	501,--
For MB Vito/Metris/V - Easyfit roof front extra high	373882	479,--
For Pössl Campster sleeping roof (>2016)	373883	523,--

*for California + Beach: fastening with insertion straps



Dashboard cover Fiat Ducato

Perfect insulation in the cab area, including foot area, 8 mm thick, including packing bag, easyinstallation.

Year of manufacture 2002 - 2006	37432	144,--
Year of construction 2006 - 2014	37433	144,--
Year of construction > 2015	37434	144,--



Climate protection hood for Sleeping roofs front high Climacover weather protection cover for VW T5/T6 from 2003, Mercedes Benz Vito/Metris & Pössl Campster

Ideal protection against rain, snow, ice and dirt. With windows and vents. Mounting over the complete roof.

For KR, Easy Fit roof and California:

Normal scissors until 2020	37391	544,--
Wide gap from 2021	373941	610,--
For LR, Easy Fit roof, until 2020	37394	610,--
For KR, sleeping roof super flat	37393	523,--
For KR, sleeping roof SCA 194	37360	566,--
For LR, Easyfit front high	373940	544,--
For MB Vito/Metris/V-Easyfit - high scissors	373942	610,--
For Pössl Campster sleeping roof SCA 260 (>2016)	373943	610,--



Climate protection cover for sleeping roofCitroën-Campster & Vanster from Pössl

Attached with Velcro tape. Thickness 8 mm. ForCitroënCampster

	37461	271,--
For Citroën Vanster	37468	271,--



ThermoDriver's cab partition curtain

- W/ opening for operating the radio & air conditioning
- Insulates the cab against heat and cold
- Highly insulating 8 mm iso-sandwich material
- Outer material 100% polyester, underlayer 100% polyurethane
- Light grey velour inside, aluminized polyester foil outside

Fastened at the top and sides with screw-on press studs.

Fiat Ducato from YOC. 7/2006, light gray	37318	316,--
Fiat Ducato from YOC. 7/2006, light beige	373181	316,--



X-Trem Jacket External insulation for Fiat Ducato, Peugeot Boxer, Citroën Jumper

- Excellent insulating properties
- Easy to roll up and store
- Optimal fixation due to elastic straps
- Front ventilation slots are covered with
- Incorporated magnets provide additional support
- Thermal insulation insensitive to moisture
- With transport bag

① **All-Year All Season**

All year cover with excellent insulation

2007-2014	90797	300,-
> 2014	907971	305,-

② **Lahti winter**

Extra thick padded outer insulation. Tested in Scandinavia and Lapland. Ideal thermal insulation for the winter vacations.

2007-2014	90798	359,-
> YOC. 2014	907981	359,-



Outdoor insulation mat with X-Trem insulation

- The cab windows remain free of snow, ice and condensation
- 3-layer insulated PVC material
- Additional 7 mm thick insulation foam
- Connection of both mats (driver's compartment and hood) using Velcro



Vehicle type	YOC.	Item no. Cab windows	Price	Item no. Hood & Doors	Price
Fiat Ducato Citroën Jumper Peugeot Boxer	94-01	37371	119,-	373710	125,-
	02-05	374351	119,-	374350	125,-
	06-14	37372	119,-	373720	125,-
	> 15	373700	119,-	3737000	125,-
Ford Transit Custom Tourneo Custom	12-18	374420	119,-	3744200	125,-
Ford Transit	86-99	-	-	3744320	125,-
Ford Transit	06-14	374423	119,-	374422	125,-
Ford Transit	> 14	374434	125,-	3744300	125,-
Iveco Daily	00-06	372300	119,-	3723000	125,-
Iveco Daily	06-14	372301	119,-	3723010	125,-
Iveco Daily	> 15	372302	119,-	3723020	125,-
Mercedes-Benz Sprinter	96-06	37268	119,-	372682	125,-
Mercedes-Benz Sprinter	06-14	372680	119,-	3726800	125,-
Mercedes-Benz Sprinter	> 15	372681	119,-	3726810	125,-
Renault Master	05-10	374430	119,-	3744301	125,-
Renault Master	> 11	374431	119,-	3744310	125,-
VW T4	90-03	374491	119,-	374490	125,-
VW T5	06-15	374501	119,-	374500	125,-
VW T6	> 15	374511	119,-	374510	125,-





X-Trem Comfort - Exterior insulation for Fiat Ducato, Peugeot Boxer, Citroën Jumper

Window/door insulation

to insulate the windows, side doors and vents viewing window on the windshield can be folded down (so you can enjoy the sun sometimes).

Attachable hood cover

Can be additionally attached. Protects engine compartment from cold penetration & additionally insulates interior.

2-piece set consisting of windshield/door insulation and snap-on hood cover

YOC. 2007-2014	90796	479,-
from YOC. 2014	907961	479,-



Covertch Insulating mats for cab and hood

- Eight layers, the outer layers made of PVC
- UV-resistant
- Incl. Faux leather pannier
- Water repellent
- Perfectly suited for low temperatures
- Very soft, therefore perfect vehicle adaptation
- Secure fastening with Velcro



Vehicle type	YOC.	Item no. Cab windows	Price	Item no. Hood & Doors	Price
Fiat Ducato 230	94-01	90918	297,-	90927	297,-
Fiat Ducato 244	02-05	90919	297,-	90928	297,-
Fiat Ducato 250	06-15	90920	297,-	90929	302,-
Fiat Ducato	from 15	909200	297,-	909291	302,-
Ford Transit	06-14	90921	297,-	90930	302,-
Renault Master	05-10	90923	297,-	90932	302,-
Renault Master	> 11	909231	297,-	909321	302,-
VW T4	> 90	90925	297,-	—	—
VW T5/6	> 03	90926	297,-	—	—



Covertch Insulating mats for fully integrated vehicles

- Eight layers, the outer layers made of PVC
- Ideal thermal insulation in winter
- Prevents condensation from forming on the panes
- Incl. Faux leather pannier
- Water-repellent, UV-resistant
- Perfectly suited for low temperatures
- Very soft, therefore perfect vehicle adaptation



Vehicle type	YOC.	Item no.	Price
Carthago C-Line	as of 2012	90911	403,-
Carthago S-Plus/Highliner	until 2012	90912	403,-



Attachment with suction cups



Outdoor thermo cover

- 3-layer insulated PVC material with UV protection and water resistance
- 10 mm thick insulating foam

Luxurious window cover for the cab window. Also covers the side windows. Is hung on the side doors. A viewing window is closed with Velcro and can be opened if required. Delivery Includes packing bag.

Vehicle type	YOC.	Item no.	Price
Citroën Spacetourer			
Campster/Vanster (Pössl)	> 16	37460	163,-
Fiat Ducato	94 - 02	37438	163,-
Fiat Ducato	02 - 06	37435	163,-
Fiat Ducato	06 - 14	37436	163,-
Fiat Ducato	> 15	37437	163,-
Ford Transit	07 - 14	37442	163,-
Ford Transit	> 15	37443	163,-
Mercedes Benz Vito/			
Campstar/Vanstar Pössl	> 15	37497	163,-
Mercedes Benz Sprinter	06 - 14	37444	163,-
Mercedes Benz Sprinter	> 15	37445	163,-
Renault Trafic	> 2015	37496	163,-
Renault Master	08 - 10	37446	163,-
Renault Master	10 - 14	37447	163,-
Renault Master	> 15	37448	163,-
Volkswagen Caddy 5	> 2021	37494	163,-
Volkswagen Multivan	> 2021	37495	163,-
Volkswagen Transporter 4	90 - 03	37449	163,-
Volkswagen Transporter 5	06 - 15	37450	163,-
Volkswagen Transporter 6	> 15	37451	163,-



Summer insulation for Ducato, Boxer & Jumper

For Fiat Ducato, Peugeot Boxer, Citroën Jumper

Outer insulating cover for front and side windows as well as the hood ventilation flaps. Practical attachment to cab doors. Thermal insulation through 2 layers. Fiamma insulating mat suitable for: **Vehicles** from YOC. 06/2007 **372843** **184,-**



Motorhome cover "Cover Premium"

- Complete protection
- Protects against sun and UV rays
- Highly recommended for longer downtimes

Durable and air-permeable, prevents condensation, integrated zippers allow access to the cab with eyelets for tensioning.



Cover Premium M for motorhomes up to 7.1 m, dims.: L: 7.16 x W: 2.59 x H: 2.74 m **92833** **532,-**

Cover Premium L for motorhomes up to 8.0 m, dims.: L: 8.08 x W: 2.59 x H: 2.74 m **92834** **569,-**



Cover Top tarpaulin

- Protection from dirt, sun, snow and ice
- Maintaining the value of the vehicle
- Made from UV-stable linen vinyl
- With eyelets for a secure hold

Simply place over the vehicle and tension (supplied without tensioning ropes). Reinforced eyelets every 40 cm for a secure hold. Dimensions: 850x520 cm

42060 **184,-**



Front tarpaulin for integrated motorhomes

- Insulates cab and engine
- Breathable, durable, water-resistant
- Protects against sun, rain, snow and dirt
- Fastening with 2 eyelet straps & rubber tensioners
- Lower fastening with elastic band

For vehicles without top-mounted exterior mirrors, we recommend attaching the snap hooks of the rubber tensioner to LOXX press studs. In general, the front tarpaulin can also be attached using only 2 adhesive LOXX press studs.


Universal, 240 cm high	92859	207,-
Safety press studs, 2 pieces	373831	26,80
Loxx safety press studs, set of 5	373830	42,60



Four Seasons outdoor insulation mat

For semi-integrated and alcove vehicles. Protection from heat and cold. 1-piece: All-round insulation protection for the cab. Aluminum vaporization reflects solar radiation. Fastening: Mats are hooked into the door edges and braced. Fold-down mat.

VW T4	907952	148,-	Ford Transit Custom
VW T5/T6	90795	148,-	from YOC. 2018 908041 148,-
VW ID Buzz	907963	148,-	from YOC. 2024 (CamperVan) 907962 148,-
Citroën Spacetourer	907958	148,-	VW Crafter
Mercedes Benz V-Class	907951	148,-	from YOC. 2016 907953 148,-
from YOC. 2014			Fiat Ducato, Peugeot Boxer,
Renault Master	907956	148,-	Citroën Jumper
until YOC. 2010	907957	148,-	until YOC. 2007 90792 148,-
from YOC. 2010	907960	148,-	from YOC. 2007 90793 148,-
from YOC. 2019	907960	148,-	Mercedes Benz Sprinter
Ford Transit	90794	148,-	from YOC. 2007 907954 148,-
YOC. 2007-2014	90804	148,-	from YOC. 2018 907955 148,-
from YOC. 2014			



Covertex external insulation material

8-ply, highly insulating, outside PVC 150 micron, UV-treated, inside 6-ply quilted material, 2 layers of 80g wadding, 1 layer PE 1.5mm, 1 layer PET 12 micron metallized. Material width: 160 cm.

5 m	GP* 29,20/1 qm	909340	160,-
10 m	GP* 29,20/1 qm	909341	319,-



Inexpensive Winter cover for Fiat Ducato

- Insulating material for low temperatures
- Cover for the windows and hood
- Extension to the vehicle floor can be detached with Velcro fastener
- Even better winter insulation as a result

Complete XXL Ducato version, consisting of two parts that can be separated from each other. The upper section covers the front and side windows of the driver's cab. It is also possible to clear the windshield without having to remove the thermal glass. The lower section, which attaches thanks to the Velcro fastener, covers the entire hood.

Cover glass XXL for Fiat Ducato from model year 2007	372844	406,-
---	---------------	--------------



CARBEST



Everything perfectly insulated - keeps the cold out in winter

- Reduces the temperature in the vehicle in summer
- Protects the engine from environmental influences

The complete protection for cab and bonnete. Windshield, side windows, all air vents and radiator grille are well packed. Reduces the temperature in summer to up to 10° C below the outside temperature. Simple attachment: Elastic strap for attaching to the driver's and passenger's door for a tight fit. Complete protection suitable for:

Fiat Ducato, Peugeot Boxer, Citroën Jumper	Year 02-06	90780	239,-
---	------------	--------------	--------------



Classic thermal mat - high-quality Exterior insulation mat for Fiat Ducato, VW Crafter, VW T5/T6, Ford Transit, MB Sprinter

- Good insulating properties in winter
- Protection against cold and heat
- Reduces the interior temperature in summer
- The material is winterproof and can be rolled up even in very cold weather
- Front flap can be opened

Scope of delivery: Mat, rubber tensioner and storage bag
Material: Thermo-Sandwich, **Color:** Silver gray

Fiat Ducato 250/290	90808	272,-
VW Crafter YOC. > 2016	908081	272,-
VW T5/T6	908082	272,-
Ford Transit YOC. > 2014	908083	272,-
Ford Transit Custom YOC. > 2018	908085	272,-
Sprinter 2018	908084	272,-



Mounting on the exterior mirror

Universal Windshield insulation

- For integrated motorhomes
- Available in 2 widths
- Approx. 1.30 m high in the middle
- Thermofoil with edging all round
- Attachment via rubber tensioners and bracing straps

A rubber tensioner on the top edge ensures a tight seal and enables quick attachment. The mat is secured at the bottom with 4 tensioning straps. The windshield wipers can rest on the mat as additional support.

Scope of delivery: 1 windshield insulation, various rubber tensioners. Suitable for vehicles with top-mounted exterior mirrors. The mat can also be fastened at the top with the optional LOXX safety press studs.

Narrow windshield insulation (dimensions WxH: approx. 2.47 x 1.3 m)
90947 98,10

Wide windshield insulation (dimensions WxH: approx. 2.67 x 1.3 m)
90943 104,-



Fastening with LOXX safety press studs

LOXX Security press studs

For attaching the windshield insulation to motorhomes without top-mounted exterior mirrors. The safety press studs are glued or screwed on and securely fix the windshield insulation to the vehicle.

set of 2	373831	26,80
set of 5	37383	22,90



Premio footwell insulation

Protects the footwell under the dashboard from the cold. With side elevation in the door area. This provides additional protection against penetrating cold and optimum protection against heat loss in the footwell. In the variants with a three-dimensional tub shape, the insulation seals tightly around the cab doors. Color: anthracite.

Fiat Ducato type 250 up to model year 2014, Ducato 290 from model year . 2014, Citroën Jumper, Peugeot Boxer

Without tub shape, with drinks holder recess, with cover between the seats
374551 137,-

With tub shape and drinks holder recess, with cover between the seats
374552 163,-

VW Crafter from Bj. 2017 / MAN TGE from model year 2018

With tub shape, without cup holder recess, without cover between the seats
374553 163,-

Rear door insulation Premio

- Effective thermal insulation in the sleeping area
- Protects the interior from draughts

Material: Sandwich construction with 8 mm thick, 3-layer insulating material and a polyester velour identical to the material for the sliding door insulation and the thermal curtains for the cab.

① **One-piece rear door insulation** (high door cut-out), which is fastened from the inside along the top edge using a double row of press studs (if a wall cupboard is fitted, it is fastened from the outside). Access to the storage space underneath the bed and to the gas cylinder cabinet can be easily reached by opening 2 zippers. The open surface is held in place by a Velcro connection and the insulating effect above the bed is maintained.

Fiat Ducato X250/X290 from 2007 (H2 roof)		
Light gray	37452	316,-
Light beige	37458	316,-

② **One-piece rear door insulation with window cut-out**
Fiat Ducato X250/X290 from 2007 (H2 roof)

Light gray	37476	348,-
Ford Transit from 2014 (high door cut-out, H3 roof)		
Light gray	374760	355,-

③ **Two-part rear door insulation** (high door cut-out) with magnetic attachment. Both surfaces overlap in the middle.

Fiat Ducato X250/X290 from 2007 (H2 roof)		
Light gray	37453	435,-
Light beige	37459	435,-

① One-piece rear door insulation



② One-piece rear door insulation with window cut-out



③ Two-part rear door insulation



Thermal curtain/cold protection for Fiat Ducato sliding door type 250/290 from 2007

- Efficient thermal insulation and comfortable passage
- Perfect fit for the door cut-out
- Thermal curtain has a shoulder-width passageway
- The "flexible door" nestles up against the B-pillar
- Foldable, easy to stow away

This thermal curtain is a perfect fit for the door cut-out of the Ducato, type 250/290 (model from 2007, high door cut-out and identical Peugeot and Citroën models) - universally suitable for most versions and fittings from the various vehicle manufacturers. The fly screen door can remain installed even when the sliding door is closed. The thermal curtain has shoulder-width access. The "flexible door" hugs the edge of the B-pillar, while flaps at the top and bottom ensure a tight seal.

Material: The sandwich construction is composed in exactly the same way as the thermal curtain for the driver's cab. The outward-facing aluminized polyester film does not absorb moisture, e.g. if moisture/snow falls when the sliding door is open.

Fasten along the top edge and in front of the kitchen block with a few pre-assembled press studs. A flap attached with Velcro tape ensures a tight seal between the kitchen worktop and wall unit. Fastening material and assembly instructions are included in the scope of delivery.

Color: Light gray	373211	435,-
-------------------	---------------	--------------



No obstacle during passage despite the fly screen door being fitted

435,-



VENTILATION GRILLE FOR CAB DOORS



Exclusive Execution

Volkswagen Caddy

VW Caddy 3+4, Exclusive	2004-2020	46208	184,-
VW Caddy 5, Exclusive	> 11/2020	462080	184,-

Fresh air fan for cab doors

- Burglar-proof ventilation and exhaust for the cab doors
- Delivery 2 pieces, driver side and passenger side
- With integrated mosquito net
- Visually high quality finish
- Optimal rain protection
- Quick to insert, easy to remove
- Multiple vents for optimal air circulation
- Standard version made of aluminum, smooth, black coated
- Exclusive version made of aluminum, textured, anthracite coated with additional ventilation slots in the front panel

2
PIECE



Citroën Jumpy/Spacetourer, Peugeot Expert, Toyota Proace, Opel Zafira Life

> 03/2016	461504	138,-
-----------	--------	-------



Citroën Berlingo II / Peugeot Partner Tepee

03/2008-2018	46116	138,-
--------------	-------	-------



Exclusive Execution

NEW
2024


NEW:
Multivan



Standard Execution

Volkswagen Transporter

Multivan, Exclusive	> 2021	462083	185,-
T5/T6	> 2003	461629	128,-
T5/T6, Exclusive	> 2003	461630	161,-
T4	1990-2003	46145	141,-
LT 2	1996-2006	46155	112,-
T2/T3	1979-1992	46144	115,-



Exclusive Execution

Mercedes Vito/V-Class

> 01/2014, Exclusive	461491	172,-
> 01/2014, Standard	460851	172,-



Ford Transit Custom / Tourneo Custom

Ford Transit Custom	> 2013	461571	104,-
Tourneo Connect (for rear side windows)	> 01/2014	460856	106,-



Opel Vivaro, Renault Trafic, Nissan Primastar

< 2014	46197	115,-
> 09/2014	460852	115,-

(without illustration) Opel Movano B (2010-2020),
Renault Master 3+4 / Nissan NV 400 (> 04/2010)

461972 93,80



Fiat Talento, Nissan NV 300

> 06/2016 461501 109,-



Mercedes Benz Sprinter

< 2006 46153 115,-
 2006 - 2018 46149 115,-
 > 06/2018 461490 115,-

Volkswagen Crafter

> 2006-2016 46149 115,-
 > 03/2017 (auch MAN TGE) 461492 115,-



Fiat Ducato, Peugeot Boxer, Citroën Jumper

With 3 ventilation slots for driver and passenger side

1994 - 2002 46152 111,-
 2002 - 2006 46156 111,-
 2006 - 2014 46148 111,-
 > 04/2014 (also Opel Movano C) 461480 111,-



Ford Transit

> 2000 46157 111,-
 > 05/2014 460854 111,-



Iveco Daily

> 07/2014 461582 111,-



Renault Kangoo / MB Citan

Renault Kangoo > 2008, MB Citan > 10/2012
 (for rear side windows) 46218 108,-



AIRlock tailgate stay

- Ventilation through the tailgate
- Tailgate is opened by 10 cm but remains locked
- Intervention from outside not possible
- **MATERIAL:** Powder-coated metal

① Volkswagen Transporter 4 46166 19,60
 ② Ford Transit >2000 46310 38,10



Tailgate display

- Close & lock the tailgate except for ventilation gap
- Tailgate can no longer be opened from outside in this state
- Easy to install, no tools required
- Made of solid, powder-coated metal

Suitable for the following vehicles: VW Caddy (2003-2020), VW T6/T5/T4, Mercedes Benz Vito (> 2003), Mercedes Benz Viano (2003-2014), Ford Tourneo Custom (> 2013).

46309 21,80

AIRVENT VENTILATION GRILLE FOR SLIDING WINDOWS



AIRvent Ventilation grille for CARBEST sliding window Volkswagen Transporter 6/5

With all-round rubber piping for perfect sealing of the window.

Left , suitable for 31590	461600	180,-
Right , suitable for 31591	461601	180,-



AIRvent - Sliding window ventilation insert for vans

- For all original sliding windows
- Effective ventilation and extraction through many ventilation slots
- Sturdy and can only be operated from the inside
- With mosquito net
- Rain protection - water runs off the outside
- Standard version: aluminum, smooth, black coated
- Exclusive version: aluminum, textured, anthracite coated

The AIRvent ventilation inserts can be used for all original sliding windows from various manufacturers. It is simply inserted into the window frame and then locked in place.

For Fiat Scudo (not shown)

Wide version Right/passenger side	461891	154,-
Wide version Left/driver's side	46189	154,-

① For Volkswagen Caddy, 2004-2020

Standard version: Smooth black sheet metal surface

Narrow version Right/passenger side	46087	150,-
Narrow version Left/driver's side	460871	150,-

For Volkswagen Transporter 6.1, > 06/2019 (without illustration)

Exclusive version Right/passenger side	461634	180,-
Exklusiv Version Left/driver's side	461633	180,-

② For Volkswagen Transporter 6/5, 2003 - 2019

Exclusive version with all-round rubber piping, for perfect sealing of the window

Right/passenger side	461632	180,-
Left/driver's side	461631	180,-

For Volkswagen Transporter 4, 1990 - 2003 (not shown)

Wide version	Right/passenger side	46159	128,-
Wide version	Left/driver's side	46160	128,-
Narrow version	Right/passenger side	46161	62,10
Narrow version	Left/driver's side	46162	62,10

③ For Fiat Talento, Nissan NV 300, > 2004

Wide version	Right/passenger side	461503	178,-
Wide version	Left/driver's side	461502	178,-

④ For Opel Vivaro, Renault Traffic, > 2014

Wide version	Right/driver's side	461974	180,-
Wide version	Left/driver's side	461973	180,-

⑤ For Fiat Ducato, > 2007, for original sliding windows

Wide version	Right/driver's side	461484	147,-
Wide version	Left/driver's side	461483	147,-

Wind protection when the window is open - fresh breeze without draughts

- Ventilation even in the rain
- Material: plastic
- No whistling when the window is open
- Transparent, in smoke gray (standard) or clear
- TÜV approved/with KBA test number
- One set for driver and passenger door
- Mounting without drilling

Lower the window pane, insert the wind deflector diagonally and push it up. Carefully raise the windshield and check whether the fit is correct. Some vehicle types require installation with additional clamps. Also fits power windows.

Citroen Jumpy V/Spacetourer, Peugeot Expert/ Traveller, Toyota ProAce

> 2016 36409 92,40

Mercedes Benz Vito / Viano > 2014

Color smoke, length: 102 cm
36415 68,70



Wind deflector Ford Transit, Ford Custom

Ford Transit > 01/07	36427	75,30
Ford Transit > 2014	36428	75,30
Ford Transit Custom > 2013	364271	75,30



Volkswagen wind deflector

Volkswagen Caddy 5 > 2020	36412	87,-
Volkswagen Caddy 4 > 2015	36407	68,70
Volkswagen ID BUZZ > 2022	36414	87,-
Volkswagen Multivan > 2021	36413	87,-
Volkswagen Transporter 6/5 >2003, smoke gray	36405	68,70
Volkswagen Transporter 6/5 >2003, clear	36406	68,70
Volkswagen Transporter 4 >1990	36421	68,70
Volkswagen Transporter 3 1980 - 1989	36420	68,70
Volkswagen Transporter 2 1970 - 1978	36404	68,70
Volkswagen Crafter > 2016	36410	124,-

Wind deflector Renault Trafic, Master, Opel Vivaro and Movano

Renault Master, Opel Movano		
< 2014	36430	74,10
> 2010	36432	74,10
Renault Trafic, Opel Vivaro, Nissan Primastar		
> 2001	36431	74,10
> 2014	36408	74,10



Mercedes Sprinter wind deflector

Mercedes Sprinter < 2006	36417	83,90
Mercedes Sprinter, VW Crafter 04/06 - 2018	36416	98,-



Fiat Ducato, Peugeot Boxer, Citroën Jumper

1994 - 2005	36402	81,30
> 2006	36403	81,30

Cab side windows Mosquito and sun protection

- Combination of sun protection and mosquito net
- Good view outside despite mosquito net
- Protects against direct sunlight, heat-inhibiting
- Scope of delivery: 1 piece

Ford Transit 2000-2012	462800	98,-
Ford Transit Custom > 2012	462802	98,-
Ford Transit > 2013	462803	98,-
Fiat Ducato > 2006	462801	98,-

