

Toughness guaranteed.

Catalogue April 2018





SQUIRE

Contents

ı	Hardware		Hasp and Staples	
	Introduction	3	Chains Range	
			Lock and Chain Sets	
	@WORK @HOME @LEISURE		Garage Security Ground and Wall Anchors	55
-	Packaging	′	Ground and Wall Anchors	56
	@WORK		hilrololr®	
	Introduction to @WORK	9	bikelok [®]	
	Stronghold® Range	11	Introduction	57
	Warrior™ Combi Range	17	IntroductionSPORT, URBAN, LEISURE	59
	Warrior ™ Range	19	Packaging	61
	Warrior™ Range Combination Padlocks	21		01
	General Use Padlocks	23	sportbikelok°	
	Combi-Bolt™ 5	24	Introduction to SPORT	62
	Hasp and Staples	25		0.5
	Hasp and Staples Chains Lock and Chain Sets	27	urbanbikelok [®]	
	Lock and Chain Sets	28		C F
	Keysafes	29	URBAN D Locks	65
			URBAN Mako Range	68
	@HOME	•	URBAN Lock and Chain Sets	69
	Introduction to @HOME	31	lojouvohikolok [®]	
	Vulcan ™ Combi Range	33	leisurebikelok [®]	
	Vulcan ™ Range	35	LEISURE Cable Locks	71
	CP Combination Range	27	LEISURE D Locks and Security Cables	
	Lion Range	20	LEISURE Integrated Lock and Chain Sets	
	Stronglock Range	44	LEISURE Lock and Chain Sets	75
	Pinning Kits Keybolt and Hasp and Staples	12	LEISURE Wall Anchors	76
	Keybolt and Hasp and Staples	43		
	Combi-Bolt™ 4 and Combi-Bolt™ 3_	44	Keys and Key Blanks	77
		45	Merchandisers	
	@LEISURE		Terms and Conditions	81
	Introduction to @LEISURE	47		

Introduction

Introducing Squire

Squire is a family brand with great history which has been carried down through eight generations. Over this time, the one thing that's kept us going is our ability to change with the world. It's with this in mind we're proud to introduce the new Squire brand.

Our approach

This isn't an endeavour that we took on lightly – we took all the help we could. It started by looking at ourselves and asking everyone's opinion in the business - we wanted honest thoughts, no matter how harsh! We visited our stockists stores to look at ourselves and understand how we stack up against the competition and we also worked alongside consumers to develop our new direction.

This isn't a new coat of paint - we've looked at our products, philosophy and ways of working, looking for a positive change and areas of improvement.

One of these was the sheer size of our range – it was difficult to navigate and products started to overlap. Most importantly, our customers didn't understand the benefits of each product.

What's a shackle? Why would I want a laminated lock over a brass one? We found that security ratings didn't make selecting products any easier, as every lock manufacturer had their own scale. So we've found a new consumer friendly approach to product navigation - we reduced the range and split it into three distinct sub-brands: Squire @Home, @Work and @Leisure.

We didn't stop there though; we wanted to understand what we stood for and what made us different.

We're a family business that began in the 1780s. We're proud of our craft and stand firmly behind our reputation for long-lasting toughness which is guaranteed. This is why I'm offering a personal 'no-quibble' 10 year guarantee on every product - you don't even need a receipt. The information here explains the changes to our products, and I hope that you agree it's a change for the better!

John Squire

John Squire, CEO 8th generation









Introduction

Celebrating over 235 years of lock making

Welcome to our 2017 brochure and price list.

Squire has been at the forefront of international lock making for over 235 years. As an eighth generation independent family-owned lock manufacturer, Squire continues its tradition of offering high-quality, performance-led products at very competitive prices.

Technological innovation is our trademark, producing market-leading security solutions for the home, business and on the move. Using superior design capabilities and manufactured with state-of-the-art production methods, the result is an unrivalled range of top security products, including our new range of super-intelligent padlocks which revolutionise access control.

Our award-winning products are used in a diverse range of applications - from securing bicycles to protecting multi-million pound operations and remote sites the world over. Unwavering in our commitment to first-class customer service and to continuing to provide the best solutions to meet ever-evolving security needs, we're always very happy to help you.



CODES ABC 5" EDITION BENTLEYS

LONDON, MOUNTY/EW 1984

TELEPHONE WONKS, 7 BLOXWICH

GENERAL LOCK MANUFACTURERS





ON ADMIRALTY LIST, WAS OFFICE MOLACED W. A.M.



The Way Forward



@WORK













@Work includes our flagship **Stronghold**® range, great for securing warehouses, shipping containers, or heavy machinery. And we have even more portable locks for toolboxes or vans.







Lockmakers Since 1780

@HOME













@Home, as the name suggests, is perfect for home use, and includes general use products like our brass, laminated and combination padlocks. Ideal for gates, toolboxes, cabinets, garage doors. And It covers specialist locks such as our combination bolt locks & hasps for outside gates or sheds.





@LEISURE












@Leisure is for when you're out and about. Marine grade locks for boats and harsh weather conditions. The range includes travel and luggage locks for when you're flying abroad, or for your trailer or caravan.



Packaging

New Packaging

Our new packaging is designed to help the customer choose their lock quickly, and easily identify the key features. Customer's are guided by the colour coded categories and then can see at a glance, product strength rating (1 is low - 10 is high), key features and accreditations.





Packaging

Which category to choose



@WORK

Use: trade use, toolbox, container, commercial vehicle, outbuilding / warehouse, security gate garage forecourt

SECURITY RATING

maximum 7-10

@HOME

Use: all-round home use, garage, shed, front gate, storage

SECURITY RATING

high 5-7

@LEISURE


Use: out and about, recreational gear, suitcase, caravan / camping, bbq, sport locker, marine **SECURITY RATING**

basic 1-4

Keyed alike and master keyed services



Keyed Alike System



Master Key System

Throughout this price list, you will find that some of our locks are available either as a standard lock, Keyed Alike or Master Keyed. Here we explain what each type of lock can do, to assist you in your product selection.

Keyed Alike - Where two or more padlocks can be operated with the same key. For 4 pin tumbler locks there are over 1000 different Keyed Alike combinations, for 5 pin there are over 1500 and for 6 pin tumbler locks there are over 250,000 differed Keyed Alike combinations.

Master Keyed - Padlocks keyed so that each padlock is different yet a Master Key will open them all. A Master Keying surcharge is applicable, see the footnote after each product listing.

Quality and standards













Certified to LPS 1654: Issue 1 Security Rating 2 Cert. No. 1179a/01







Squire products are covered by a variety of industry accreditations. Much of the Squire cycle range and certain padlocks are Sold Secure approved meaning that they have been independently attack tested. Sold Secure products are also supported by Secured by Design which was initiated by the British Police Force.

Many Squire products are also supported by Crimestoppers, the UK's only independent crime-fighting charity, as part of their mission to help prevent crime and make communities safer.

Squire have a number of **Stronghold®** products that achieve LPCB (Loss Prevention Certification Board) approval which is the UK's most stringent approval body and many other padlocks within the Stronghold range meet the CEN EN 12320 Standard.





Introduction

@ WORK

@Work includes our flagship **Stronghold**® range, great for securing warehouses, shipping containers, or heavy machinery. We've also got more portable locks for toolboxes or vans.

Product usage

- Trade use
- Toolbox
- Container
- Commercial vehicle
- Outbuilding / warehouse
- Security gate
- Garage forecourt

Why choose @WORK

- Heavy-duty
- Precision Stronghold® locks
- Super-tough rust and storm-proofed
- Guaranteed 10 years
- Thief-proof tested

Security rating maximum 7-10

Squire @WORK models

- Stronghold®
- Stronghold® Combi
- Warrior[™] Key
- Warrior[™] Combi
- SHCB Combination
- CBW85
- Padbars & high security hasps
- High security chains



































Certified to LPS 1654: Issue 1 Security Rating 2 Cert. No. 1179a/01



CEN Approved

Tested to European CEN standards for padlock and padbar fittings BS EN12320

CEN Ratings

SS80S	CEN6	SS50P5	CEN3
SS80CS	CEN6	SS50CP5	CEN3
SS65CS	CEN6	SS50P5/2.5	CEN3
SS65S/2.5	CEN5	HLS50S	CEN5
SS65S	CEN5	HLS50P5	CEN3
SS50CS	CEN4	WS75S	CEN4
SS50S	CEN4		
SS50S/2.5	CEN4		

'E' variants have the same accreditation as 'S' versions.

Pinning kit available to masterkey and key alike 6 pin models. Separate pinning kit available to masterkey and key alike 5 pin models. Details available on Squire website. www.squirelocks.co.uk

Stronghold® SS80

The world's strongest production padlock

The SS80S and SS80CS are the latest additions to the **Stronghold**® Range.

Designed as the world's strongest production padlock, the SS80 has achieved LPCB (Loss Protection Certification Board) approval.

This outstanding British made heavy duty padlock - which is capable of a tensile pull of 16-20 tonnes - has been approved to LPCB's standard LPS 1654: Issue 1.0 security rating classification SR3.

Squire's **Stronghold**® SS80 features a 2kg solid steel lock body and 16mm diameter hardened boron steel shackle.

LPCB Approved

One of the challenges of making buildings safe and secure, is selecting and installing fire safety and security products that actually do what they claim. The Loss Prevention Certification Board (LPCB) has been working with industry and government for more than 100 years to set the standards needed to ensure that security products perform effectively. LPCB offers third-party approval confirming that products meet these standards.

The SS80S, SS80CS SS65S LEV3 and SS65CS LEV3 are enhanced versions of the standard padlocks which meet LEVEL 3 of the new LPS Standards for Standalone padlocks. Under the current testing regime this is the highest level that any padlock can achieve when tested on its own.

The SS65S LEV3 and SS65CS LEV3 meets LPS 1654 Issue 1, Security rating 3, Certificate number 1179a/02.

The standard SS50S and SS50CS meet LPS 1654 Issue 1, Security rating 2, Certificate number 1179a/01.

Several products now meet LPCB LPS 1654 Issue 1. See page 13

 Rating 3
 Rating 2

 SS80S LEV3
 SS50S

 SS80CS LEV3
 SS50CS

 SS65S LEV3
 SS50CS







SS80CS

SS80 Range

			Security				Dime	nsior	ıs mı	m		Key	Pack	Min	
Code	LPCB	CEN	Rating	@	Description	A	В	C	D	E	Barcode	Blank	Туре	Qty	MK
SS80S	LEVEL 3	CEN 6	10	@WORK	80mm Open shackle steel lock 6 pin S cylinder	80	40	16	32	32	5012245035681	CYKEY/S1/BL	BLISTER	1	
SS80SKA	LEVEL 3	CEN 6	10	@WORK	80mm KA Open shackle steel lock 6 pin S cylinder	80	40	16	32	32	Special	CYKEY/S1/BL	BOX	1	
SS80CS	LEVEL 3	CEN 6	10	@WORK	80mm Closed shackle steel lock 6 pin S cylinder	80	40	16	25	23.5	5012245035674	CYKEY/S1/BL	BLISTER	1	
SS80CSKA	LEVEL 3	CEN 6	10	@WORK	80mm KA Closed shackle steel lock 6 pin S cylinder	80	40	16	25	23.5	Special	CYKEY/S1/BL	BOX	1	

6 Pin versions available with Restricted Profile MK Denotes Master Keyed









LPCB Range

3	SS65S LEV3	LEVEL 3	CEN 5	10	@WORK	65mm Open shackle - Added security to meet LPCB LEVEL 3	65 3	31.8	12.7	29	29.5	5012245031218	CYKEY/S1/BL	вох	1	
	SS65CS LEV3	LEVEL 3	CEN 6	10	@WORK	65mm Closed shackle - Added security to meet LPCB LEVEL 3	65 3	31.8	12.7	19	19	5012245031225	CYKEY/S1/BL	BOX	1	
	SS65 M3ARX LEV3	LEVEL 3		10	@WORK	Body Only 65mm Open Shackle* - LPCB LEVEL 3	65 3	31.8	12.7	29	29.5	Special	n/a	вох	1	
	SS65C M3ARX LEV3	LEVEL 3		10	@WORK	Body Only 65mm Closed Shackle* - LPCB LEVEL 3	65 3	31.8	12.7	19	19	Special	n/a	вох	1	
2	SS50S	LEVEL 2	CEN 4	9	@WORK	50mm Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	5012245003420	CYKEY/S1/BL	BLISTER	3	
	SS50CS	LEVEL 2	CEN 4	9	@WORK	50mm Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	5012245003413	CYKEY/S1/BL	BLISTER	2	
	SS50 M3ARX	LEVEL 2	CEN 4	9	@WORK	Body Only 50mm Open Shackle* - LPCB LEVEL 2	50	26	10	26	22	Special	n/a	вох	1	
	SS50C M3ARX	LEVEL 2	CEN 4	9	@WORK	Body Only 50mm Closed Shackle* - LPCB LEVEL 2	50	26	10	16	16	Special	n/a	вох	1	

6 Pin versions available with Restricted Profile **MK** Denotes Master Keyed





SS50S

Solid Steel - Open Shackle

													ļ		
SS65S		CEN 5	10	@WORK	65mm Open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	5012245003994	CYKEY/S1/BL	BLISTER	2	
SS50S	LEVEL 2	CEN 4	9	@WORK	50mm Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	5012245003420	CYKEY/S1/BL	BLISTER	3	
SS50S 8mm		CEN 3	8	@WORK	8mm shackle/50mm Open shackle steel lock 6 pin S cylinder	50	26	8	26	24	Special	CYKEY/S1/BL	BOX	1	•
SS50P5		CEN 3	8	@WORK	50mm Open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	5012245007756	KB P5	BLISTER	3	
SS65S/F/SHACKLE		CEN 5	10	@WORK	65mm Open Flying shackle lock 6 pin S cylinder	65	31.8	12.7	29	29.5	Special	CYKEY/S1/BL	BOX	1	
SS65SKA		CEN 5	10	@WORK	65mm KA Open shackle steel lock 6 pin S cylinder	65	31.8	12.7	29	29.5	Special	CYKEY/S1/BL	BOX	1	
SS50SKA	LEVEL 2	CEN 4	9	@WORK	50mm KA Open shackle steel lock 6 pin S cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	BOX	1	
SS50P5KA		CEN 3	8	@WORK	50mm KA Open shackle steel lock P5 (5 pin) cylinder	50	26	10	26	22	Special	KB P5	вох	1	

6 Pin versions available with Restricted Profile **MK** Denotes Master Keyed





6 Pin versions available with Restricted Profile MK Denotes Master Keyed

6 Pin versions available with Restricted Profile MK Denotes Master Keyed











SS50CS





SS50S/2.5







Solid Steel - Closed Shackle

Cod	de	LPCB	CEN	Security Rating	@	Description	A	Dime B	ension C	s mn	n E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS65CS			CEN 6	10	@WORK	65mm Closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	19	5012245003918	CYKEY/S1/BL	BLISTER	2	
SS50CS		LEVEL2	CEN 4	9	@WORK	50mm Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	5012245003413	CYKEY/S1/BL	BLISTER	3	
SS50CP!	5		CEN 3	8	@WORK	50mm Closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	5012245007763	KB P5	BLISTER	3	•
SS65CSI	KA		CEN 6	10	@WORK	65mm KA Closed shackle steel lock 6 pin S cylinder	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	BOX	1	
SS50CSI	KA	LEVEL 2	CEN 4	9	@WORK	50mm KA Closed shackle steel lock 6 pin S cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CP!	5KA		CEN 3	8	@WORK	50mm KA Closed shackle steel lock P5 (5 pin) cylinder	50	26	10	16	16	Special	KB P5	BOX	1	

Solid Steel - Long Shackle

	-		1										1
SS65S/2.5	CEN 5	10	@WORK	65mm 2.5" Long shackle steel lock 6 pin S cylinder	65	31.8	12.7	65 29	5 Special	CYKEY/S1/BL	BOX	1	
SS50S/2.5	CEN 4	9	@WORK	50mm 2.5" Long shackle steel lock 6 pin S cylinder	50	26	10	65 2	5012245006049	CYKEY/S1/BL	BLISTER	3	
SS50P5/2.5	CEN 3	8	@WORK	50mm 2.5" Long shackle steel lock P5 (5 pin) cylinder	50	26	10	65 2	5012245009996	KB P5	вох	3	
SS65S/2.5KA	CEN 5	10	@WORK	65mm KA 2.5" Long shackle steel lock 6 pin S cylinder	65	31.8	12.7	65 29	5 Special	CYKEY/S1/BL	вох	1	
SS50S/2.5KA	CEN 4	9	@WORK	50mm KA 2.5" Long shackle steel lock 6 pin S cylinder	50	26	10	65 2	2 Special	CYKEY/S1/BL	вох	1	
SS50P5/2.5KA	CEN 3	8	@WORK	50mm KA 2.5" Long shackle steel lock P5 (5 pin) cylinder	50	26	10	65 2	2 Special	KB P5	BOX	1	

Solid Steel - Euro Versions - body only - accepts modified half Euro

Sound Steet Ed	10 4 613	10113	ody one	y dece	pes intodified flati Edio							
SS65E		CEN 5	10	@WORK	65mm Euro Body O/S - Accepts 1/2 modified 71 Double Euro	65 31.8 12.7 29	9 29.5	5012245008494	n/a	вох	1	
SS50EM		CEN 4	9	@WORK	50mm Euro Body O/S - Accepts 1/2 modified 71 Double Euro	50 26 10 26	5 22	5012245008739	n/a	вох	1	
SS50EM L.SMITH		CEN 3	8	@WORK	50mm Unhardened Body - Accepts 1/2 modified 71 Double Euro	50 26 10 20	5 22	5012245008777	n/a	вох	1	
SS65CE		CEN 6	10	@WORK	65mm Euro Body C/S - Accepts 1/2 modified 71 Euro Double	65 31.8 12.7 19	9 19	5012245005073	n/a	вох	1	
SS50CEM		CEN 4	9	@WORK	50mm Euro Body C/S - Accepts 1/2 modified 71 Euro Double	50 26 10 16	5 16	5012245008746	n/a	вох	1	
SS65E/2.5		CEN 5	10	@WORK	65mm Euro Body 2.5" L/S - Accepts 1/2 modified 71 Euro Double	65 31.8 12.7 6	5 29.5	Special	n/a	вох	1	
SS50EM/2.5		CEN 4	9	@WORK	50mm Euro Body 2.5" L/S - Accepts 1/2 modified 71 Euro Double	50 26 10 6	5 22	5012245008753	n/a	вох	1	

New SS45 - Open Shackle

SS45		7	@WORK	45mm Open shackle steel lock 6 pin S cylinder	49.1 32.1	6	35.5 20	5012245008494	CYKEY/S1/BL	вох	1	
SS45KA		7	@WORK	45mm Open shackle steel lock 6 pin S cylinder keyed alike	49.1 32.1	6	35.5 20	5012245008739	CYKEY/S1/BL	вох	1	











Marine - Stainless Steel Shackle

Code	CEN	Security Rating	@	Description	A	Dime B	nsion C	s mm D	E	Barcode	Key Blank	Pack Type	Min Qty	мк
SS50S/MARINE	CEN 3	8	@WORK	50mm Open Stainless steel shackle lock 6 pin (S) cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	вох	1	
SS50P5/MARINE	CEN 3	8	@WORK	50mm Open Stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	26	22	Special	KB P5	ВОХ	1	
SS50S/MARINE/KA	CEN 3	8	@WORK	50mm Open St/steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	26	22	Special	CYKEY/S1/BL	вох	1	
SS50P5/MARINE/KA	CEN 3	8	@WORK	50mm Open St/steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	26	22	Special	KB P5	ВОХ	1	
SS50CS/MARINE	CEN 3	8	@WORK	50mm Closed Stainless steel shackle lock 6 pin (S) cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	ВОХ	1	•
SS50CP5/MARINE	CEN 3	8	@WORK	50mm Closed Stainless steel shackle lock 5 pin (P5) cylinder	50	26	10	16	16	Special	KB P5	ВОХ	1	•
SS50CS/MARINE/KA	CEN 3	8	@WORK	50mm Closed St/steel shackle lock 6 pin (S) keyed alike cylinder	50	26	10	16	16	Special	CYKEY/S1/BL	BOX	1	
SS50CP5/MARINE/KA	CEN 3	8	@WORK	50mm Closed St/steel shackle lock 5 pin (P5) keyed alike cylinder	50	26	10	16	16	Special	KB P5	вох	1	
SS50EM/MARINE	CEN 3	8	@WORK	Euro Body Marine O/S - Accepts 1/2 modified 71 Double Euro	50	26	10	26	22	Special	n/a	вох	1	
SS50CEM/MARINE	CEN 3	8	@WORK	Euro Body Marine C/S - Accepts 1/2 modified 71 Euro Double	50	26	10	16	16	Special	n/a	ВОХ	1	

6 Pin versions available with Restricted Profile **MK** Denotes Master Keyed



Stronghold® SS50 Combi Extra High Security Padlocks



Code	Security Rating	@	Description	A	Dime B	nsior C	ns mn D	n E	Barcode	Number of Combinations	Pack Type	Min Qty
SS50/COMBI	8	@WORK	5 Wheel O/S Combi Hardened steel c/w weather cover	55	30	10	24	22	5012245028690	100,000	BLISTER	2
SS50C/COMBI	8	@WORK	5 Wheel C/S Combi Hardened steel c/w weather cover	55	30	10	14	16	5012245028706	100,000	BLISTER	2












WS75 Body size modified to fit both new and old style containers.

Stronghold® WS75

M	Code	CEN	Security Rating	@	Description		Dime B		ns n D		F	Barcode	Key Blank	Pack Type	Min Qty	MK
	WS75S	CEN 4	9	@WORK	Container lock 6 pin S cylinder	80	26	12	14	27	65	5012245029666	CYKEY/S1/BL	BLISTER	1	
	WS75SKA	CEN 4	9	@WORK	KA Container lock 6 pin S cylinder	80	26	12	14	27	65	Special	CYKEY/S1/BL	BOX	1	

Available with Restricted Profile MK Denotes Master Keyed



High Security Lockset



		Security				Dime	ensic	ns n	nm			Key	Pack	Min	
Code	CEN	Rating	@	Description	A	В	C	D	Ε	F	Barcode	Blank	Туре	Qty	MK
HLS50S	CEN 5	9	@WORK	Hardened Steel Lock / Hardened SG Iron Hasp - 6 pin cylinder	150	68	16	50	26	110	5012245003499	CYKEY/S1/BL	BOX	1	
HLS50P5	CEN 3	9	@WORK	Hardened Steel Lock / SG Iron Hasp - 5 pin cylinder	150	68	16	50	26	110	5012245009392	KB P5	BLISTER	1	
HLS50S Body	CEN 5	9	@WORK	Replacement Lock to fit HLS50S				50	26	110	Special	CYKEY/S1/BL	BOX	1	
HLS50SKA	CEN 5	9	@WORK	KA Hardened Steel Lock / Hardened SG Iron Hasp - 6 pin cylinder	150	68	16	50	26	110	Special	CYKEY/S1/BL	вох	1	
HLS50P5KA	CEN 3	9	@WORK	KA Hardened Steel Lock / SG Iron Hasp - 5 pin cylinder	150	68	16	50	26	110	Special	KB P5	BOX	1	
HLS50S Body KA	CEN 5	9	@WORK	KA Replacement Lock to fit HLS50S				50	26	110	Special	CYKEY/S1/BL	BOX	1	



Stronghold® CEN Rated Padbars



Code	CEN	Security Rating	@	Description	A	imer B	rsior C	ns mm Staple Clearance	Barcode	Key Blank	Pack Type	Min Qty	мк
STH1	CEN 6	10	@WORK	Stronghold Hardened Padbar - CEN 6	184	86	32	12.7	5012245007770	n/a	BOX	1	
STH2	CEN 4	9	@WORK	Stronghold Padbar - CEN 4	184	86	32	12.7	5012245007787	n/a	вох	1	









Warrior® Range

Warrior® Combi Range











WAR65 COMBI WAR65CS COMBI



Independent crime-fighting charity



Open Shackle

Code	Security Rating	@	Description	A	Dime B	nsion C	s mm D		Barcode	Number of Combinations	Pack Type	Min Qty
WARRIOR COMBI 65	8	@WORK	5 Wheel 65mm Open shackle Combination padlock	65	39	12	30	28	5012245035797	100,000	BLISTER	4
WARRIOR COMBI 55	7	@WORK	4 Wheel 55mm Open shackle Combination padlock	55	32	10	25	23	5012245035827	10,000	BLISTER	6
WARRIOR COMBI 45	6	@WORK	4 Wheel 45mm Open shackle Combination padlock	45	25	8	20	18	5012245035858	10,000	BLISTER	6

Closed Shackle

												,
WARRIOR COMBI 65C	9	@WORK	5 Wheel 65mm Closed shackle Combination padlock	65	39	12	25	23	5012245035780	100,000	BLISTER	4
WARRIOR COMBI 55C	8	@WORK	4 Wheel 55mm Closed shackle Combination padlock	55	32	10	19	19	5012245035810	10,000	BLISTER	4
WARRIOR COMBI 45C	7	@WORK	4 Wheel 45mm Closed shackle Combination padlock	45	25	8	15	15	5012245035841	10,000	BLISTER	6

Long Shackle

WARRIOR COMBI 65/2.5	8	@WORK	5 Wheel 65mm 2.5" Long shackle Combination padlock	65	39	12	63 28	5012245035803	100,000	BLISTER	4
WARRIOR COMBI 55/2.5	7	@WORK	4 Wheel 55mm 2.5" Long shackle Combination padlock	55	32	10	63 23	5012245035834	10,000	BLISTER	6
WARRIOR COMBI 45/2.5	6	@WORK	4 Wheel 45mm 2.5" Long shackle Combination padlock	45	25	8	63 18	5012245035865	10,000	BLISTER	6

@WORK


Warrior® Range

Warrior[®] Key Range











These uniquely designed padlocks offer a medium to high level of security. They come in 3 body widths 45mm, 55mm and 65mm and within each size, open shackle, closed shackle and long shackle variants are available. They can be supplied Keyed Alike upon request and are supported by Crimestoppers.












Warrior® Range - Features





Barcode

5012245035704

5012245035735

5012245035766

Special

Special

Special





Pack

Type

BLISTER

BLISTER

BLISTER

BOX

BOX

BOX

Key Blank

KB P5

KB P5

KB P5

KB P5

KB P5

KB P5

Min Qty

1

1

1



Warrior[®] Key Range

CEN

CEN 3

CEN 3

CEN 2

CEN 3

CEN 3

CEN 2

Security

@

@WORK

@WORK

@WORK

@WORK

@WORK

@WORK

Description

65mm Open shackle steel padlock 5 pin cylinder

55mm Open shackle steel padlock 5 pin cylinder

45mm Open shackle steel padlock 5 pin cylinder

65mm KA Open shackle steel padlock 5 pin cylinder

55mm KA Open shackle steel padlock 5 pin cylinder

45mm KA Open shackle steel padlock 5 pin cylinder

Rating

7

6

8

7

Dimensions mm

C D E

12 30 24

10 30 24

34 12 30 24

34 10 30 24

8 20 20

20 20

В

34

34


26

45 26











WAR55 WAR55/2.5 WAR55CS

CI	osed	Sh:	مالاء
	USEU	JIIC	$I \subset K \subset C$

Open Shackle

Code

WARRIOR 65

WARRIOR 55

WARRIOR 45

WARRIOR 65 KA

WARRIOR 55 KA

WARRIOR 45 KA

WARRIOR 65C	CEN 3	9	@WORK	65mm Closed shackle steel padlock 5 pin cylinder	65	34	12	27	16	5012245035698	KB P5	BLISTER	4
WARRIOR 55C	CEN 3	8	@WORK	55mm Closed shackle steel padlock 5 pin cylinder	55	34	10	17	15	5012245035728	KB P5	BLISTER	6
WARRIOR 45C	CEN 2	7	@WORK	45mm Closed shackle steel padlock 5 pin cylinder	45	26	8	18	15	5012245035759	KB P5	BLISTER	6
WARRIOR 65C KA	CEN 3	9	@WORK	65mm KA Closed shackle steel padlock 5 pin cylinder	65	34	12	27	16	Special	KB P5	BOX	1
WARRIOR 55C KA	CEN 3	8	@WORK	55mm KA Closed shackle steel padlock 5 pin cylinder	55	34	10	17	15	Special	KB P5	BOX	1
WARRIOR 45C KA	CEN 2	7	@WORK	45mm KA Closed shackle steel padlock 5 pin cylinder	45	26	8	18	15	Special	KB P5	BOX	1





9	
Same	
l l	

P5 Key WAR65/2.5

Long Shackle

Long Shackte													
WARRIOR 65/2.5	CEN 3	8	@WORK	65mm 2.5" Long shackle steel padlock 5 pin cylinder	65	34	12	63	24	5012245035711	KB P5	BLISTER	4
WARRIOR 55/2.5	CEN 3	7	@WORK	55mm 2.5" Long shackle steel padlock 5 pin cylinder	55	34	10	63	24	5012245035742	KB P5	BLISTER	6
WARRIOR 45/2.5	CEN 2	6	@WORK	45mm 2.5" Long shackle steel padlock 5 pin cylinder	45	26	8	63	20	5012245035773	KB P5	BLISTER	6
WARRIOR 65/2.5 KA	CEN 3	8	@WORK	65mm KA 2.5" Long shackle steel padlock 5 pin cylinder	65	34	12	63	24	Special	KB P5	BOX	1
WARRIOR 55/2.5 KA	CEN 3	7	@WORK	55mm KA 2.5" Long shackle steel padlock 5 pin cylinder	55	34	10	63	24	Special	KB P5	BOX	1
WARRIOR 45/2.5 KA	CEN 2	6	@WORK	45mm KA 2.5" Long shackle steel padlock 5 pin cylinder	45	26	8	63	20	Special	KB P5	ВОХ	1



Combination Range

A premium range of high performance combination locks

Unique in design, our combination locks are manufactured to the highest standards for quality performance. Easy to use, they are fully recodable and many can be coded alike so one code opens several locks. Many of our locks are patented and are supported by Crimestoppers and Secured by Design.

In the @WORK combination range Squire offer the **Stronghold** combination padlocks, **SHCB 75** and **CBW85** which all have 5 wheels giving 100,000 possible combinations. Within the **Warrior** range the 45mm and 50mm versions have 4 wheels giving 10,000 possible combinations, the 65mm versions have 5 wheels giving 100,000 combinations.

Squire combination locks feature our patented TORQ $DRIV^{TM}$ technology to ensure the lock cannot be accidentally recoded.




Secured by Design



Police Preferred Specification

























Stronghold® Combi - SS50 Combi 💨

D	$\mathbf{\Omega}$	
	Α	ī

	Security			I	Dime	nsion	s mm	1		Number of	Pack	Min
Code	Rating	@	Description	A	В	C	D	E	Barcode	Combinations	Туре	Qty
SS50/COMBI	8	@WORK	5 Wheel O/S Combi Hardened steel c/w weather cover	55	30	10	24	22	5012245028690	100,000	BLISTER	2
SS50C/COMBI	8	@WORK	5 Wheel C/S Combi Hardened steel c/w weather cover	55	30	10	14	16	5012245028706	100,000	BLISTER	2



SHCB High Security Recodable Padlocks

@WORK

@WORK

@WORK

SHCB65	6	@WORK	65mm Combination Block Lock 4 wheel	65	19	11	15	20	5012245009026	10,000	BLISTER	4
SHCB75	7	@WORK	75mm Combination Block Lock 5 wheel	75	19	12.7	15	20	5012245009033	100,000	BLISTER	4
CBW85	7	@WORK	85mm Wide Clearance Combination Block Lock 5 wheel	85	19	12.7	17	37	5012245008654	100,000	BLISTER	4
SHCB65/Chain	6	@WORK	65mm 4 wheel combi c/w chain attachment (2.4mm x 305mm)	65	19	11	15	20	Special	10,000	BOX	1
SHCB75/Chain	7	@WORK	75mm 5 wheel combi c/w chain attachment (2.4mm x 305mm)	75	19	12.7	15	20	Special	100,000	BOX	1
CBW85/Chain	7	@WORK	Wide Clearance 5 wheel combi, chain attached (2.4mm x 305mm)	85	19	12.7	17	37	Special	100,000	BOX	1

CBW85

Warrior[®] Combi Range Open Shackle

WARRIOR COMBI 65/2.5

WARRIOR COMBI 55/2.5

WARRIOR COMBI 45/2.5

4 111		g H
WAR	WAR	WAR COMBI
COMBI 65C	COMBI 65	65/2.5

0	Ш
WAR	WAR COM

	Open Shackle
Mar.	WARRIOR COMBI 65
3 1	WARRIOR COMBI 55
R COMBI	WARRIOR COMBI 45

7 II.	ı
	ı
COMBI	ı
5/2.5	

Ш	1
R 165	WAR COMBI 65/2.5
Ĺ	\cup
١	
	WAR COMBI



AR COMBI 65/2.5
\cap
100
R COMBI

	ı
AR COMBI 65/2.5	L
1	
-	
R COMBI	

8	4
	第 量 例
R I 55	WAR COMBI 55/2.5
1	\Box
ă.	No. of Lot

	-	7 L
WAR OMBI 55C	WAR COMBI 55	WAR COMB 55/2.5
0	0	
WAR	WAR	WAR COME

COMBI 45C COMBI 45

l I	WARRIOR COMBI 45	6	@WORK	4 Wheel 45mm Open shackle Combination padlock	45	25	8	20	18	5012245035858	10,000	BLISTER	6
	Closed Shackle												
	WARRIOR COMBI 65C	9	@WORK	5 Wheel 65mm Closed shackle Combination padlock	65	39	12	25	23	5012245035780	100,000	BLISTER	4
	WARRIOR COMBI 55C	8	@WORK	4 Wheel 55mm Closed shackle Combination padlock	55	32	10	19	19	5012245035810	10,000	BLISTER	6
	WARRIOR COMBI 45C	7	@WORK	4 Wheel 45mm Closed shackle Combination padlock	45	25	8	15	15	5012245035841	10,000	BLISTER	6
	Long Shackle												
													,——

65 39

39

12 30 28

12 63 28

10 63 23

45 25 8 63 18

32 10 25 23

5012245035797

5012245035827

5012245035803

5012245035834

5012245035865

100,000

10,000

100,000

10,000

10,000

5 Wheel 65mm Open shackle Combination padlock

4 Wheel 55mm Open shackle Combination padlock

@WORK 5 Wheel 65mm 2.5" Long shackle Combination padlock

4 Wheel 55mm 2.5" Long shackle Combination padlock

4 Wheel 45mm 2.5" Long shackle Combination padlock

22							
	BLISTER	6					
	BLISTER	6					
	BLISTER	4					

BLISTER


BLISTER

6



General Use Padlocks

Warehouse Lock Range





ASWL1

WL2











Code	Security Rating	@	Description	A	Dime B	nsion C	s mn D		Barcode	Key Blank	Pack Type	Min Qty
ASWL1	6	@WORK	60mm Armoured Brass Block Lock (Small) 5 pin	60	25	10	12	22	5012245004250	KB P5	BLISTER	6
ASWL2	7	@WORK	80mm Armoured Brass Block Lock (Large) 5 pin	80	30	11	15	29	5012245004267	KB P5	BLISTER	6
ASWL1KA	6	@WORK	60mm KA Armoured Brass Block Lock (Small) 5 pin	60	25	10	12	22	Special	KB P5	BOX	1
ASWL2KA	7	@WORK	80mm KA Armoured Brass Block Lock (Large) 5 pin	80	30	11	15	29	Special	KB P5	BOX	1
WL2	4	@WORK	70mm Brass Block Lock (Medium) 5 Pin	70	20	12	15	21	5012245004236	KB P5	BLISTER	6
WL3	5	@WORK	90mm Brass Block Lock (Large) 5 Pin	90	20	12	18	35	5012245004243	KB P5	BLISTER	6









DCL1	6	@WORK	70mm Disc style padlock 5 pin	70 27.5 9.5 17.5 17	5012245003666	KB P5	BLISTER	6
DCL1KA	6	@WORK	KA Disc style padlock 5 pin	70 27.5 9.5 17.5 17	Special	KB P5	вох	1



Lock Off



Code	Security Rating	@	Description	Dim A	ensions B	mm C	Shackle Clearance	Barcode	Pack Type	Min Qty
L4	N/A	@WORK	Lock Off - 6 hole	42	120	9	10	5012245021165	вох	1





Combi-Bolt® 5


Combi-Bolt® 5 Unique recodable locking bolt


5 Wheels - 100,000 Combinations

- Die cast lock body
- Steel bolt
- Recodable CombiBolt5 has 5 wheels giving 100,000 combinations
- No Keys to Lose
- One handed operation
- Security screws included in pack
- High pick resistance
- Patented
- Replaces a padlock and hasp & staple

Uses

Sheds, cupboards, storage areas, cabinets, lockers











Hasp and Staples









HLS50 Lockset

- 50mm hardened steel body
- Black coated electrophoretic finish
- 26mm body thickness
- 10mm shackle diameter
- Re-keyable anti pick 6 pin tumbler lock mechanism











- High security padbar with hardened hasp and staple.
- Special hardened cast material extremely strong.
- Easy to fit.
- Hardened rotating staple for extra resistance to attack







STH2 Padbar

- High security padbar with hardened hasp and staple.
- Special cast material extremely strong.
- Easy to fit.
- Hardened rotating staple for extra resistance to attack





No.8

- Hardened maxiclam
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double doors





Hasp and Staples



Stronghold[®] CEN Rated Padbars



		Security			Dim	ensi	ons r				Pack	Min
Code	CEN	Rating	@	Description	A	В	C	Staple Clearance	Barcode	Key Blank	Туре	Qty
STH1	6	10	@WORK	Stronghold Padbar - CEN 6	184	86	32	12.7	5012245007770	n/a	вох	1
STH2	4	9	@WORK	Stronghold Padbar - CEN 4	184	86	32	12.7	5012245007787	n/a	BOX	1







Code	Security Rating	@	Description	Dim A	ensi B	ons I	mm Staple Clearance	Barcode	Key Blank	Pack Type	Min Qty
NO.8	7	@WORK	Hardened Maxiclam	216	54.2	38	25	5012245003284	n/a	BLISTER	2

Stronghold[®] High Security Lockset





		Security			C	ime	nsic	ns n	nm				Pack	Min	
Code	CEN	Rating	@	Description	A	В	C	D	Ε	F	Barcode	Key Blank	Туре	Qty	MK
HLS50S	CEN 5	9	@WORK	Hardened Steel Lock / Hardened SG Iron Hasp - 6 pin cylinder	150	68	16	50	26	110	5012245003499	CYKEY/S1/BL	BOX	1	
HLS50P5	CEN 3	9	@WORK	Hardened Steel Lock / SG Iron Hasp - 5 pin cylinder	150	68	16	50	26	110	5012245009392	KB P5	BLISTER	1	
HLS50S Body	CEN 5	9	@WORK	Replacement Lock to fit HLS50S				50	26	110	Special	CYKEY/S1/BL	BOX	1	
HLS50SKA	CEN 5	9	@WORK	KA Hardened Steel Lock / Hardened SG Iron Hasp - 6 pin cylinder	150	68	16	50	26	110	Special	CYKEY/S1/BL	BOX	1	
HLS50P5KA	CEN 3	9	@WORK	KA Hardened Steel Lock / SG Iron Hasp - 5 pin cylinder	150	68	16	50	26	110	Special	KB P5	BOX	1	
HLS50S Body KA	CEN 5	9	@WORK	KA Replacement Lock to fit HLS50S				50	26	110	Special	CYKEY/S1/BL	BOX	1	



Chains





High Security Hardened Alloy Steel Chains - Sold Secure Approved

Code	Security Rating	Sold Secure	Description	Dimensio Link Diameter	ons mm Chain Length	Barcode	Pack Type	Min Qty
TC19/5	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	19	1500	5012245035889	вох	1
TC16/5	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	16	1500	5012245035896	BOX	1
TC14/3	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	915	5012245028089	BOX	1
TC14/4	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	1200	5012245028096	BOX	1
G3	9	Bicycle	G Chain alloy steel hardened chain, black sleeve	10	915	5012245006537	BOX	1
G4	9	Bicycle	G Chain alloy steel hardened chain, black sleeve	10	1200	5012245003116	BOX	1
J3	8	Bicycle	J Chain alloy steel hardened chain, black sleeve	8	915	5012245008630	BOX	1
J4	8	Bicycle	J Chain alloy steel hardened chain, black sleeve	8	1200	5012245004366	вох	1



Lock and Chain Sets

High Security Lock And Chain Sets

Hardened Alloy Steel Chains - Sold Secure Approved







Code	Security Rating	Sold Secure	@	Description	Link Diameter	Chain Length		imen B	sions C	mm D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS65CS/TC14/3	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	CYKEY/S1/BL	вох	1	
SS65CS/TC14/4	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	CYKEY/S1/BL	вох	1	
SS50CS/TC14/3	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	CYKEY/S1/BL	вох	1	
SS50CS/TC14/4	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	CYKEY/S1/BL	вох	1	
SS50CS/G4	9	Bicycle	URBAN	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	CYKEY/S1/BL	вох	1	•
DCL1/J3	9	Bicycle	URBAN	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB LN C SL	вох	6	
SS65CS/TC14/3KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	вох	1	
SS65CS/TC14/4KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	вох	1	
SS50CS/TC14/3KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	CYKEY/S1/BL	вох	1	
SS50CS/TC14/4KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	CYKEY/S1/BL	вох	1	
SS50CS/G4 KA	9	Bicycle	URBAN	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	CYKEY/S1/BL	вох	1	





High Security **Hardened Alloy Steel Chains**

SS50S/G3P	10	URBAN	SS50S Padlock with hardened alloy chain	10	915	50 26	10	26 22	5012245003536	CYKEY/S1/BL	вох	1	
SS50COMBI/G3	10	URBAN	SS50COMBI Padlock with hardened alloy chain	10	915	50 30	10	22 22	5012245035872	N/A	вох	1	
VULCANP450/Y3	6	URBAN	VULCAN P4 50 Padlock with hardened steel chain	10	900	50 33	9.5	23.5 22	5012245035902	KB 02	вох	1	
WARRIOR55/J3	7	URBAN	WARRIOR 55 Padlock with hardened all chain	8	915	55 34	10	30 24	5012245035919	KB LN C SL	вох	1	

NOTE: Chains listed as URBAN Bicycle category are also suitable for use in the @WORK environment

Masterkeyed available - subject to surcharge

Sold Secure accreditations have been either attained or applied for at the time of print.

Therefore they are subject to change during the lifetime of this catalogue.

@WORK

Key Safes


Stronghold® Key Safe Sold Secure Bronze High Security Key Safe



Product features

- Hardened steel body, with soft feel cover
- 5 Wheel recodable- 100,000 combinations
- Sliding draw mechanism operated by pull knob
- Hinged cover for weather protection
- High security, Sold Secure Bronze accredited
- Supported by Crimestoppers and Secured by Design
- Keep your spare keys safe
- For internal and external use

Dimensions









Police Preferred Specification

Keykeep 2[™]


12 Button Recodable Key Safe With Weatherproof Cover




Product features

- Durable Die cast construction designed to withstand attack
- 12 Button recodable combination lock
 4000 possible combinations recodable. Revoke access at any point by changing the code
- Chosen code can be any number of digits, from a one digit code, up to a 12 digit code
- Easy to recode
- Weather resistant cover
- Discrete appearance, dark colour does not attract attention
- Automatic reset feature for extra security.
- Internal capacity suitable for holding multiple keys. (85mm x 68mm x 13mm)
- Attaches easily to any flat surface
- Comes with 4 fixing bolts

Dimensions











Key Safes

Keykeep 1[™] 4 Wheel Combination Key Safe



Keep a spare set of keys safely outside your property for emergencies

Typical uses

- Keep elderly or infirm relatives' keys for fast access in an emergency
- Easy access for your children when they get home
- Ideal for shed keys, garage keys etc
- Allows gardeners, cleaners, workmen, care workers access to your home
- Allows access to only those who know the code
- Provides a mini-safe for holiday homes, guest houses, B&Bs and rental accommodation
- Ideal for offices or holiday lets
- Keep your spare keys safe and secure
- Ideal for external and internal use
- Choose your own secure access code

Important Note: All key safes and key keeps should be placed out of sight so as not to invite attack. Fix your key safe in a discrete location and only make its location known to those who need access.

Check with your insurer that using a key safe does not in any way conflict with the terms and conditions of your insurance policy.










Code	Sold Secure	@	Description	Dim A	ensions B	mm C	Barcode	Number of Combinations	Pack Type	Min Qty
Stronghold Keysafe	BRONZE	@WORK	Sold Secure high security key Safe	85	160	43	5012245035445	100,000	BLISTER	2
KEYKEEP1		@WORK	Combination Key Safe Blistered	85	120	35	5012245022087	10,000	BLISTER	2
KEYKEEP2		@WORK	Push Button Key Safe Blistered	78	121	57	5012245035322	4,000	BLISTER	2











Introduction

@ HOME

@Home, as the name suggests, is perfect for home use. It includes general purpose products like our brass, laminated and combination padlocks. It's ideal for gates, toolboxes, cabinets and garage doors. And it includes specialist locks such as our combination bolt, locks & hasps for outside gates or sheds.

Product usage

- All-round home use
- Garage
- Shed
- Front gate
- Storage

Why choose @HOME

- Tough all round locks
- Weather-proofed
- Guaranteed 10 years
- Key and combi
- Thief-proof, tested

Security rating

basic 1-4 / high 5-7

Squire @HOME brands

- CP Combination
- Combi-bolt™
- **Vulcan**[™] Combi
- **Vulcan**™ Key
- Stronglock[™]
- Lion
- Old English
- Medium duty security hasps
- Keybolt[™]





















Vulcan™ Combi Range

A mighty robust high security range of combination locks

Named after Vulcan, the ancient Roman god of fire and metalworking, this mighty tough combination padlock range takes some beating. Easy to use in 4 and 5-wheel versions, these Vulcans are fully recodable and offer up to 100,000 combinations. That's why they're supported by the independent crime-fighting charity Crimestoppers.

Vulcan™ Combi Range - Features

Hardened **Boron** steel shackle with Satin Chrome finish

Double locking

Vulcan40 and Vulcan50 4 Wheels 10,000 combinations


Vulcan60 - 5 Wheels 100,000 combinations

Fully recodable

Satin chrome die cast alloy body with soft feel cover

Patented









Vulcan™ Combi Range









Vulcan™ Combi Range

Open Shackle

Code	Security Rating	@	Description	A	Dime B	ension C	ns mm D	E	Barcode	Number of Combinations	Pack Type	Min Qty
VULCAN COMBI 60	6	@номе	60mm Combination Padlock - 5 wheel	60	33	10	34	28	5012245035612	100,000	BLISTER	4
VULCAN COMBI 50	5	@номе	50mm Combination Padlock - 4 wheel	50	26	8	26	22.6	5012245035506	10,000	BLISTER	6
VULCAN COMBI 40	4	@НОМЕ	40mm Combination Padlock - 4 wheel	40	22	6	20	17	5012245035643	10,000	BLISTER	6

Closed Shackle

VULCAN COMBI 60CS	7	@номе	60mm Closed Shackle Combination Padlock - 5 wheel	60	33	10	29	22	5012245035629	100,000	BLISTER	4
VULCAN COMBI 50CS	6	@НОМЕ	50mm Closed Shackle Combination Padlock - 4 wheel	50	26	8	22	15	5012245035520	10,000	BLISTER	6
VULCAN COMBI 40CS	4	@номе	40mm Closed Shackle Combination Padlock - 4 wheel	40	22	6	17	13	5012245035650	10,000	BLISTER	6

Long Shackle

VULCAN COMBI 60/2.5	6	@номе	60mm 2.5" Long Shackle Combination Padlock - 5 wheel	60	33	10	63	28	5012245035636	100,000	BLISTER	4
VULCAN COMBI 50/2.5	5	@НОМЕ	50mm 2.5" Long Shackle Combination Padlock - 4 wheel	50	26	8	63	22.6	5012245035513	10,000	BLISTER	6
VULCAN COMBI 40/2.5	4	@номе	40mm 2.5" Long Shackle Combination Padlock - 4 wheel	40	22	6	63	17	5012245035667	10,000	BLISTER	6

Vulcan™ Range









VULCAN P4 45 **VULCAN P4 45CS**



A mighty tough range of high performance locks

These uniquely designed key operated padlocks offer a medium to high level of security. They come in 3 body widths 40mm, 45mm and 50mm and within each size, open shackle, closed shackle and long shackle variants are available They can be supplied Keyed Alike upon request and are supported by Crimestoppers.









Special

KB 02





BOX





VULCAN P4 50 VULCAN P4 50CS



VULCAN P4 50/2.5





VULCAN P4 45 VULCAN P4 45CS





VULCAN P4 40 VULCAN P4 40/2.5

Vulcan™ Key Range

5

@НОМЕ

Open Shackle					A	Α '	В					
Code	Security Rating	@	Description	A	Dime B	nsio C	ns mr D		Barcode	Key Blank	Pack Type	Min Qty
VULCAN P4 50	6	@номе	50mm Steel Body, Die cast cover with Boron Shackle	55	33	9.5	23.5	22	5012245035469	KB 02	BLISTER	6
VULCAN P4 45	5	@номе	45mm Steel Body, Die cast cover with Boron Shackle	48	28	8	19	20.5	5012245035582	KB 02	BLISTER	6
VULCAN P4 40	5	@номе	40mm Steel Body, Die cast cover with Boron Shackle	44	27	7	18	19	5012245035452	KB 02	BLISTER	6
VULCAN P4 50 KA	6	@номе	50mm KA Diecast Body Padlock with Boron Shackle	55	33	9.5	23.5	22	Special	KB 02	BOX	1
VULCAN P4 45 KA	5	@номе	45mm KA Diecast Body Padlock with Boron Shackle	48	28	8	19	20.5	Special	KB 02	вох	1

40mm KA Diecast Body Padlock with Boron Shackle

44 27 7 18 19

Closed Shackle

VULCAN P4 40 KA

				ļ.				
VULCAN P4 50CS	7	@номе	50mm Steel Body, Die cast cover with Boron Shackle	55 33 9.5 19 16	5012245035476	KB 02	BLISTER	6
VULCAN P4 45CS	6	@номе	45mm Steel Body, Die cast cover with Boron Shackle	48 28 8 15.2 14	5012245035599	KB 02	BLISTER	6
VULCAN P4 50CS KA	7	@номе	50mm KA Steel Body, Die cast cover with Boron Shackle	55 33 9.5 19 16	Special	KB 02	BOX	1
VULCAN P4 45CS KA	6	@номе	45mm KA Steel Body, Die cast cover with Boron Shackle	48 28 8 15.2 14	Special	KB 02	ВОХ	1

Long Shackle

VULCAN P4 50/2.5	6	@номе	50mm Steel Body, Die cast cover with Boron Shackle	55	33	9.5	63	23.5	5012245035575	KB 02	BLISTER	6
VULCAN P4 40/2.5	5	@номе	40mm Steel Body, Die cast cover with Boron Shackle	44	27	7	63	19	5012245035605	KB 02	BLISTER	6
VULCAN P4 50/2.5 KA	6	@номе	50mm KA Steel Body, Die cast cover with Boron Shackle	55	33	9.5	63	23.5	Special	KB 02	BOX	1
VULCAN P4 40/2.5 KA	5	@номе	40mm KA Steel Body, Die cast cover with Boron Shackle	48	28	8	63	20.5	Special	KB 02	BOX	1





CP Range - Combination













CP Range Padlocks

CP60 - 60mm

CPOU - OUIIIII					Α	Е	3					
Code	Security Rating	@	Description	A	Dime B	nsion C	is mr D		Barcode	Number of Combinations	Pack Type	Min Qty
CP60	6	@НОМЕ	60mm Combi Padlock - 5 wheel	60	33	10	34	28	5012245025736	100,000	BLISTER	3
CP60/2.5	6	@НОМЕ	CP60 with a 63mm vertical shackle clearance	60	33	10	63	28	5012245025743	100,000	BLISTER	3
CP60CS	7	@НОМЕ	CP60 with closed shackle	60	33	10	29	22	5012245025750	100,000	BLISTER	3

CP50 - 50mm

CP50	5	@НОМЕ	50mm Combi Padlock - 4 wheel	50	26	8	26 22.6	5012245021783	10,000	BLISTER	6
CP50/1.5	5	@НОМЕ	CP50 with a 38mm vertical shackle clearance	50	26	8	38.1 22.6	5012245021806	10,000	BLISTER	6
CP50/2.5	5	@номе	CP50 with a 63mm vertical shackle clearance	50	26	8	63.5 22.6	5012245021813	10,000	BLISTER	6
CP50CS	6	@номе	CP50 with closed shackle	50	26	8	22 16	5012245021790	10,000	BLISTER	3

CP40 - 40mm

CP40	4	@номе	40mm Combi Padlock - 4 wheel	40	22	6	20	17	5012245024609	10,000	BLISTER	6
CP40/2.5	4	@НОМЕ	CP40 with a 63mm vertical shackle clearance	40	22	6	63	17	5012245024616	10,000	BLISTER	6
CP40CS	4	@НОМЕ	CP40 with closed shackle	40	22	6	17	13	5012245024623	10,000	BLISTER	6

CP30 - 30mm

													4
CP30	2	@LEISURE	30mm Combi Padlock - 3 wheel	30	16	4	15	13	5012245033649	1,000	BLISTER	6	l

Rustproof

CP50S	4	@LEISURE	CP50 with rustproof stainless steel shackle	50	26	8	26 22.6	5012245029659	10,000	BLISTER	6
CP40S	3	@LEISURE	CP40 with rustproof stainless steel shackle	40	22	6	20 17	5012245029642	10,000	BLISTER	6

Recoding tools

RK/CP40/CP50	N/A	@НОМЕ	Recoding tool for CP40 and CP50	n/a n/a n/a n/a n/a	Special	n/a	BAG	1
RK/SS50COMBI/CP60	N/A	@НОМЕ	Recoding tool for SS50 Combi Range and CP60	n/a n/a n/a n/a n/a	Special	n/a	BAG	1



Brass Padlocks

Solid Brass Padlocks Premium Grade

The Lion range offers a superior level of security for indoor and outdoor use and is available keyed alike.

Features

- Hardened steel shackle
- Double locking 30mm and above
- Solid brass lock body
- Pin tumbler lock mechanism

Benefits

- Superior duty security excellent economic choice
- For internal and external use





Brass Padlocks





Lion Range - Premium Solid Brass







LN4/2.5 LN5/2.5

				В								
Code	Security Rating	@	Description	A	Dime B	ensior C	ns mn D	۱ E	Barcode	Key Blank	Pack Type	Min Qty
LN2	2	@LEISURE	25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	5012245002676	KB LN A SL	BLISTER	12
LN3	2	@LEISURE	30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	5012245002683	KB LN C SL	BLISTER	12
LN4	3	@номе	40mm Premium Brass 5 pin Double Locking	39.5	14	6	21.1	22.5	5012245002690	KB LN C SL	BLISTER	6
LN5	4	@номе	50mm Premium Brass 5 pin Double Locking	51	15.5	8.8	30	28	5012245002713	KB LN C SL	BLISTER	6
LN60	5	@номе	60mm Premium Brass 5 pin Double Locking	60	18.6	9.5	35.5	33.5	5012245003376	KB LN C SL	BLISTER	6
LN2KA	2	@LEISURE	KA 25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	Special	KB LN A SL	BOX	12
LN3KA	2	@LEISURE	KA 30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	Special	KB LN C SL	BOX	12
LN4KA	3	@номе	KA 40mm Premium Brass 5 pin Double Locking	39.5	14	6	21.1	22.5	Special	KB LN C SL	BOX	6
LN5KA	4	@номе	KA 50mm Premium Brass 5 pin Double Locking	51	15.5	8.8	30	28	Special	KB LN C SL	BOX	6
LN60KA	5	@номе	KA 60mm Premium Brass 5 pin Double Locking	60	18.6	9.5	35.5	33.5	Special	KB LN C SL	BOX	6
LN4/2.5	3	@номе	2.5" L/S 40mm Premium Brass 5 pin Double Locking	39.5	14	6	64	22.5	5012245002706	KB LN C SL	BLISTER	6
LN5/2.5	4	@номе	2.5" L/S 50mm Premium Brass 5 pin Double Locking	51	15.5	8.8	65	28	5012245006032	KB LN C SL	BLISTER	6
LN4/2.5KA	3	@номе	KA 2.5" L/S 40mm Premium Brass 5 pin Double Locking	39.5	14	6	64	22.5	Special	KB LN C SL	BOX	6
LN5/2.5KA	4	@номе	KA 2.5" L/S 500mm Premium Brass 5 pin Double Locking	51	15.5	8.8	65	28	Special	KB LN C SL	BOX	6
LN4T	3	@номе	40mm Twinpack KA (2 x LN4 KA on one card)	39.5	14	6	21.1	22.5	5012245003314	KB LN C SL	BLISTER	6
LN5T	4	@номе	50mm Twinpack KA (2 x LN5 KA on one card)	51	15.5	8.8	30	28	5012245009781	KB LN C SL	BLISTER	6

Old English



010 =::	<u></u>											
Code	Security Rating	@	Description	A	Dime:	nsion C	s mm D	E	Barcode	Key Blank	Pack Type	Min Qty
220	2	@номе	Small Old English Galvanised Steel 4 Lever	38	14.5	7	11	12	5012245000221	KB 220	BLISTER	6
440	3	@номе	Medium Old English Galvanised Steel 4 Lever	51	16.5	8	18	18	5012245000269	KB 440	BLISTER	6
660	3	@номе	Large Old English Galvanised Steel 4 Lever	64	19.7	10	21	21	5012245000290	KB 660	BLISTER	6
220KA	2	@номе	KA Small Old English Galvanised Steel 4 Lever	38	14.5	7	11	12	Special	KB 220	BOX	1
440KA	3	@номе	KA Medium Old English Galvanised Steel 4 Lever	51	16.5	8	18	18	Special	KB 440	BOX	1
660KA	3	@номе	KA Large Old English Galvanised Steel 4 Lever	64	19.7	10	21	21	Special	KB 660	BOX	1



Stronglock™ Range







39 Range

37 Range

Stronglock™ Range

Steel Pin Tumbler


- Hardened steel shackle
- Double deadlocking, ball locking, spring locking
- Covered steel padlock body with anti-corrosion finish gives corrosion resistance
- 4 Pin tumbler lock mechanism gives over 1,000 key differs
- Medium duty security
- Available masterkeyed and keyed alike

Hardened steel shackle

Double deadlocking, ball locking, spring locking

Covered steel padlock body with anti-corrosion finish

4 Pin tumbler lock mechanism gives over 1,000 key differs







Stronglock™ Range




Stronglock™ Pin Tumbler











Code	Security Rating	@	Description	Dimensions mm A B C D E				Barcode	Key Blank	Pack Type	Min Qty	MK	
35	4	@НОМЕ	40mm Laminated Double Locking Padlock 4 pin	38	23	7			5012245000795	KB 02	BLISTER	6	
37	4	@номе	45mm Laminated Double Locking Padlock 4 pin	44	24	8		20	5012245000856	KB 02	BLISTER	6	
39	5	@номе	50mm Laminated Double Locking Padlock 4 pin	51	29	9		24	5012245000917	KB 02	BLISTER	6	
35KA	4	@номе	40mm KA Laminated Double Locking Padlock 4 pin	38	23	7	17	16	Special	KB 02	вох	1	
37KA	4	@номе	45mm KA Laminated Double Locking Padlock 4 pin	44	24	8	20	20	Special	KB 02	вох	1	
39KA	5	@НОМЕ	50mm KA Laminated Double Locking Padlock 4 pin	51	29	9	24	24	Special	KB 02	вох	1	
37CS	5	@номе	45mm Closed Shackle Laminated Double Locking Padlock 4 pin	44	24	8	13	20	5012245003680	KB 02	BLISTER	3	
39CS	6	@номе	50mm Closed Shackle Laminated Double Locking Padlock 4 pin	51	29	9	19	16	5012245003697	KB 02	BLISTER	3	
37CSKA	5	@номе	45mm KA Closed Shackle Laminated Double Locking Padlock 4 pin	44	24	8	13	20	Special	KB 02	вох	1	
39CSKA	6	@номе	50mm KA Closed Shackle Laminated Double Locking Padlock 4 pin	51	29	9	19	16	Special	KB 02	вох	1	
35/1.5	4	@номе	40mm 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	38	23	7	39	16	5012245000825	KB 02	вох	6	-
35/2.5	4	@номе	40mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	38	23	7	64.	8 16	5012245000832	KB 02	BLISTER	6	
37/2.5	4	@номе	45mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	44	24	8	64.	4 20	5012245000887	KB 02	BLISTER	6	
39/1.5	5	@номе	50mm 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	51	29	9	39	24	5012245000931	KB 02	BLISTER	6	
39/2.5	5	@номе	50mm 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	51	29	9	64.	5 24	5012245000948	KB 02	BLISTER	6	
35/1.5KA	4	@НОМЕ	40mm KA 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	38	23	7	39	16	Special	KB 02	вох	1	
35/2.5KA	4	@номе	40mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	38	23	7	64.	8 16	Special	KB 02	вох	1	
37/2.5KA	4	@НОМЕ	45mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	44	24	8	64.	4 20	Special	KB 02	вох	1	
39/1.5KA	5	@номе	50mm KA 1.5" Long Shackle Laminated Double Locking Padlock 4 pin	51	29	9	39	24	Special	KB 02	вох	1	
39/2.5KA	5	@НОМЕ	50mm KA 2.5" Long Shackle Laminated Double Locking Padlock 4 pin	51	29	9	64.	5 24	Special	KB 02	BOX	1	
35T	4	@номе	Twin pack Keyed Alike (2 x 35KA on one card)	38	23	7	17	16	5012245000818	KB 02	BLISTER	6	
35CLR	4	@номе	Assorted Colours 40mm Laminated Double Locking Padlock 4 pin	38	23	7	17	16	Special	KB 02	BOX	1	
35CLRKA	4	@номе	KA Assorted Colours 40mm Laminated Double Locking Padlock 4 pin	38	23	7	17	16	Special	KB 02	BOX	1	
35C	4	@номе	No 35 padlock with 305mm chain attached	38	23	7	17	16	5012245000849	KB 02	BOX	1	
37C	4	@номе	No 37 padlock with 305mm chain attached	44	24	8	20	20	5012245000900	KB 02	BOX	1	
39C	5	@номе	No 39 padlock with 305mm chain attached	51	29	9	24	24	5012245000962	KB 02	BOX	1	
35СКА	4	@номе	KA No. 35 padlock with 305mm chain attached	38	23	7	17	16	Special	KB 02	BOX	1	
37СКА	4	@НОМЕ	KA No. 37 padlock with 305mm chain attached	44	24	8	20	20	Special	KB 02	BOX	1	
39СКА	5	@номе	KA No. 39 padlock with 305mm chain attached	51	29	9	24	24	Special	KB 02	BOX	1	

Stronglock™ Pinning Kits

New Laminated P4 Pinning Kit

Create keyed alike suites quickly and easily, eliminating many of the problems associated with pinning padlocks



- The padlock comes with the cylinder in place enabling you to pin through the pinning hole in the side of the padlock
- No problems inserting the cylinders, no need to worry about misaligned and badly fitting cylinders
- Inserting the pins is easy, using the pin loader tool to help guide you insert pins, drivers and springs
- Quick and easy to use
- No need to involve the lock manufacturer do the job in-house to your customers timescale
- Makes providing keyed alike systems quick, easy and profitable for the locksmith

The pinning kit contents

100 pins x 5 types, 400 x pin drivers, 400 x springs, Key reader, Pin loader tool, Loading punch tool. Comes in attractive tidy box

















Code	Security Rating	@	Description	Barcode	Pack Type	Min Qty
Stronghold 6 pin kit	N/A	@номе	Pinning Kit for Stronghold padlocks & cylinders - 6 Pin - S1, R1	n/a	BOX	1
P5 Pinning Kit	N/A	@номе	Pinning Kit for P5 Padlocks - 5 Pin	n/a	BOX	1
LAM/P4/PINKIT	N/A	@номе	Pinning Kit for P4 Laminated pinnable padlocks	n/a	BOX	1



Hasp and Staples

Keybolt[™] Weatherproof Locking Bolt



- Steel lock body and bolt encased in a weatherproof cover
- Steel components
- 4 Lever lock mechanism
- Lever lock mechanism gives excellent reliability outdoors
- Can be used in or outdoors


Uses: Sheds, gates, cupboards, storage areas, cabinets, lockers, small vans, internal and external doors.











Keybolt[™] - Weatherproof Locking Bolt



KEYBOLT



INTEGRATED










DHH1

Code	Security Rating	@	Description	Dime A	ension B	s mm C	Barcode	Key Blank	Pack Type	Min Qty
KEYBOLT	N/A	@номе	Weatherproof locking bolt - key operated	113	68	30	5012245031027	KB 220	BLISTER	6

Integrated Locking Hasp

	9									
Code	Security Rating	@	Description	Dime A	nsion B	s mm C	Barcode	Key Blank	Pack Type	Min Qty
LH1	4	@НОМЕ	Locking Hasp & staple	152	44	23	5012245007794	KB LH1	BLISTER	6

Hasp and Staples








Combi-Bolt® Range

Combi-Bolt® Unique recodable locking bolt

- Die cast lock body
- Steel bolt
- Recodable CombiBolt 3 3 wheels for 1,000 combinations
- Recodable CombiBolt 4 4 wheels for 10,000 combinations
- Recodable CombiBolt 5 5 wheels for 100,000 combinations
- No Keys to Lose
- One handed operation
- Security screws included in pack
- High pick resistance
- Patented
- Replaces a padlock and hasp & staple

Uses

Sheds, cupboards, storage areas, cabinets, lockers













Combi-Bolt® Range

Combi-Bolt 5™

Combi-Bolt 4™

Combi-Bolt 3™









Combi-Bolt 3™

	-1
-	
200	

Cada	Security		Province	Dime	Dimensions mm		Danada	Number of	Pack	Min
Code	Rating	@	Description	A	В	· ·	Barcode	Combinations	Туре	Qty
сомвіз	3	@НОМЕ	92mm Combination Bolt blue die cast recodable	92	35	33	5012245031034	1,000	BLISTER	4
сомвіз сн	3	@НОМЕ	92mm Chrome finish Combination Bolt recodable	92	35	33	5012245031041	1,000	BLISTER	4

Combi-Bolt 4™



	Security			Dim	Dimensions mm		Dimensions mm			Number of	Pack	Min
Code	Rating	@	Description	A	В	C	Barcode	Combinations	Туре	Qty		
COMBI4	4	@номе	120mm Combination Bolt blue die cast recodable	120	50	40	5012245009002	10,000	BLISTER	4		
COMBI4 CH	4	@номе	120mm Chrome finish Combination Bolt recodable	120	50	40	5012245020182	10,000	BLISTER	4		

Combi-Bolt 5™



Code	Security Rating	@	Description	Dime A	Dimensions mm A B C		A R C		Barcode	Number of Combinations	Pack Type	Min Qty
COMBI5	5	@WORK	150mm Combination Bolt blue die cast recodable	150	60	40	5012245035551	100,000	BLISTER	2		

@ LEISURE

Introduction

@LEISURE

@Leisure is for when you're out and about. Marine grade locks for boats and harsh weather conditions. The range also includes luggage and travel locks for when you're flying abroad, or for your trailer or caravan.

Product usage

- Out and about
- Recreational gear
- Suitcase
- Caravan / camping
- Bba
- Sport locker
- Marine

Why choose @LEISURE

- Tough rust and weather-proofed
- Guaranteed 10 years
- Mostly combi
- Thief-proof, tested

Security rating

Basic 1-4

Squire @LEISURE brands

- CP Combination CP30
- CP Combination rustproof
- Lion
- Luggage and travel locks
- Lock and chain sets
- Cables













- Double locking 30mm and
- above
- Solid brass lock body
- Pin tumbler lock mechanism



CP Range

- Double locking
- Fully recodable
- Die cast alloy body with dual compound cover
- CP40S and 50s Stainless steel shackle - Rustproof
- CP40S and CP50S 4 Wheels 10,000 combinations
- CP30 hardened steel shackle
- CP30 3 Wheels 1000 combinations





Leisure Security









CP50S CP40S




Lion Range

Code	Security Rating	@	Description	A	Dime B	ensio: C	ns mn D	n E	Barcode	Key Blank or No of combinations	Pack Type	Min Qty
LN2	2	@LEISURE	25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	5012245002676	KB LN A SL	BLISTER	12
LN3	2	@LEISURE	30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	5012245002683	KB LN C SL	BLISTER	12
LN2KA	2	@LEISURE	KA 25mm Premium Brass 4 pin	24.5	11.1	4	16.7	13.5	Special	KB LN A SL	вох	12
LN3KA	2	@LEISURE	KA 30mm Premium Brass 4 pin Double Locking	31.5	13	5.5	19.5	16.5	Special	KB LN C SL	BOX	12

CP Range

CP30	2	@LEISURE	30mm Rustproof Combi Padlock - 3 wheel	30	16	4	15	13	501224503364	1,000	BLISTER	6
CP40S	3	@LEISURE	40mm Rustproof Combi Padlock - 4 wheel - St/St Shackle	40	22	6	20	17	5012245029642	10,000	BLISTER	6
CP50S	4	@LEISURE	50mm Rustproof Combi Padlock - 4 wheel - St/St Shackle	50	26	8	26	22.6	5012245029659	10,000	BLISTER	6

Lock and Chain Sets



CP50/36

						Δ ΄	В							
Code	Security Rating	@	Description	Link Diameter	Link Chain Dimensions mm Diameter Length A B C D E				E	Barcode	Key Blank or No of combinations	Pack Type	Min Qty	
3936	5	@LEISURE	39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	5012245003642	KB 02	BOX	6
3536	6	@LEISURE	35 lock with hardened steel chain	5	900	38	23	7	17	16	5012245001587	KB 02	BOX	6
CP50/36	7	@LEISURE	CP50 Combi with hardened square link chain (X3)	8	915	50	26	8	26	22.6	5012245027945	10000	вох	6
3936 KA	6	@LEISURE	KA 39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	Special	KB 02	вох	1
3536 KA	6	@LEISURE	KA 35 lock with hardened steel chain	5	900	38	23	7	17	16	Special	KB 02	вох	1

3936 and 3536 Can be supplied master keyed upon request

Hasps and Staples











STH1 Padbar

- High security padbar with hardened hasp and staple
- Hardened special cast material extremely strong
- Easy to fit
- Hardened rotating staple for extra resistance to attack









STH2 Padbar

- High security padbar with hardened staple
- Special cast material extremely strong
- Easy to fit
- Hardened rotating staple for extra resistance to attack





No.8

- Hardened maxiclam
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double





No.6H

- Hardened steel hasp and staple
- Hardened steel construction with anti-corrosion finish
- Coach bolt fixings for added security
- Concealed fixings
- Can be used on single or double



DHH1

- Double hinge flexible hasp and staple
- Steel construction
- Hardened steel staple
- Double hinge can be used on single and double doors
- Black anti-corrosion finish



SHH1

- Single hinge flexible hasp and staple
- Steel construction
- Hardened steel staple
- Single hinge can work on single and double doors
- Black anti-corrosion finish



Hasps and Staples

Stronghold® CEN Rated Padbars

@

@WORK

@WORK

Security Rating

10











ST
СТ

Code	CE
STH1	(
STH2	4



	Dime	ensions	mm				Pack	Min
Description	Α	В	C	Staple Clearance	Barcode	Key Blank		Qty
Hardened Stronghold Padbar - CEN 6	184	86	32	12.7	5012245007770	n/a	BOX	1
Stronghold Padbar - CEN 4	184	86	32	12.7	5012245007787	n/a	BOX	1





Hasp and staples



	Security			Dimensions mm Staple			Pack	Min		
Code	Rating	@	Description	Α	В	C	Clearance	Barcode	Туре	Qty
NO.8	7	@WORK	Hardened Maxiclam	216	54.2	38	25	5012245003284	BLISTER	2
NO.6H	6	@номе	Hardened Steel clam	152	44	23	12.5	5012245000511	BLISTER	6
SHH1	5	@номе	Single hinge hasp & staple	160	45.8	32	12.7	5012245004465	BLISTER	6
DHH1	5	@номе	Double hinge hasp & staple	200	45.8	32	12.7	5012245004458	BLISTER	6

Lock And Hasp Sets





€ ≥ (* . *)	LH1
	39/NO.6H
	39/NO.6H KA

				Α	C			A B	3						
	Security			Dime	nsion	s mm	Pac	llock	Dim	ensid	ons		Key	Pack	Min
Code	Rating	@	Description	Α	В	С	Α	В	C	D	E	Barcode	Blank	Туре	Qty
LH1	4	@НОМЕ	Locking Hasp & staple	152	44	23						5012245007794	KB LH1	BLISTER	6
39/NO.6H	5	@НОМЕ	Laminated Padlock 4 pin & hasp set	152	44	23	51	29	9	24	24	5012245009828	KB 02	BOX	1
39/NO.6H KA	5	@номе	KA Laminated Padlock 4 pin & hasp set	152	44	23	51	29	9	24	24	Special	KB 02	BOX	1

Chain Range

The Squire Chains Ranges



Stronghold® Range High Security Hardened **Alloy** Steel

Includes

TC - Hardened 14mm, 16mm, 19mm Sold Secure Gold Motorcycle

- G Hardened 10mm Sold Secure Gold Cycle
- J Hardened 8mm Sold Secure Silver Cycle

Stronglock™ Range

Hardened Steel

Includes

Y - Hardened 10mm

X - Hardened 8mm

Toughlok™ Range Hardened Steel

CP - Hardened 6.5mm

35 - Hardened 5mm





Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue.







Chain Range

High Security Hardened Alloy Steel Chains - Sold Secure Approved







Code	Security Rating	Sold Secure	Description	Dimens Link Diameter	ions mm Chain Length	Barcode	Pack Type	Min Qty
TC19/5	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	19	1500	5012245035889	вох	1
TC16/5	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	16	1500	5012245035896	вох	1
TC14/3	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	915	5012245028089	вох	1
TC14/4	10	Motorcycle	TC Chain alloy steel hardened chain, black sleeve	14	1200	5012245028096	вох	1
G3	9	Bicycle	G Chain alloy steel hardened chain, black sleeve	10	915	5012245006537	вох	1
G4	9	Bicycle	G Chain alloy steel hardened chain, black sleeve	10	1200	5012245003116	вох	1
J3	8	Bicycle	J Chain alloy steel hardened chain, black sleeve	8	915	5012245008630	вох	1
J4	8	Bicycle	J Chain alloy steel hardened chain, black sleeve	8 1200		5012245004366	вох	1

Hardened Steel Chains

SQUIRE	13
	Y3
SQU	RE
	Х3
SQU	RES
	CP36PR
50	UI
	3536C

	Y3	7	Y Chain hardened steel, grey sleeve	10	900	5012245026597	BOX	1
	Y4	7	Y Chain hardened steel, grey sleeve	10	1200	5012245026603	BOX	1
	Х3	6	X Chain hardened steel, grey sleeve	8	900	5012245026573	вох	1
	Х4	6	X Chain hardened steel, grey sleeve	8	1200	5012245026580	вох	1
	CP36PR	5	CP Chain hardened steel chain, grey sleeve	6.5	900	5012245003345	BOX	1
	CP48PR	5	CP Chain hardened steel chain, grey sleeve	6.5	1200	5012245003352	вох	1
	3536C	4	Chain hardened steel, grey sleeve	5	900	5012245027655	вох	1
l	3548C	4	Chain hardened steel, grey sleeve	5	1200	5012245027648	BOX	1

SOLD SECURE



Lock and Chain Sets



Lock and Chain Sets

Squire lock and chain sets have been designed to combine chains with padlocks of a similar security level. There are sets to cover all aspects of securing valuable items around the house and garden. The range includes extremely high security Sold Secure Gold locks for securing expensive bicycles when they are at their most vulnerable. The range is designed to secure all levels of risk encountered in home security, including the tethering of valuable BBQ, garden equipment and patio furniture.

Locks and chains for Motorcycles

Squire offers some excellent high security chains and lock and chain sets ideal for securing motorcycles and scooters.

SS65CS/TC14 - Sold Secure Gold Motorcycle SS50CS/G4 - Sold Secure Gold Cycle DCL1/J3 - Sold Secure Silver Cycle MAKO CN8/900 - Sold Secure Silver Cycle Mako Conger - Sold Secure Bronze Cycle

These products combined with Squire's high security ground anchors and garage security products provide motorcycle and scooter owners with a comprehensive range of security solutions.





Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue.



Secured by Design

SBD

Police Preferred Specification



Lock and Chain Sets

High Security **Hardened Alloy Steel** Chains - **Sold Secure Approved** - Lock And Chain Sets





SS65CS/TC14



SS50CS/TC14



DCL1/J3



SS50S/G3



SS50COMBI/G3I



3936



3536



CP50/36

Code	Security Rating	Sold Secure	@	Description	Link Diameter	Chain Length		imen: B	sions C	mm D	E	Barcode	Key Blank	Pack Type	Min Qty	MK
SS65CS/TC14/3	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	CYKEY/S1/BL	ВОХ	1	•
SS65CS/TC14/4	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	CYKEY/S1/BL	ВОХ	1	
SS50CS/TC14/3	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	CYKEY/S1/BL	вох	1	
SS50CS/TC14/4	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	CYKEY/S1/BL	вох	1	
SS50CS/G4	9	Bicycle	URBAN	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	CYKEY/S1/BL	ВОХ	1	
DCL1/J3	9	Bicycle	URBAN	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB LN C SL	ВОХ	6	
SS65CS/TC14/3KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	вох	1	
SS65CS/TC14/4KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	ВОХ	1	
SS50CS/TC14/3KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	CYKEY/S1/BL	ВОХ	1	
SS50CS/TC14/4KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	CYKEY/S1/BL	ВОХ	1	
SS50CS/G4 KA	9	Bicycle	URBAN	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	CYKEY/S1/BL	вох	1	

High Security Hardened Alloy Steel Chains - Lock And Chain Sets

SS50S/G3	10	URBAN	SS50S Padlock with hardened alloy chain	10	915	50 26	10	26 22	5012245003536	CYKEY/S1/BL	вох	1	
SS50COMBI/G3	10	URBAN	SS50Combi Padlock with hardened alloy chain	10	915	55 30	10	24 22	5012245035872	100,000	вох	1	
SS50S/G3 KA	10	URBAN	KA SS50S Padlock with hardened alloy chain	10	915	50 26	10	26 22	Special	CYKEY/S1/BL	вох	1	

Hardened Steel Chain Lock And Chain Sets

										ļ				
3936	5	LEISURE	39 lock with hardened square link chain (X3)	8	915	51 2	29	9	24 24	5012245003642	KB 02	BOX	6	•
3536	6	LEISURE	35 lock with hardened steel chain	5	900	38 2	23	7	17 16	5012245001587	KB 02	вох	6	•
CP50/36	7	LEISURE	CP50 Combi with hardened square link chain (X3)	8	915	50	26	8	26 22.6	5012245027945	10000	BOX	6	
3936 KA	6	LEISURE	KA 39 lock with hardened square link chain (X3)	8	915	51 2	29	9	24 24	Special	KB 02	вох	1	
3536 KA	6	LEISURE	KA 35 lock with hardened steel chain	5	900	38 2	23	7	17 16	Special	KB 02	вох	1	

SOLD SECURE



Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue.


Masterkeyed available - subject to surcharge.

SQUIRE

Garage Security

GA4 Garage Security

- Unit locks onto a solid steel base with padlock
- Fitting for concrete base as standard
- Simple ground fitting in front of garage door with expandable security raw bolts included
- Attractive Black powder coated finish
- Heavy construction
- Full fitting instructions included





Garage security


Code	Security Rating	@	Sold Secure	Description	Length	Dimension: Height	s mm Bar Diameter	Barcode	Pack Type	Min Qty
GA4	10	@номе	Domestic	GA4 Garage Door Guard	250	150	55	5012245000986	вох	1

SOLD SECURE





Ground and Wall Anchors



Ground Anchor

- Designed to be fixed into the floor
- Hardened steel
- Sold Secure Gold approved Motorcycle Gold
- Use with heavy duty sold secure gold approved SQUIRE locks and chains



BPGAGround Anchor

- Sold Secure Gold approved
- Single bridge anchor
- Fully case hardened product to RC 60 spec. Solid construction
- Supplied with four security fixing bolts, steel ball inserts
- Fits chains up to 19mm
- Blue powder coated finish



LBA1 Wall Anchor

- Heavy duty wall anchor
- Designed to be fixed to the wall or floor
- Hardened steel
- Use with heavy duty SQUIRE locks
- Powder coated
- Easy to fit
- Supplied with security fixings



BWA2 Wall anchor

- Secures bicycle internally and externally
- Hardened steel
- Powder coated
- Easy to fit
- Supplied with security fittings
- Can be used on wooden or brick walls



BWA1 Wall anchor

- Secures bicycle internally and externally
- Hardened steel
- Easy to fit
- Powder coated
- Supplied with security fittings
- Can be used on wooden or brick walls

Code	Sold Secure	Security Rating	@	Suitable for motorcycles	Description	Width		nsions m Length	m Clearance	Barcode	Pack Type	Min Qty
GA1	Motorcycle	10	URBAN	Yes	Ground anchor (Concrete in version)	100	95	100	50	5012245004076	BOX	1
BPGA	Motorcycle	10	URBAN	Yes	Ground anchor (Bolt in version) Boxed	150	67	150	50x110	5012245009507	BOX	1
LBA1		8	LEISURE		Heavy duty wall anchor	150	46	80	35x80	5012245022360	BLISTER	1
BWA1		5	LEISURE		Wall Anchor	62	44	62	15x19	5012245020137	BLISTER	6
BWA2		6	LEISURE		Wall Anchor - Bridge style	120	48	43	45x60	5012245009019	BLISTER	6





Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue.



bikelok

Toughness guaranteed.

Introducing Squire

Squire is a family brand with great history which has been carried down through eight generations. Over this time, the one thing that's kept us going is our ability to change with the world. It's with this in mind we're proud to introduce the new Squire brand.

Our approach

This isn't an endeavour that we took on lightly – we took all the help we could. It started by looking at ourselves and asking everyone's opinion in the business - we wanted honest thoughts, no matter how harsh! We visited our stockists stores to look at ourselves and understand how we stack up against the competition and we also worked alongside consumers to develop our new direction. Some of the feedback from consumers suggested that they didn't just want a bike lock from a padlock manufacturer. They wanted something from a real specialist; someone who solely focuses on bike locks. With this in mind, we've moved forward to create a specialist division: Squire Bikelok.

This isn't a new coat of paint. We ve looked at our products, philosophy and ways of working, looking for a positive change and areas of improvement.



We've also taken some of our thinking across from the other side of our business. We found that security ratings didn't make selecting products any easier, as every lock manufacturer had their own scale. So we've found a new consumer friendly approach to product navigation - we reduced the range and split it into three distinct sub-brands: Squire Leisure, Urban and Sport Bikelok. We didn't stop there though; we wanted to understand what we stood for and what made us different.

We're a family business that began in the 1780s. We're proud of our craft and stand firmly behind our reputation for long-lasting toughness which is guaranteed. This is why I'm offering a personal 'no-quibble' 10 year guarantee on every product - you don't even need a receipt. The information overleaf will explain the changes to our products, and I hope that you agree it's a change for the better!





John Squire



bikelok®





sportbikelok®





Sport BikeLok is a small range of our most specialist locks for the real enthusiast. Our range topping SnapLok is a lock that's both lightweight and secure. The perfect match for a lightweight sports bike.











Urban BikeLok is aimed at the commuter. The range includes a wide selection of tough utility D-locks and cable locks.



leisurebikelok®





Leisure BikeLok is targeted mainly at family and kids bikes. It includes larger cable locks to secure multiple bikes at once, and there's a great colour choice.








Packaging

New Packaging

Our new packaging is designed to help the customer choose their cycle lock quickly, and easily identify key features. Customers are guided by the colour coded usage categories. And they can see product strength ratings (1 = low,10 = high), and special features and accreditations at a glance.





Urbanbikelok denoted by colour

Squire brand - cycle lock specialists

Squire security rating shows product strength

SOLD SECURE rated locks have been independently attack tested

Squire's personal 10 year guarantee





bikelok

Which category to choose



sport

LIFESTYLE OCCASIONAL USAGE

at home garage use, high end sport club racers, portable **SECURITY RATING**

maximum 7-10

urban

LIFESTYLE
OCCASIONAL USAGE
urban city use, heavy use, commuters
SECURITY RATING

high 5-7 maximum 7-10

leisure

LIFESTYLE
OCCASIONAL USAGE
weekend leisure use, families
SECURITY RATING
basic 2-4
high 5-7

Quality and standards

SOLD SECURE Attack Testing

Many of the products showcased in our brochure have achieved Sold Secure status, most achieving silver or gold. This is a testament to Squire's rigorous test procedures. Importantly, customers can be assured that all locks are tested to the most stringent levels, via Squire's in-house test procedures and external accreditation bodies such as Sold Secure.



Some of the Squire cycle lock range is supported by Crimestoppers, the independent crime-fighting charity as part of their mission to help prevent crime, thereby reducing the number of victims and making communities safer.

Secured By Design

Secured By Design is a project initiated by the British Police force now run by the Mayor's Office for Policing and Crime (MOPAC) on behalf of the UK police services. Established in 1999, it was set up as a notfor-profit organisation. SBD works with industry and test houses to create high level security standards. Many Squire cycle locks are approved by SBD.





Independent crime-fighting charity

Secured by Design






Introduction

sportbikelok°





Sport BikeLok is a small range of our most specialist locks for the real enthusiast. Our range trailblazing SnapLok™ is a lock that's both lightweight and secure. The perfect match for a lightweight sports bike.







SQUIRE





SnapLok™



$\textbf{SnapLok}^{^{\text{TM}}}$

- Lighter in weight than any equivalent Sold Secure Silver 'D' Lock
- Recommended for securing bicycles and scooters
- Patented TORQ DRIV technology
- Hardened boron alloy steel construction
- Recodable 100,000 combinations
- Bracket included
- Recoding and fitting instructions included
- Lock dimensions at longest point 260mm (SNAPLOK260) 210mm (SNAPLOK210)









RETRAC 2

- Retractable cable lock
- Light weight, easy to carry and use
- 3 wheel combination recodable
- 600mm length
- Soft feel cover



SnapLok[™] Sold Secure Silver Combination Shackle Lock

Code	SOLD SECURE	Security Rating	RANGE	Description	A	Dimer B	nsior C	ns mm D I	E	Barcode	Number of Combinations	Pack Type	Min Qty
SNAPLOK 260	Bicycle	9	SPORT	Unique recodable combination shackle lock 260mm	130	295	15	260 10	04	5012245026030	100,000	вох	3
SNAPLOK 210	Bicycle	9	SPORT	Unique recodable combination shackle lock 210mm	130	245	15	210 10	04	5012245026023	100,000	BOX	3



Retrac™ Retractable Cable Lock

Code	SOLD SECURE	Security Rating	RANGE	Description	Dimensions mm A B C		Barcode	Number of Combinations	Pack Type	Min Qty	
RETRAC 2		2	SPORT	Retractable cable lock - 600mm long	50	16	2	5012245031256	1,000	BLISTER	12



BRONZE



'D' Locks







Hammerhead[™] Key

- Hardened alloy steel shackle 13mm
- Armoured steel lock body
- 5 Pin tumbler, anti pick locking mechanism 1500 Key differs
- Unique double locking mechanism
- Keyhole dustcover
- Two keys provided
- Hammerhead 290 has 290mm shackle clearance
- Hammerhead 230 has 230mm shackle clearance
- Carrying bracket included
- Octagonal sleeve on shackle

Hammerhead[™] Combi

- Recodable six wheel combination
- One million possible combinations
- Hardened alloy steel shackle 13mm
- Armoured steel lock body
- Hammerhead Combi 290 has 290mm shackle clearance
- Hammerhead Combi 230 has 230mm shackle clearance
- Carrying bracket included
- Octagonal sleeve on shackle
- Patented TORQ DRIV[™]technology

Eiger™

- Hardened alloy steel shackle 13mm
- Armoured steel lock body
- Disc tumbler locking mechanism
- Unique double locking mechanism
- Key hole dustcover
- Two keys provided
- Eiger™shackle clearance 230mm
- Eiger™ Compact shackle clearance 145mm
- Eiger™ Mini shackle clearance 80mm
- Carrying bracket included
- Octagonal sleeve on shackle



















Hammerhead 290 KEY Hammerhead 230 KEY







Hammerhead 290

Hammerhead™

Hammerhead[™] key - Sold Secure Gold 'D' Lock



Code	SOLD SECURE	Security Rating	Range	Description	A	Dime B	nsior C	ns mm D	ı E	Barcode	Key Blank	Pack Type	Min Qty
Hammerhead 290	Bicycle	10	URBAN	Hammerhead 290 D Lock - Gold Sold Secure	150	50	15.6	290	100	5012245029109	KB LN C SL	BOX	6
Hammerhead 230	Bicycle	10	URBAN	Hammerhead 230 D Lock - Gold Sold Secure	150	50	15.6	230	100	5012245029093	KB LN C SL	BOX	6
Hammerhead 230/10C*	Bicycle	10	URBAN	Hammerhead 230 with a 10mm x 1800mm Cable	150	50	15.6	230	100	5012245029499	KB LN C SL	BOX	6

* SOLD SECURE approval applies to D lock only

Hammerhead [™]	combi - Sold Secure Silver	'D'	Lock
-------------------------	----------------------------	-----	------

	SOLD	Security				Dime	nsior	s mm	1		Key	Pack	Min
Code	SECURE	Rating	Range	Description	Α	В	С	D	E	Barcode	Blank	Туре	Qty
Hammerhead Combi 290	Bicycle	9	URBAN	Hammerhead patented combination D lock 290mm	145	38	15.6	290	105	5012245030204	100,000	BOX	3
Hammerhead Combi 230	Bicycle	9	URBAN	Hammerhead patented combination D lock 230mm	145	38	15.6	230	105	5012245030198	100,000	BOX	3

Eiger™

Eiger™ 230 - Sold Secure Gold 'D' Lock



Code	SOLD SECURE	Security Rating	Range	Description	Dimensions mm A B C D E	Barcode	Key Blank	Pack Type	Min Qty
Eiger Blue	Bicycle	10	URBAN	Eiger D Lock - Gold Sold Secure - Blue, 230mm Shackle	175 44 15.6 230 105	5012245030266	n/a	вох	6



Eiger™ Compact - Sold Secure Gold 'D' Lock

Eiger Compact Blue	Bicycle	10	URBAN	Eiger compact D lock - Gold Sold Secure - Blue	150 35 15.6 145 83	5012245030303	n/a	вох	6

SOLD SECURE



'D' Locks









Eiger Mini[™] - Sold Secure Gold Brake Disc Lock

	Sold	Security			Dimensions mm A B C D E F					Key	Pack	Min		
Code			Range	Description	Α	В	C	D	Ε	F	Barcode	Blank	Туре	Qty
Eiger Mini Blue	Motorcycle	10	URBAN	Gold Sold Secure Brake Disc Lock Blue	100	38	15.6	80	48	135	5012245030723	n/a	вох	6
Eiger Mini yellow	Motorcycle	10	URBAN	Gold Sold Secure Brake Disc Lock Yellow	100	38	15.6	80	48	135	5012245030747	n/a	BOX	6



Ground Anchors

Code	Suitable for motorcycles	Sold Secure	Range	Description	Width	Dimen Height	sions mm Length	Clearance	Barcode	Pack Type	Min Qty
GA1	Yes	Motorcycle	URBAN	Ground anchor (Concrete in version)	100	95	100	50	5012245004076	вох	1
BPGA	Yes	Motorcycle	URBAN	Ground anchor (Bolt in version) Boxed	150	67	150	50x110	5012245009507	BOX	1

Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue.

SOLD SECURE









Mako™ Range

Mako[™] Combi Cable Lock





- Hardened steel cups
- Recodable 5 wheel combination 100,000 combinations
- Patented TORO DRIVTM technology
- 25mm diameter
- 1200mm length
- Armoured steel lock body
- Includes universal carrying bracket

Mako™ Cable Lock





- Hardened steel cups
- 5 Pin tumbler lock mechanism
- Two keys provided
- 25mm diameter
- 1200mm length
- Armoured steel lock body
- Includes universal carrying bracket

Mako[™] Combi Integrated Lock and Chain





- Integrated Chainlock
- Recodable 5 wheel combination
- 100,000 combinations
- Patented TORQ DRIVTM technology
- Hardened alloy steel chain 8mm diameter
- Available in two lengths 900mm and 600mm
- Armoured steel lock body

Mako[™] Integrated Lock and Chain





- Hardened steel lock body
- 8mm diameter chain
- Available in two lengths 900mm and 600mm
- 5 Pin tumbler lock mechanism
- Two keys provided
- Integrated lock and chain
- Hardened alloy steel chain

Mako Combi™



Independent crime-fighting charity

	Code	Sold Secure	Security Rating	Range	Description	Diameter mm	Length mm	Barcode	No of Combinations	Pack Type	Min Qty
М	AKO Combi CN8/900	Bicycle	9	URBAN	MAKO 8mm chain with integrated combination lock, length 900mm	8	900	5012245030174	100,000	BOX	6
М	AKO Combi CN8/600	Bicycle	9	URBAN	MAKO 8mm chain with integrated combination lock, length 600mm	8	600	5012245030693	100,000	BOX	6
М	AKO Combi AD25/1200	Bicycle	9	URBAN	MAKO 25mm Armoured Combination Cable lock & bracket, length 1200mm	25	1200	5012245030181	100,000	вох	6

Secured by Design



SOLD SECURE



Mako Kev ™

Code	Sold Secure	Security Rating	Range	Description	Diameter mm	Length mm	Barcode	Key Blank	Pack Type	Min Qty
MAKO CN8/900	Bicycle	9	URBAN	Mako 8mm Integrated chain lock, length 900mm	8	900	5012245025859	KB LN C SL	вох	6
MAKO CN8/600	Bicycle	9	URBAN	Mako 8mm Integrated chain lock, length 600mm	8	600	5012245030686	KB LN C SL	BOX	6
MAKO AD25/1200	Bicycle	7	URBAN	MAKO 25mm Armoured Cable lock & bkt, length 1200mm	25	1200	5012245030655	KB LN C SL	вох	6

Lock and Chain Sets

GOLD MOTORCYCLE

SS65CS/TC14









SS50S/G3



Lock and Chain Sets

Squire lock and chain sets have been designed to combine chains with padlocks of a similar security level. There are sets to cover all aspects of securing valuable items around the house and garden. The range includes extremely high security Sold Secure Gold locks for securing expensive bicycles when they are at their most vulnerable. The range is designed to secure all levels of risk encountered in home security, including the tethering of valuable BBO. Garden equipment and patio furniture.

Locks and Chains for Motorcycles

A high performance, high security range of integrated lock and chain sets, ideal for securing motorcycles and scooters.

SS65CS/TC14 - Sold Secure Gold Motorcycle SS50CS/G4 - Sold Secure Gold Cycle DCL1/J3 - Sold Secure Silver Cycle MAKO CN8/900 - Sold Secure Silver Cycle Mako Conger - Sold Secure Bronze Cycle

These products combine with Squire's high security ground anchors and garage security products to provide motorcycle and scooter owners with a comprehensive range of security solutions.





Sold Secure accreditations have been either attained or applied for at the time of print. Therefore they are subject to change during the lifetime of this catalogue.



Police Preferred Specification

Secured by Design

Independent crime-fighting charity







Lock and Chain Sets

High Security **Hardened Alloy Steel** Chains Sold Secure Approved







SS50CS/TC14/4



DCL1/J3

Code	Security Rating	Sold Secure	Range	Description	Link Diameter	Chain Length)imer B	rsion C		n E	Barcode	Key Blank	Pack Type	Min Qty	мк
SS65CS/TC14/3	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	5012245029215	CYKEY/S1/BL	ВОХ	1	
SS65CS/TC14/4	10	Motorcycle	URBAN	SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	5012245022346	CYKEY/S1/BL	ВОХ	1	-
SS50CS/TC14/3	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	5012245029222	CYKEY/S1/BL	ВОХ	1	
SS50CS/TC14/4	10	Motorcycle	URBAN	SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	5012245029239	CYKEY/S1/BL	ВОХ	1	-
SS50CS/G4	9	Bicycle	URBAN	SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	5012245004045	CYKEY/S1/BL	ВОХ	1	-
DCL1/J3	9	Bicycle	URBAN	DCL1 Padlock with hardened alloy steel chain	8	915	70	27.5	9.5	17.5	17	5012245020106	KB LN C SL	ВОХ	6	
SS65CS/TC14/3KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	915	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	ВОХ	1	
SS65CS/TC14/4KA	10	Motorcycle	URBAN	KA SS65CS padlock with hardened alloy chain	14	1200	65	31.8	12.7	19	19	Special	CYKEY/S1/BL	ВОХ	1	
SS50CS/TC14/3KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	915	50	26	10	16	16	Special	CYKEY/S1/BL	вох	1	
SS50CS/TC14/4KA	10	Motorcycle	URBAN	KA SS50CS padlock with hardened alloy chain	14	1200	50	26	10	16	16	Special	CYKEY/S1/BL	ВОХ	1	
SS50CS/G4 KA	9	Bicycle	URBAN	KA SS50CS padlock with hardened alloy chain	10	1200	50	26	10	16	16	Special	CYKEY/S1/BL	вох	1	

Masterkeyed available - subject to surcharge



SS50S/G3



SS50Combi/G3

High Security **Hardened Alloy Steel** Chains Lock and Chain Sets

SS50S/G3	10	n/a	URBAN	SS50S Padlock with hardened allov chain	10	915	50	26	10	26 22	5012245003536	CYKEY/S1/BL	ВОХ	1	
SS50COMBI/G3	10	n/a	URBAN	SS50Combi Padlock with hardened alloy chain	10	915	50	30	10	22 22	5012245035872	N/A	ВОХ	1	
SS50S/G3 KA	10	n/a	URBAN	KA SS50S Padlock with hardened alloy chain	10	915	50	26	10	26 22	Special	CYKEY/S1/BL	вох	1	

SOLD SECURE



Masterkeyed available - subject to surcharge

leisure bikelok°

Cable Locks



PATENTED



Mako Combi[™] Combination Cable Lock

- Recodable 5 wheel combination
- 100,000 combinations
- Patented TORO DRIV[™] technology
- Available as a 25mm diameter version 1200mm in length and an 18mm version which is 1800mm in length
- Armoured steel lock body
- Carrying bracket included
- Octagonal cable design

Secured by Design









Mako Key[™] Key Operated Cable Lock

- Hardened steel lock body
- Available as a 25mm diameter version 1200mm in length and an 18mm version which is 1800mm in length
- 5 Pin tumbler lock mechanism
- Two keys provided
- Octagonal cable design
- Includes universal carrying bracket



Combination Cable Locks **Zenith**™ Combi

- 12mm and 18mm diameter versions
- 1800mm length
- 10.000 combinations recodable
- Light included for use in dark places
- Octagonal cable
- Bracket included

212 and 216

- 10,000 combinations
- 10mm diameter
- 212 is 600mm length
- 216 is 1800mm in length
- Octagonal cable
- Recodable



Key Operated Cable Locks **Zenith**™ Key

- 14mm and 12mm diameter versions
- 1800mm length
- Pin tumbler key mechanism
- Two keys provided
- Octagonal cable
- Bracket included

116 and 112

- 10mm diameter
- 116 is 1800mm long and 112 is 600mm long
- Multi-strand cable
- Two keys provided
- Octagonal cable
- Bracket included







Cable Locks





















Combination Cable Locks

Mako[™] Combi



Code	SOLD SECURE	Security Rating	Range	Description	Diameter mm	Length mm	Barcode	No of Combinations		Min Qty
MAKOCOMBI18/900	Bicycle	7	LEISURE	MAKO 18mm Combination Cable lock, length 900mm	18	900	5012245030143	100,000	ВОХ	6
MAKOCOMBI18/1800	Bicycle	7	LEISURE	MAKO 18mm Combination Cable lock, length 1800mm	18	1800	5012245030150	100,000	BOX	6
MAKOCOMBI25/1200	Bicycle	7	LEISURE	MAKO 25mm Armoured Combination Cable lock length 1200mm	25	1200	5012245030662	100,000	вох	6

Zenith™ Combi

ZRCOMBI 18/1800/LED	6	LEISURE	LED 18mm Combi Lock, length 1800mm	18	1800	5012245025927	10,000	ВОХ	6
ZRCOMBI 12/1800/LED	4	LEISURE	LED 12mm Combi Lock, length 1800mm	12	1800	5012245025910	10,000	вох	6

216 and 212 combination cable locks

216	3	LEISURE	Recodable Combi cable lock 10mm x 1800mm	10	1800	5012245007046	10,000	BOX	6
212	3	LEISURE	Recodable Combi cable lock 10mm x 600mm	10	600	5012245007039	10,000	вох	6

Key Operated Cable Locks Mako™

Code	SOLD SECURE	Security Rating	Range	Description	Diameter mm	Length mm	Barcode	Key Blank	Pack Type	Min Qty
MAKO PLUS 25/1200	Bicycle	7	LEISURE	Mako 25mm Cable lock & bracket length 1200mm	25	1200	5012245025897	KB LN C SL	вох	6
MAKO PLUS 18/1800	Bicycle	7	LEISURE	Mako 18mm Cable lock & bracket, length 1800mm	18	1800	5012245025880	KB LN C SL	BOX	6
MAKO PLUS 18/900	Bicycle	7	LEISURE	Mako 18mm Cable lock & bracket, length 900mm	18	900	5012245025873	KB LN C SL	BOX	6

$Zenith^{TM}$

ZR12/1800	4	LEISURE	Zenith Key operated cable lock 12mm x 1800mm	12	1800	5012245007701	KB ZR12	вох	6
ZR14/1800	5	LEISURE	Zenith Key operated cable lock 14mm x 1800mm	14	1800	5012245033908	n/a	BOX	6

116 and 112 cable locks

116	3	LEISURE	Key operated cable lock 10mm x 1800mm	10	1800	5012245007190	n/a	ВОХ	6
112	3	LEISURE	Key operated cable lock 10mm x 600mm	10	600	5012245007183	n/a	BOX	6

SOLD SECURE



'D' Locks

Challenger 260 Sold Secure Bronze 'D' Lock

- Hardened steel shackle
- Steel body
- Keyhole dustcover
- 4 Pin tumbler locking mechanism -Over 1000 Key differs
- Two keys provided
- Carrying bracket included
- Octagonal sleeve on shackle
- Also available with an 8C cable





- Steel shackle
- Steel lock body
- Disc tumbler lock mechanism
- Carrying bracket



Security Cables

- 1800mm length
- Multi-strand cable
- 12mm diameter (12C), 10mm diameter (10C), 8mm diameter (8C)
- Octagonal cable
- Recommended for use with a suitable Squire 'D' Lock







'D' Locks



	SOLD SECURE	Security Rating		Description	'D' A	Lock B	Dim C	nensio D	ons E	Cable Din F	nensions G	Barcode	Key Blank		Min Qty
Challenger 260	Bicycle	7	LEISURE	Challenger 260 D Lock - Bronze Sold Secure	150	30	14.5	260	105	n/a	n/a	5012245009101	KB 02	вох	6
BDL1		6	LEISURE	D-lock with 290mm shackle clearance	185	28	14	290	105	n/a	n/a	5012245007725	n/a	вох	6
BDL2		6	LEISURE	D-lock with 230mm shackle clearance	185	28	14	230	105	n/a	n/a	5012245007732	n/a	вох	6

Value packs





											1
CH260/8C*	Bicycle	7	LEISURE	Challenger 260 with 8mm x 1800mm Cable	150 30 14.5 260 105	8	1800	5012245009750	KB 02	вох	6
									*	*	

^{*} SOLD SECURE approval applies to D lock only

Security Cables



Code	SOLD SECURE	Security Rating	Range	Description	Dimensi A	ons mm B	Barcode	Key Blank		Min Qty
12C		4	LEISURE	Looped extender cable 12mm x 1800mm	12	1800	5012245007572	n/a	BOX	6
10C		3	LEISURE	Looped extender cable 10mm x 1800mm	10	1800	5012245007589	n/a	BOX	6
8C		2	LEISURE	Looped extender cable 8mm x 1800mm	8	1800	5012245007206	n/a	BOX	6







Integrated Lock & Chain Sets

Mako[™] Combi CN6/900 Integrated Lock and Chain







- Integrated lock and chain
- Recodable 5 wheel combination
- 100,000 combinations
- Patented TORQ DRIVTM technology
- Hardened alloy steel chain 6mm diameter
- Length 900mm
- Armoured steel lock body

Mako[™] CN6/900 Integrated Lock and Chain





- Hardened steel lock body
- 6mm diameter chain
- Length 900mm
- 5 Pin tumbler lock mechanism
- Two keys provided
- Integrated lock and chain
- Hardened alloy steel chain

Integrated Lock and Chains

Code	SOLD SECURE	Security Rating	Range	Description	Link diameter	Chain length	Barcode	No of combinations or Key Blank	Pack Type	Min Qty
MAKOCOMBICN6/900	Bicycle	8	LEISURE	MAKO 6mm chain with integrated combination lock, length 900mm	6	900	5012245030709	100,000	вох	6





Lock and Chain Sets

Hardened Steel Chains Lock and Chain Sets

Squire lock and chain sets have been designed to combine chains with padlocks of a similar security level. There are sets to cover all aspects of securing valuable items around the house and garden. The range is also designed to secure all levels of risk in home security, such as tethering valuable BBQ, garden equipment and patio furniture.



CP50/36





Lock and Chain Sets



248	4	Solo B
200	1028	The same
CP50/36		

	3936	
1	3536	
,	CP50/36	
	3936 KA	
1	3536 KA	
		_

Masterkeyed available - subject to surcharge

Code	Security Rating	Range	Description	Link	Chain			sion	is mm D	E	Barcode	Key Blank or No of combinations		Min Qty	мк
0.000	9	90		Diameter	Length	Α	В	C	ע	-	50.000		.,,,,,	4-3	
3936	6	LEISURE	39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	5012245003642	KB 02	BOX	6	•
3536	5	LEISURE	35 lock with hardened steel chain	5	900	38	23	7	17	16	5012245001587	KB 02	BOX	6	
CP50/36	7	LEISURE	CP50 Combi with hardened square link chain (X3)	8	915	50	26	8	26	22.6	5012245027945	10000	BOX	6	
3936 KA	6	LEISURE	KA 39 lock with hardened square link chain (X3)	8	915	51	29	9	24	24	Special	KB 02	BOX	1	
3536 KA	5	LEISURE	KA 35 lock with hardened steel chain	5	900	38	23	7	17	16	Special	KB 02	BOX	1	







Wall Anchors

BWA2 - Wall Anchor

- Secures bicycle internally and externally
- Hardened steel
- Powder coated
- Easy to fit
- Supplied with security fittings
- Can be used on wooden or brick walls
- Made in Britain



BWA1 - Wall Anchor

- Secures bicycle internally and externally
- Hardened steel
- Easy to fit
- Powder coated
- Supplied with security fittings
- Can be used on wooden or brick walls
- Made in Britain



LBA1 - Wall Anchor

- Heavy duty wall anchor
- Designed to be fixed to the wall or floor
- Hardened steel
- Use with heavy duty SQUIRE locks
- Powder coated
- Easy to fit
- Supplied with security fixings



Wall Anchors

	Security				Dimer	sions mr	n		Pack	Min	
Code	Rating	Range	Description	Width	Height	Length	Clearance	Barcode	Туре	Qty	
LBA1	8	LEISURE	Heavy duty wall anchor	150	46	80	35x80	5012245022360	BLISTER	1	
BWA1	5	LEISURE	Wall Anchor	62	44	62	15x19	5012245020137	BLISTER	6	
BWA2	6	LEISURE	Wall Anchor - Bridge style	120	48	43	45x60	5012245009019	BLISTER	6	





Code	Security Rating	Range	Description	Dimensions mm	Barcode	Pack Type	Min Qty
MAKOBRKTLGE	N/A	N/A	Bracket for Mako Plus range	N/A	5012245028164	вох	6
MAKOBRKTSML	N/A	N/A	Bracket for 14mm Mako range	N/A	5012245025934	BOX	6
SNAPLOKBRKT	N/A	N/A	Bracket for Snaplok	N/A	5012245026078	вох	6



Keys and Key Blanks

Old English



Model nos. 220 and Keybolt PET



Key Code KB 220



PEF

Model nos. 440

Key Code KB 440



Model nos.

PES

Key Code KB 660

DCL1



Model nos.
Discus Locks (New Style) DCL1

Key Code KB DCL N

Lion



Model nos. LN2

Key Code KB LN A SL



Model nos.

Lion	LN3, LN4, LN4S, LN4/2.5, LN5, LN60
Warehouse	WL2, WL3, ASWL 1, ASWL 2
P5 Range	SS50P5, SS50CP5, WS50P5
	P5 Marine version

Powerlok POL45, POL45CS, POL55, POL55CS D Lock Hammerhead

Mako Conger, AD25, CN8, CN6, 25mm, 18mm, 14mm

Key Code KB LN C SL



Model nos. LP6, LP7

Leopard

Key Code KB LP A SL



Model nos. LP8, LP8/2

Key Code KB LP B SL



Model nos. LP9, LP10, LP60

Key Code KB LP C SL

Locking Hasp



Model nos.Key CodeLH1KB LH1



Keys and Key Blanks

Stronglock Pin Tumbler



Model nos.

Stronglock Pin Tumbler

Vulcan Range

D-Lock

Key Code

KB P4 (formerly KB O2)

All Terrain

Stronghold Hi-Security



Model nos.

Stronghold Hi-Security SS65S, SS65CS, WS75, WS50, SS50S,

SS50CS, HLS50, SS65/2.5, SS50 MARINE VERSIONS

Key Code

KB P6 (formerly CYKEY/SI/BL)

Stronghold R1 Restricted Range



Model nos.
Cut Key for restricted cylinders and locks
Key Code
CYKEY/R1/BL



Model nos. ATL4, ATL5, ATL4S, ATL5S **Key Code** KB ATL4/5

35, 37, 37CS, 37/2.5,

VULCAN P4 40, P4 45, P50

39, 39CS, 39/2.5

-All shackle types

CH260

GarageGuard



Model nos. GARAGEGUARD **Key Code** KB GARAGE GUARD Model nos.

Lion LN3, LN4, LN4S, LN4/2.5, LN5, LN60 Warehouse WL2, WL3, ASWL 1, ASWL 2 SS50P5, SS50CP5, WS50P5

WARRIOR WAR65, WAR55, WAR45 - All shackle types

D Lock Hammerhead

Mako Conger, AD25, CN8, CN6, 25mm, 18mm, 14mm

Key Code KB P5

Key Blanks

Code	Description	Barcode
KBLN A SL	Keyblank for 20 & 25 Lion brass	Special
KBLN C SL	Keyblank for LN / DCL / P5 / WL / ASWL / WAR	Special
KBLP A SL	Keyblank for 20 & 25 Leopard Brass	Special
KBLP B SL	Keyblank for 30 Leopard Brass	Special
KBLP C SL	Keyblank for 40, 50, 60, 70 Leopard Brass	Special
KBATL4/5	Keyblank for All Terrain	Special
KB 220	Keyblank for Old english (220)	Special
KB 440	Keyblank for Old english (440)	Special
KB 660	Keyblank for Old english (660)	Special
KB 02	Keyblank for Laminated stronglock, Vulcan	Special
CYKEY/S1/BL	Keyblank for Stronghold 6 pin	Special
KBLH1	Keyblank for Locking Hasp	Special
KB DCL N	Keyblank for DCL1	Special
CYKEY/R1/BL	Keyblank for restricted cylinders	Special
KB GARAGE GUARD	Keyblank for Garage Guard	Special
KB P4	Key Blank P4 (4-Pin) Laminated padlocks (same as KB 02)	Special
KB P5	Key Blank P5 (5-Pin) padlocks	Special
KB P6	Key Blank P6 (6-Pin) Stronghold Padlocks (same as CYKEY/S1/BL)	Special

Cut Keys

Code	Description	Barcode
CK660	Cut key for 660 Old English	Special
CK440	Cut key for 440 Old english	Special
CK220	Cut key for 220 Old english	Special
CK02	Cut key for Laminated Stronglock	Special
CKATL	Cut key for All Terrain padlocks	Special
CKLN	Cut key for Lion padlocks	Special
CKLP	Cut key for Leopard padlocks	Special
CYKEY/S1/CK	Cut key for Stronghold 6 pin	Special
MK	Cut Master Key for all ranges	Special
CYKEY/R1/CK	Cut Key for restricted cylinders	Special
CKP4	Cut Key P4 (4-Pin) Laminated padlocks (same as KB 02)	Special
CKP5	Cut Key P5 (5-Pin) padlocks	Special
CKP6	Cut Key P6 (6-Pin) Stronghold Padlocks (same as CYKEY/S1/BL)	Special

Merchandisers

BP85 Merchandiser

BP85

A free merchandiser is available as part of a stocking deal covering 50+ lines to a set retail value.

Speak to your representative.



BP85 Specification				
Height	2050mm			
Depth	550mm			
Width	1000mm			
Colour	Blue and Gold			
Total Goods Value	Contact Squire			

BP65 Merchandiser

Bp65

A free merchandiser is available as part of a stocking deal covering 40+ lines to a set retail value.

Speak to your representative.



BP65 Specification	BP65 Specification				
Height	2050mm				
Depth	550mm				
Width	650mm				
Colour	Blue and Gold				
Total Goods Value	Contact Squire				

BP40 Merchandiser - Hardware Key and Combination versions

Bp40

A free merchandiser is available as part of a stocking deal covering 20+ lines to a set retail value.

Squire customers can choose: BP40 Hardware key operated locks

BP40 Hardware combination locks

BP40 Combination and Key - combined



BP40 Specification				
Height	1780mm			
Depth	495mm			
Width	430mm			
Colour	Blue and Gold			
Total Goods Value	Contact Squire			



Merchandisers

BP40 Merchandiser - Cycle Key and Combination versions

Bp40 A free merchandiser is available as part of a stocking deal covering 20+ lines to a set retail value.

Squire customers can choose: BP40 Cycle key operated locks

BP40 Cycle combination locks

BP40 Combination and Key - combined



BP40 Specification				
Height	1780mm			
Depth	495mm			
Width	430mm			
Colour	Blue and Gold			
Total Goods Value	Contact Squire			

Counter Top Merchandisers

Ct30

A free merchandiser is available as part of a stocking deal covering 8+ lines to a set retail value.

СТ30				
Height	225mm			
Depth	500mm			
Width	245mm			
Colour	Blue and Gold			
Total Goods Value	Contact Squire			



Terms and conditions

In these Conditions "the Company" shall mean Henry Squire & Sons Ltd and "the Goods" shall mean and includes goods and/or works (including all workmanship) or any part thereof of any description to be performed under this Contract.

Formation of Contract

- 1.1.1. All quotations, offers and tenders are made and all orders are accepted subject to the following Conditions. All other terms, conditions or warranties whatsoever are excluded from any contract between the Company and the Customer unless expressly accepted in writing by a director or other authorised representative of the Company.
- 1.1.2. In the event of a conflict between these Conditions and the Company's express terms of any tender, quotation or order acknowledgement then such express terms shall nrevail
- 1.2. Quotations, offers and tenders issued by the Company are for the whole of the goods referred to in them and the Company reserves the right to refuse acceptance of any order which relates to only part of the Goods forming the subject of a quotation, offer or tender.
- 1.3. Quotations shall be available for acceptance for a maximum period of 30 days from the date of issue and may be withdrawn by the Company at any time prior to the Customer's acceptance by written or oral notice.
- 1.4. If any statement or representation has been made to the Customer by the Company, or its employees, officers or agents upon which the Customer relies (other than in the document[s] enclosed with the Company's quotation or acknowledgement of order) then the Customer must set out that statement or representation in a document to be attached to or endorsed on the order and in any such case the Company may confirm, reject or clarify the point and submit a new quotation, if appropriate. Under no circumstances shall the Company be responsible or held liable in respect of any statement or representation relied upon by the Customer which is not endorsed on the order and subsequently confirmed in writing by the Company.
- 1.5. Unless specifically agreed to the contrary all trade terms shall be interpreted in accordance with the INCOTERMS current at the time the order is accepted.

Prices

- 2.1. Unless otherwise stated in writing, all prices are quoted nett ex works and VAT, where appropriate, is payable in addition.
- 2.2. Unless otherwise agreed in writing, carriage will be paid on all orders of a nett value of £145 or over for despatch to points within the United Kingdom by the Company's usual means of carriage. Orders of a nett value less than £145 may also be despatched but the carriage charge will be debited on the invoice.
- 2.3. Where, at the Customer's request, orders are forwarded by any means involving a higher carriage charge than would be incurred by use of the Company's usual means of carriage then the additional charge will be debited on the invoice.
- 2.4. Quoted prices are subject to fluctuation and the price payable for the Goods shall be the standard trade price of the Company as published in its recommended retail price list (less any agreed discounts) in force at the time of delivery.
- 2.5. In the event of any alteration being requested by the Customer in design or specification and agreed to by the Company, the Company shall be entitled to make an adjustment to the quoted price fairly reflecting such alteration.

Payment

- 3.1 Unless otherwise agreed by the Company in writing and subject to satisfactory trade references, payment shall be due and payable by the end of the month following the month in which the invoice was issued, a cash discount of 1.5% will be allowed on all invoices that are paid by the due date unless otherwise stated.
- 3.2. The Company shall be entitled to submit its invoice with its delivery advice note or at

- any time afterwards save that where delivery has been postponed at the request of or by the default of the Customer then the Company may submit its invoice at any time after the Goods are ready for delivery or would have been ready in the ordinary course but for the request or default on the part of the Customer.
- 3.3. Where Goods are delivered by instalments the Company may invoice each instalment separately and the Customer shall pay such invoices in accordance with these Conditions.
- 3.4. No disputes arising under the contract nor delays beyond reasonable control of the Company shall interfere with prompt payment in full by the Customer.
- 3.5. In the event of default in payment by the Customer the Company shall be entitled, without prejudice to any other right or remedy:
- **3.5.1.** to suspend all further deliveries on any contract or contracts between the Company and the Customer without notice.
- 3.5.2. to charge interest on any amount outstanding at the rate of either 2% per annum above the Base Rate of Barclays Bank plc such interest being charged as a separate continuing obligation not merging with any judgement; and/or
- 3.5.3. to serve notice on the Customer requiring immediate payment for all Goods supplied by the Company under this and all other contracts with the Customer whether or not payment is otherwise due.
- 3.6. All payments received by the Company from the Customer may unless specifically appropriated by the Customer to any particular consignment of Goods be appropriated by the Company as it thinks fit.

Delivery

- 4.1. Time for delivery is given as accurately as possible but is not guaranteed. The Customer shall have no rights to damages or to cancel the order for failure for any cause to meet any delivery time stated
- 4.2. Failure by the Customer to take delivery of or to make payment in respect of any one or more instalments of Goods delivered under the contract shall entitle the Company to treat the whole or part of the contract as repudiated by the Customer.
- 4.3. The Company will endeavour to comply with reasonable requests by the Customer for postponement of delivery but shall be under no obligation to do so. Where delivery is postponed, otherwise than due to the default by the Company, the Customer shall pay all costs and expenses so occasioned and payment for the Goods shall be made in accordance with these Conditions.
- 4.4. Any packaging supplied by the Company, unless otherwise expressly agreed in writing, is intended to provide adequate protection in normal conditions of transit of usual duration.
- **4.5.** Section 32(2) and (3) of the Sale of Goods Act 1979 shall not apply.

Minimum Orders and Packing

- 5.1. Unless otherwise agreed in writing orders must conform to minimum standard pack quantities shown in the Company's current price list. Where smaller than standard pack quantities are ordered for any Goods this quantity will be increased to conform to the nearest pack multiple.
- **5.2.** Presentation-packed products will be sent against all orders unless the Customer states on the face of the order that carton-pack is required.

Risk and Title

- **6.1.** Risk shall pass to the Customer so that the Customer is responsible for all loss, damage or deterioration to the Goods:
- 6.1.1. if the Company delivers the Goods by its own transport or in accordance with a specific contractual obligation arranges transport for the Goods at the time when they arrive at the designated place of delivery, or
- 6.1.2. in all other circumstances at the time when the Goods leave the premises of the Company.6.2. Title to the Goods shall only pass to the Customer upon the happening of any one of the
- **6.2.1.** the Customer has paid to the Company all sums (including any default interest) due from it

- to the Company under this contract and under all other contracts between the Company and the Customer including (for the avoidance of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or under contracts made after this contract whether or not the same are immediately payable, or of doubt) any sums due under contracts made after this contract whether or not the same are immediately payable, or
- **6.2.2.** when the Company serves on the Customer notice in writing specifying that title in the Goods has passed.
- 6.3. The Company may recover Goods in respect of which title ny premises of the Customer for the purpose either of satisfying itself that Condition 6.4 is being complied with by the Customer or of recovering any Goods in respect of which title has not passed to the Customer. As not passed to the Customer at any time and the Customer hereby licenses the Company, its officers, employees and agents to enter upon any premises of the Customer for the purpose either of satisfying itself that Condition 6.4 is being complied with by the Customer or of recovering any Goods in respect of which title has not passed to the Customer.
- 6.4. Until title to the Goods has been passed to the Customer pursuant to these terms it shall possess the Goods as fiduciary agent and bailee of the Company. If the Company so requires, the Customer shall store the Goods separately from other goods and shall ensure that they are clearly identifiable as belonging to the Company.

Cancellation and Return of Goods

- 7.1. Cancellation by the Customer will only be agreed to by the Company on condition that all costs and expenses incurred by the Company up to the time of cancellation and all loss of profits and other loss or damage resulting to the Company by reason of such cancellation will be paid forthwith by the Customer to the Company.
- 7.2. Goods returned to the Company without the Company's consent will under no circumstances be accepted for credit. Goods will only be accepted if they are, in the sole opinion of the Company, in good saleable condition and remain upon the Company's current price list. An inspection and handling fee will be charged on such Goods.

Sale by Sample

Not withstanding that samples may be or have been submitted by the Company the sale to the Customer is not and shall not be deemed to be a sale by sample for the purposes of Section 15 of the Sale of Goods Act 1979. Any samples submitted to the Customer are intended to indicate only the substance and the general character of the materials and the Customer shall have no claim if the colour composition of the bulk supplied fails to correspond with the sample in such respect unless the particular requirement is specified by the Customer and accepted by a director or other authorised representative of the Company in writing.

Specification

9. The information contained in the advertising, sales and technical literature issued by the Company may be relied upon to be accurate in the exact circumstances in which it is expressed otherwise any illustrations, performance details, examples of installations and methods of assembly and all other technical data in such literature are based on experience and on trials under test conditions and are provided for general guidance only. No such information or data shall form part of the contract unless the Customer shall have complied with Condition 1.4. relating to statements and representations.

Loss Shortages and Defects Apparent on Inspection

- **10.1.** The Customer shall have no claim for loss, shortages or damage on delivery which are or would be apparent on visual inspection unless:
- **10.1.1.** the Customer inspects the Goods within three working days of their arrival at its

Terms and conditions

- premises or other agreed destination, and
- 10.1.2. a written complaint specifying the loss, shortage or damage is made to the Company and to the carrier within seven working days of delivery in the event of partial loss, damage, or non-delivery of any separate part of a consignment, or within fourteen working days of the notified date of despatch in the event of non-delivery of a whole consignment or, in either event, within such shorter period as the carrier's conditions (if applicable) require, and
- **10.1.3.** The Company is given an opportunity to inspect the Goods and investigate any complaint before any use of or alteration to or interference with the Goods.
- 10.2. If a complaint is not made to the Company as provided in this Condition 10 then the Goods will be deemed to be in all respects in accordance with the contract and the Customer shall be bound to pay for the same accordingly.
- **10.3.** Defects in any instalment delivery shall not be a ground for cancellation of the remainder of the order.

Defects not Apparent on Inspection

- 11.1. The Customer shall have no claim in respect of defects not apparent on visual inspection following delivery conditions unless: envisaged by these Conditions unless:
- 11.1.1. a written complaint is sent to the Company as soon as reasonably practicable after the defect is discovered and no use is made of the Goods thereafter and no alteration made thereto or interference made therewith before the Company is given an opportunity to inspect the Goods in accordance with this Condition.
- 11.2. The Customer shall not be entitled to any claim in respect of any repairs or alterations undertaken by the Customer without the prior specific written consent of the Company nor in respect of any defect arising by reason of fair wear and tear or damage due to accident, neglect or misuse nor in respect of any Goods to which alterations have been made without such consent or to which replacement parts not supplied by the Company have been fitted.
- 11.3. The Company shall not be liable for and the Customer shall indemnify the Company against claims arising from their loss or damage suffered by reason of use of the Goods after the Customer becomes aware of a defect or after circumstances which should reasonably have indicated to the Customer the existence of a defect.
- 11.4. The Company may within 15 working days of receiving a written complaint (or 28 days where the Goods are situated outside the United Kingdom) inspect the Goods and the Customer, if so required by the Company, shall take all steps necessary to enable the Company to do so.

Guarantee Condition

- 12.1. Save as otherwise provided by the other conditions of these Conditions Sections 13 to 15 of the Sale of Goods Act 1979 are to be implied into the contract.
- 12.2. In the event of the condition of the Goods being such as might or would (subject to these Conditions) entitle the Customer to claim damages, to repudiate the contract and/or reject the Goods the Customer shall not then do so but shall first ask the Company to repair or supply satisfactory substitute Goods and the Company shall thereupon be entitled at its option to repair or take back the defective Goods and to supply satisfactory substitute Goods free of cost and within a reasonable time or to repay the price of the Goods in respect of which the compliant is made.
- 12.3. If the Company does so repair the Goods or supply satisfactory substitute Goods or effect repayment pursuant to Condition 12.2. above the Customer shall be bound to accept such repaired or substituted goods or repayment and the Company shall be under no liability in respect of any loss or damage whatsoever arising from the initial delivery of the defective Goods or from the delay before the defective Goods are repaired or the substitute Goods are delivered or the repayment is effected.

Liability

13. Save where the Company is shown to have failed to exercise reasonable care in the manufacture and/or supply of the Goods and such failure results in death repaired or substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT). or personal injury, the Company shall not be liable in respect of claims arising by reason of death or personal injury. Further, under no circumstances whatsoever shall the Company be liable for consequential loss (including removal or rectification work required in connection with the installation of repaired or substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT).

be liable for consequential loss (including removal or rectification work required in connection with the installation of repaired or substitute Goods) loss of profits, damage to property or wasted expenditure and costs (including without limitation legal costs on a full indemnity basis and VAT).

Confidential Information and Industrial Property Rights

- 14.1. All drawings, documents, confidential records, computer software and other information supplied by the Company are supplied on the express understanding that copyright is reserved to the Company and that the Customer will not, without the written consent of the Company, either give away, loan, exhibit or sell any such drawings, documents, records, software or other information or extracts there from or copies thereof or use them in any way except in connection with the Goods in respect of which they are issued.
- 14.2. All claims for alleged infringement in respect of patents, trade marks, registered design, design right or copyright received by the Customer must be notified immediately to the Company so that the Company can be kept fully informed of the conduct of such claims. trade marks, registered design, design right or copyright received by the Customer must be notified immediately to the Company so that the Company can be kept fully informed of the conduct of such claims.

Customers' Drawings

- 15.1. The Customer shall be solely responsible for ensuring that all drawings, information, advice and recommendations given to the Company, either directly or indirectly by the Customer's agents, servants, consultants, or advisers are accurate, correct and suitable. Examination or consideration by the Company of such drawings, information, advice or recommendations shall in no way limit the Customer's responsibility hereunder unless a director or other authorised officer of the Company specifically agrees in writing to accept responsibility.
- 15.2. The Customer shall indemnify the Company from and against all actions, claims, costs and proceedings which arise due to the manufacture of Goods to the drawings or specifications of the Customer where such drawings or specifications are at fault or where it is alleged that they involve an infringement of a patent, copyright, registered design, design right or design copyright or other exclusive right.

Insolvency

If the Customer shall become bankrupt or under the provisions of Section 123 of the Insolvency Act 1986 is deemed to be unable to pay its debts or compounds with creditors or in the event of a resolution being passed or proceedings commenced for the administration or liquidation of the Customer (other than for a voluntary solvent winding up for the purposes of reconstruction or amalgamation) or if a Receiver or Manager is appointed for all or any part of its assets or undertaking, the Company shall be entitled to cancel the contract in whole or in part by notice in writing without prejudice to any other right or remedy accrued or accruing to the Company.

Force Majeure

- 17.1. In the event of the performance of any obligation accepted by the Company being prevented, delayed, or in any way interfered with by either:
- 17.1.1. direction of government, war, industrial dispute, strike, breakdown or machinery or plant, accident, fire or by any other cause beyond the Company's control, or
- 17.1.2. non-delivery by the Company's suppliers or damage to or destruction of the whole date of

suspension or cancellation.

or part of the Goods, the company may at its option suspend performance or cancel its obligations under the contract without liability for any damage or consequential loss resulting there from such suspension or cancellation being without prejudice to the Company's right to recover all sums owing to it in respect of consignments delivered and costs incurred prior to the date of suspension or cancellation.

Consumer Protection Act 1987 ("the Act")

- 18.1. In circumstances where the Company supplies parts or products to the Customer for incorporation with, or use ancillary to, any composite or other products to be produced, manufactured, processed or supplied by the Customer then:
- 18.1.1. the Customer shall forthwith on demand produce for inspection by the Company copies of all written instructions, information and warnings to be supplied by the Customer in relation to the said composite or other products, provided nevertheless that such inspection or right to inspect shall not of itself constitute acceptance or approval on the part of the Company of such instructions, information or warnings, and
- 18.1.2. the Customer shall indemnify, reimburse and compensate the Company for all losses and damages (including costs, expenses and charges for legal actions in which the Company may be involved) that the Company may incur in the event that any claim or claims are made against the Company pursuant to the Act or otherwise relating to the said composite or other products of the customer in circumstances in which the part or product supplied by the Company was either (i) not the defective part of the said composite product, of (ii) was only rendered the defective part or became a defective product by reason or actions or omissions of the Customer (including without limitation the supply of defective free issue materials), or (iii) was only rendered the defective part or became a defective product by reason of instructions or warnings given by the Customer or other supplier of the said composite or other products or (iv) supplied in accordance with a specification and/or drawings furnished by or on behalf of the Customer.
- **18.1.3.** for the purpose of this condition only the word "defective" shall be interpreted in accordance with the definition of 'defect' contained in Part 1 or the Act.
- 18.2. The Customer hereby acknowledges that it is under a duty to pass on to its customers (where appropriate) all instructions, information and warnings supplied to it by the Company with the Goods.

Assignment

19. The contract is between the Company and the Customer as principles and under no circumstances shall the Customer assign the benefit or burden of it without the prior written consent of the Company. The Company shall be entitled to assign or sub-contract the whole or part of its obligations under the contract.

Severability

20. In the event of any provision of these Conditions being or becoming void in whole or part of the other other provisions of these conditions shall remain fully valid and enforceable and void provisions shall, where appropriate, be replaced in accordance with the meaning and purpose of these Conditions.

Legal

21. The contract shall be governed and interpreted exclusively according to the law of England and shall be subject to the jurisdiction of the English Courts only.



@WORK













@Work includes our flagship **Stronghold[®]range, great** for securing warehouses, shipping containers, or heavy machinery. We've also got more portable locks for toolboxes or vans.



@HOME





for outside gates or sheds.









@Home, as the name suggests, is designed for home use. It includes general purpose products like our brass, laminated and combination padlocks. Ideal for gates, toolboxes, cabinets and garage doors, there are specialist locks like our combination bolt locks & hasps



@LEISURE











@Leisure is for when you're out and about. Marine grade locks for boats and hard weather conditions. TSA approved locks for when you're flying abroad, or for your trailer or caravan.











Toughness guaranteed.

www.squirelocks.co.uk

