

LUBRICANT STORAGE CABINETS





Description:

Steel Safety storage cabinets, non fire proof but equipped with a retention bottom.

Steel shelves with 100 kg capacity. 1 or 3 retention shelves (high units) adjustable in height. One bottom retention tank of 70 mm high. Doors with double fixing and lock with 2 keys. Fully welded walls and construction for high strength and stability. Doors with ventilation holes in 4 corners.

The cabinets are coated with high strength scratch proof structured epoxy coating. Door Color is safety yellow RAL 1023 for high visibility. Cabinet For liquids with ADR 8/9 class.

Ideal for the storage of lubricants in **OilSafe cans & lids** when fire proof rating is not compulsory. Other fire proof rated cabinets available.



Technical Data

SK-0106100: Safety Cabinet with retention

- H 1020 x W 930 x D 500
- Yellow doors + Grey (RAL 1023)
- Shelves: 1 + reten.
- Retention: 2 x 30 l

SK-0195053: Safety Cabinet with retention

- H 1950 x W 502 x D 500
- Yellow doors + Grey (RAL 1023)
- Shelves: 3 + reten.
- Retention: 4 x 15 l

SK-0195100: Safety Cabinet with retention

- H 1950 x W 930 x D 500
- Yellow doors + Grey (RAL 1023)
- Shelves: 3 + reten.
- Retention: 4 x 30 l



OPEN STORAGE RACK

FOR LUBRICANTS AND OILSAFE CANS



Description:

Steel Safety open storage racks, equipped with retention shelves.

Steel shelves with 70 kg capacity. Standard rack with 5 retention shelves, adjustable in height.

Racks are coated with high strength scratch proof structured epoxy coating. Vertical C-profile 40 x 20 x 10 x 1.5 mm steel. Retention shelves in 1.5 mm steel.

Ideal for the storage of lubricants in OilSafe drums & grease guns, when spill retention is advisable. Other fire proof rated cabinets available. For all non-corrosive but environmental unfriendly liquids.

Unmounted for shipping. Easy mounting in 10 minutes. Extendable standard rack with add-on racks without length limitation. Closed retention shelved cabinets standard and fire proof rated cabinets available.

Technical Data







MT-920157705

MT-920157706

MT-920157707

MT-920157705: OilSafe Storage Rack, complete rack

• 2000 x 1000 x 500

• 5 shelves

• Capacity: 70 kg/s

• Retention: 23 l/s

MT-920157706: OilSafe Storage Rack, add-on extention

• 2000 x 1000 x 500

• 5 shelves

• Capacity: 70 kg/s

• Retention: 23 I / s

MT- 920157707: Extra Shelve

• 1 shelve

• Capacity: 70 kg/s

• Retention: 23 l/s