

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 16-Jun-2014

Revision Date 28-Oct-2021

Revision Number 1.4

1. Identification

Product identifier

Product Name Copaltite

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use High temperature sealing compound

Restrictions on use None known

Details of the supplier of the safety data sheet

Supplier Address

National Engineering Products, Inc.
1950 Capitol Avenue, N.E.
Washington, DC 20002
Phone: (301) 656-1688
Website: www.nationalengineeringproducts.com

E-mail nepi.customerservice@gmail.com

Emergency telephone number

Emergency telephone +1-301-656-1688 (Monday-Friday 9AM to 4PM EST)

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 1 Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 4

Label elements

Danger

Hazard statements

Combustible liquid.
Toxic if swallowed, in contact with skin or if inhaled.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Suspected of causing genetic defects.
May cause cancer.
Causes damage to organs.
May cause respiratory irritation.
May cause drowsiness or dizziness.
May cause damage to organs through prolonged or repeated exposure.

**Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Do not breathe dusts or mists. Keep away from flames and hot surfaces. - No smoking. Keep cool.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice and attention.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

Fire

In case of fire: Use CO₂, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Other information

Risk of blindness after swallowing the product.

Unknown acute toxicity

- 56 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 56 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 85 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. Composition/information on ingredients**Substance**

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Mixed cresols	1319-77-3	10-30	-	-
Methyl alcohol	67-56-1	5-10	-	-
Kaolin	1332-58-7	1-5	-	-
Phenol	108-95-2	1-5	-	-
Formaldehyde	50-00-0	0.1-1	-	-
Quartz	14808-60-7	0.1-1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures**Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Immediate medical attention is required.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms	Burning. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in breathing. May cause blindness.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically. Contains methanol, there is a need for rapid treatment of any ingestion exposure.
---------------------------	---

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Combustible material. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Attention! Corrosive material. Keep people away from and upwind of spill/leak. Do not breathe vapor or mist. Wash thoroughly after handling.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Wash thoroughly after handling.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up. Protect from moisture. Store away from other materials.
---------------------------	--

8. Exposure controls/personal protection

Control parameters**Exposure Limits**

Chemical name	ACGIH TLV		OSHA PEL	NIOSH
Mixed cresols 1319-77-3	TWA: 20 mg/m ³ inhalable fraction and vapor S*		TWA: 5 ppm TWA: 22 mg/m ³ (vacated) TWA: 5 ppm (vacated) TWA: 22 mg/m ³ (vacated) S* S* all isomers	-
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*		TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter		TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Phenol 108-95-2	TWA: 5 ppm S*		TWA: 5 ppm TWA: 19 mg/m ³ (vacated) TWA: 5 ppm (vacated) TWA: 19 mg/m ³ (vacated) S* S*	IDLH: 250 ppm Ceiling: 15.6 ppm 15 min Ceiling: 60 mg/m ³ 15 min TWA: 5 ppm TWA: 19 mg/m ³
Formaldehyde 50-00-0	dermal sensitizer;respiratory sensitizer STEL: 0.3 ppm TWA: 0.1 ppm		TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter		TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Chemical name	Alberta	British Columbia	Ontario	Quebec
Mixed cresols 1319-77-3	TWA: 5 ppm TWA: 22 mg/m ³ Skin	TWA: 10 mg/m ³ Skin	TWA: 20 mg/m ³ Skin	TWA: 20 mg/m ³ Skin
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ Skin	TWA: 200 ppm STEL: 250 ppm Skin	TWA: 200 ppm STEL: 250 ppm Skin	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ Skin
Kaolin 1332-58-7	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³

Phenol 108-95-2	TWA: 5 ppm TWA: 19 mg/m ³ Skin	TWA: 5 ppm Skin	TWA: 5 ppm Skin	TWA: 5 ppm TWA: 19 mg/m ³ Skin
Formaldehyde 50-00-0	Ceiling: 1 ppm Ceiling: 1.3 mg/m ³ TWA: 0.75 ppm TWA: 0.9 mg/m ³	TWA: 0.1 ppm STEL: 0.3 ppm Dermal Sensitizer, Respiratory Sensitizer	TWA: 0.1 ppm STEL: 1 ppm	Ceiling: 2 ppm Ceiling: 3 mg/m ³
Quartz 14808-60-7	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.10 mg/m ³	TWA: 0.1 mg/m ³

Biological occupational exposure limits

Chemical name	ACGIH
Methyl alcohol 67-56-1	15 mg/L - urine (Methanol) - end of shift
Phenol 108-95-2	250 mg/g creatinine - urine (Phenol with hydrolysis) - end of shift

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapor or mist.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Appearance	
Physical state	Liquid
Color	Red, black
Odor	Slight. Methanol-like odor.
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		No data available
Melting point / freezing point		No data available
Initial boiling point and boiling range	80 - 80 °C / 176 - 176 °F	@ 760 mmHg
Flash point	87.8 - 93.3 °C / 190 - 199.9 °F	TOC
Evaporation rate	7	Butyl acetate = 1

Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits	36	
Lower flammability or explosive limits	6.7	
Vapor pressure	52 mmHg	@ 25 °C
Vapor density	1.1	(air = 1)
Relative density	1.135 - 1.165	@20°C
Water solubility		
Solubility(ies)		No data available
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available

Other information

Explosive properties	Not an explosive.
Oxidizing properties	Not an oxidizer.
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk density	No information available

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	May polymerize when heated.
Conditions to avoid	Heat, flames and sparks. Containers may rupture or explode if exposed to heat.
Incompatible materials	Alkali metals. Strong acids. Aldehydes. Halogens. Bases. Strong oxidizing agents. Combustible material. Halocarbons. Amines. Acyl halides.
Hazardous decomposition products	Carbon oxides. Aldehydes. Organic compounds. Sulfur oxides. Barium oxides. Cresol vapors.

11. Toxicological information**Information on likely routes of exposure****Product Information**

Inhalation	Toxic by inhalation. Corrosive by inhalation. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Toxic in contact with skin. Causes burns. May cause sensitization by skin contact.
Ingestion	Toxic if swallowed. Causes burns. MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Burning. Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in breathing. May cause blindness.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 117.50 mg/kg

ATEmix (dermal) 367.20 mg/kg

ATEmix (inhalation-dust/mist) 0.609 mg/l

Unknown acute toxicity

56 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

56 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

85 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Mixed cresols	= 1454 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	-
Methyl alcohol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Phenol	= 340 mg/kg (Rat)	= 630 mg/kg (Rabbit)	-
Formaldehyde	= 100 mg/kg (Rat)	> 2000 mg/kg (Rat)	< 463 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Classification based on data available for ingredients. Suspected of causing genetic defects.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Phenol 108-95-2	-	Group 3	-	-
Formaldehyde 50-00-0	A1	Group 1	Known	X
Quartz 14808-60-7	A2	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	Central nervous system. Eyes. Nervous System. Optic nerve. Gastrointestinal tract (GI). Heart. Kidney. Liver. Lungs. Respiratory system. Skin.
Aspiration hazard	Not applicable.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Mixed cresols 1319-77-3	-	LC50: =10mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =12.8mg/L (96h, <i>Pimephales promelas</i>)	-	-
Methyl alcohol 67-56-1	-	LC50: 13500 - 17600mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 18 - 20mL/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 19500 - 20700mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =28200mg/L (96h, <i>Pimephales promelas</i>) LC50: >100mg/L (96h, <i>Pimephales promelas</i>)	-	-
Phenol 108-95-2	EC50: 0.0188 - 0.1044mg/L (96h, <i>Pseudokirchneriella subcapitata</i>) EC50: 187 - 279mg/L (72h, <i>Desmodesmus subspicatus</i>) EC50: =46.42mg/L (96h, <i>Pseudokirchneriella subcapitata</i>)	LC50: 11.9 - 25.3mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 11.9 - 50.5mg/L (96h, <i>Pimephales promelas</i>) LC50: 20.5 - 25.6mg/L (96h, <i>Pimephales promelas</i>) LC50: 23.4 - 36.6mg/L (96h, <i>Oryzias latipes</i>) LC50: 33.9 - 43.3mg/L (96h, <i>Oryzias latipes</i>) LC50: 34.09 - 47.64mg/L (96h, <i>Poecilia reticulata</i>) LC50: 4.23 - 7.49mg/L (96h, <i>Oncorhynchus</i>)	-	EC50: 10.2 - 15.5mg/L (48h, <i>Daphnia magna</i>) EC50: 4.24 - 10.7mg/L (48h, <i>Daphnia magna</i>)

		mykiss) LC50: 5.0 - 12.0mg/L (96h, Oncorhynchus mykiss) LC50: 5.449 - 6.789mg/L (96h, Oncorhynchus mykiss) LC50: 7.5 - 14mg/L (96h, Oncorhynchus mykiss) LC50: =0.00175mg/L (96h, Cyprinus carpio) LC50: =11.5mg/L (96h, Lepomis macrochirus) LC50: =13.5mg/L (96h, Lepomis macrochirus) LC50: =27.8mg/L (96h, Brachydanio rerio) LC50: =31mg/L (96h, Poecilia reticulata) LC50: =32mg/L (96h, Pimephales promelas)		
Formaldehyde 50-00-0	-	LC50: 0.032 - 0.226mL/L (96h, Oncorhynchus mykiss) LC50: 100 - 136mg/L (96h, Oncorhynchus mykiss) LC50: 22.6 - 25.7mg/L (96h, Pimephales promelas) LC50: 23.2 - 29.7mg/L (96h, Pimephales promelas) LC50: =1510µg/L (96h, Lepomis macrochirus) LC50: =41mg/L (96h, Brachydanio rerio)	-	EC50: 11.3 - 18mg/L (48h, Daphnia magna) LC50: =2mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Methyl alcohol 67-56-1	-0.77
Phenol 108-95-2	1.5
Formaldehyde 50-00-0	0.35

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers.
California waste information	This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Mixed cresols - 1319-77-3	1.0
Methyl alcohol - 67-56-1	1.0
Phenol - 108-95-2	1.0
Formaldehyde - 50-00-0	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Mixed cresols 1319-77-3	100 lb	-	-	X

Phenol 108-95-2	1000 lb	X	X	X
Formaldehyde 50-00-0	100 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Mixed cresols 1319-77-3	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ
Methyl alcohol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Phenol 108-95-2	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Methyl alcohol - 67-56-1	Developmental
Formaldehyde - 50-00-0	Carcinogen
Quartz - 14808-60-7	Carcinogen
Aniline - 62-53-3	Carcinogen
Nitrobenzene - 98-95-3	Carcinogen Male Reproductive

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Mixed cresols 1319-77-3	X	X	X
Methyl alcohol 67-56-1	X	X	X
Kaolin 1332-58-7	X	X	X
Phenol 108-95-2	X	X	X
Formaldehyde 50-00-0	X	X	X
Graphite 7782-42-5	X	X	X
Mica 12001-26-2	X	X	X
Quartz 14808-60-7	X	X	X
Nitrobenzene 98-95-3	X	X	X
Aniline 62-53-3	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	Health hazards 3	Flammability 2	Instability 0	Special hazards -
HMIS	Health hazards 3 *	Flammability 2	Physical hazards 0	Personal protection X
Chronic Hazard Star Legend		* = Chronic Health Hazard		

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Issuing Date 16-Jun-2014

Revision Date 28-Oct-2021

Revision Note Change to composition. Change to classification. Updated format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet