



For more than two decades years, OilSafe® has been the oil transfer management system preferred by leading companies around the world.

The hermetically sealed and color-coded OilSafe systems are innovative, practical and durable.

The benefits of OilSafe®:

- Makes lubrication safer, cleaner, easier and faster.
- Protects expensive lubricants from contamination.
- Reduces machine downtime.
- Improves productivity.
- Allows for additional savings.
- Is proven, simple and reliable.
- Facilitates compliance with standards such as : ISO, BRC, IFS & Lubrication Reliability™ .
- Meets all usage requirements and withstands the harshest working environment.



Technical Data

Bright colors make it easy to locate OilSafe drums and code lubricants.

Easy to open and close twist spout. Regulates flow and keeps out contaminants.

OilSafe Standard Pump delivers 1 L per 14 strokes.

Drums and lids are fully interchangeable, all lid types can be combined with any drum.

Ruggedly designed lid for easier use.

Self-closing air inlet knob allows air to pour lubricants quickly.

Transparent drums with contents display make it easy to see the oil level.

Fill the drums with lubricants and store them safely with the Storage Lids.

The flexible extension hose to reach awkward or difficult places.

Order information

Drums:

Fully interchangeable with all OilSafe lids. These drums have an extra wide neck for quick pouring and easy cleaning.



- 1.5 L: **OS-101001**
- 2 L: **OS-101002**
- 3 L: **OS-101003**
- 5 L: **OS-101005**
- 10 L: **OS-101010**

Storage Lid:



With this lid, OilSafe Drums can be pre-filled for storage or easier transportation. This is a convenient alternative to handling bulky 20 L drums.

- **OS-100100**: Beige
- **OS-100101**: Black
- **OS-100102**: Blue
- **OS-100103**: Dk Green
- **OS-100104**: Gray
- **OS-100105**: Mid green
- **OS-100106**: Orange
- **OS-100107**: Purple
- **OS-100108**: Red
- **OS-100109**: Yellow

Utility Lid:

Multipurpose lid with large outlet hole ensures controlled fast pouring of lubricants. Match this lid to a 3, 5 or 10 L drum for use with the OilSafe pump.



- **OS-100200**: Beige
- **OS-100201**: Black
- **OS-100202**: Blue
- **OS-100203**: Dk Green
- **OS-100204**: Gray
- **OS-100205**: Mid green
- **OS-100206**: Orange
- **OS-100207**: Purple
- **OS-100208**: Red
- **OS-100209**: Yellow

Stretch Spout Lid:



Designed for use where precise pouring of lubricants is required including hard to reach areas. Ideal for lower viscosity oils (less than ISO 220).

- **OS-100300**: Beige
- **OS-100301**: Black
- **OS-100302**: Blue
- **OS-100303**: Dk Green
- **OS-100304**: Gray
- **OS-100305**: Mid green
- **OS-100306**: Orange
- **OS-100307**: Purple
- **OS-100308**: Red
- **OS-100309**: Yellow

Mini Spout Lid:

With an outlet diameter of apr 7 mm (9/32") this Mini Spout is ideal for lubricating jobs where equipment fill holes are small.



- **OS-100400**: Beige
- **OS-100401**: Black
- **OS-100402**: Blue
- **OS-100403**: Dk Green
- **OS-100404**: Gray
- **OS-100405**: Mid green
- **OS-100406**: Orange
- **OS-100407**: Purple
- **OS-100408**: Red
- **OS-100409**: Yellow

Stumpy Spout Lid:



This wide spout model is especially designed for applications where a higher lubricant flow is required.

- **OS-100500**: Beige
- **OS-100501**: Black
- **OS-100502**: Blue
- **OS-100503**: Dk Green
- **OS-100504**: Gray
- **OS-100505**: Mid green
- **OS-100506**: Orange
- **OS-100507**: Purple
- **OS-100508**: Red
- **OS-100509**: Yellow

Stumpy hose extension:

Fits the Stumpy Spout Lids to help with hard to reach fill points.



- **OS-102021**

Stretch hose extension:



Fits the Stretch and Mini Spout Lids to help with hard to reach fill points.

- **OS-102020**

Order information

OilSafe Standard Pump:

The powerful pressure pump delivers 1 L per 14 strokes. Fits the Utility lid and a 3, 5 or 10 L drum. Comes with drain hose and anti-drip spout. Fit the nozzle adapter for smaller filling holes.

- **OS-102000**



Pump Reducer Nozzle:

Suits both OilSafe Standard & Premium Pumps.

The accessory fits the aluminium anti-drip discharge pipe on the outlet end of the pump hoses and reduces the diameter down to apr 6.5 mm, making oil top offs to very small fill point easy, simple, fast and clean.

- **OS-102030**



Available colours for OilSafe Lids, Identification Labels & Premium Pump:

- Beige
- Black
- Blue
- Dark green
- Gray
- Mid green
- Orange
- Purple
- Red
- Yellow



OilSafe Premium Pump:

Feature rich and will handle up to ISO 680 fluids.

The premium pump is a heavy duty, colour coded discharge pump with fully serviceable internals for maximum life.

Supplied with a 1.5 m anti-drip outlet discharge hose and colour coded body collar, this pump can also be easily converted for quick connect use. Quick connects enable the container to be filled through the pump body (without removing the lid) and also enables attachment to machine refill points by quick connect via the pump discharge hose. Quick connect kits and replacement parts are available.

It is matched with the OilSafe Utility Lid and 3, 5 and 10 L drums. .

- **OS-102300**: Beige
- **OS-102301**: Black
- **OS-102302**: Blue
- **OS-102303**: Dk Green
- **OS-102304**: Gray
- **OS-102305**: Mid green
- **OS-102306**: Orange
- **OS-102307**: Purple
- **OS-102308**: Red
- **OS-102309**: Yellow



OilSafe pump - 20 L Drum Adapters:

Adapters are available to mount OilSafe Pumps (Standard and Premium) on 20 L containers. These can be metal drums or plastic containers. Adapters can be supplied when information on the drum thread is provided.

- **LT-PT9001**

