

Literatuurlijst Handboek voor de kindervoet

Richtlijnen en protocollen

- Carr, J.B., S. Yang & L.A. Lather (2016). 'Pediatric Pes Planus: A State-of-the-Art Review', in: *Pediatrics*. 137(3):e20151230.
- Deurloo, J., C. Lanting, R. van Zoonen (2019). Autorisatie: Inhoudelijk door de AJN, V&VN vakgroep jeugd en NVDA, randvoorwaardelijk door ActiZ en GGD GHOR Nederland; Tevens geautoriseerd door de NVK. TNO. September.
- Evans, A.M. (2022). 'Pediatric Flat Feet: A 2020 Guide for Clinicians to Identify the Boomerangs', in: *J Am Podiatr Med Assoc*. May-Jun;112(3):20-103.
- Hell, A.K. (2017). *Kindlicher Knick-Senk-Fuß*. Januar. Federführende Fachgesellschaft Deutsche Gesellschaft für Orthopädie und Orthopädische Chirurgie (DGOOC).
- *NHS Greater Glasgow and Clyde. Common Concerns about Normal Development. Guidelines for referral to the community paediatric physiotherapy service*. Ongedateerd.
- Turner, C., M.D. Gardiner, A. Midgley & A. Stefanis (2020). 'A guide to the management of paediatric pes planus', in: *Aust J Gen Pract*. May;49(5):245-249.

Reviews en meta-analyses

- Banwell, H.A., M.E. Paris, S. Mackintosh, et al. (2018). 'Paediatric flexible flat foot: how are we measuring it and are we getting it right? A systematic review', in: *J Foot Ankle Res*.
- Böhm, H., J. Stebbins, A. Kothari & C.U. Dussa (2024). 'Dynamic Gait Analysis in Paediatric Flatfeet: Unveiling Biomechanical Insights for Diagnosis and Treatment', in: *Children*. 11:604.
- Cranage, S., L. Perraton, K.-A. Bowles & C. Williams (2019). 'The impact of shoe flexibility on gait, pressure and muscle activity of young children. A systematic review', in: *J Foot Ankle Res*. Nov 29:12:55. <https://doi.org/10.1186/s13047-019-0365-7>. eCollection.
- Davis, I.S., K. Hollander, D.E. Lieberman, S.T. Ridge, I.C.N. Sacco & S.C. Wearing (2021). 'Stepping back to minimal footwear: applications across the lifespan', in: *Exerc. Sport Sci. Rev.* 49(4):228-243.
- Gijon-Nogueron, G., A. Martinez-Nova, P. Alfageme-Garcia, J. Montes-Alguacil, A.M. Evans (2019). 'International normative data for paediatric foot posture assessment: a cross-sectional investigation', in: *BMJ Open*. 9:e023341.
- Heard-Booth, A.N. (2017). *Morphological and Functional Correlates of Variation in the Human Longitudinal Arch*. PhD-dissertation. Faculty of the Graduate School of The University of Texas at Austin.
- Jiang, H., Q. Mei, Y. Wang, J. He, E. Shao, J. Fernandez & Y. Gu (2023). 'Understanding foot conditions, morphologies and functions in children: a current review', in: *Front. Bioeng. Biotechnol.* 11:1192524.
- Morrison, S.C., C. Price, J. McClymont, C. Nester (2018). 'Big Issues for Small Feet: Developmental, Biomechanical and Clinical Narratives on Children's Footwear', in: *J. Foot Ankle Res*. 11:39.
- Squibb, M., K. Sheerin & P. Francis (2022). 'Measurement of the Developing Foot in Shod and Barefoot Paediatric Populations: A Narrative Review', in: *Children*. 9:750.
- Uden, H., R. Scharfbillig & R. Causby (2017). 'The typically developing paediatric foot: how flat should it be? A systematic review', in: *Journal of Foot and Ankle Research*. 10:37.
- Wang, Y., H. Jiang, L. Yu, Z. Gao, W. Liu, Q. Mei & Y. Gu (2023). 'Understanding the Role of Children's Footwear on Children's Feet and Gait Development: A Systematic Scoping Review', in: *Healthcare*. 11:1418.
- Xu, L., H. Gu, Y. Zhang, T. Sun & J. Yu (2022). 'Risk Factors of Flatfoot in Children: A Systematic Review and Meta-Analysis', in: *Int. J. Environ. Res. Public Health*. 19:8247.

Voetenweetjes: anatomische les

- Aoyama, T., S. Tanaka, M. Tanaka, M. Okuda, S. Inoue & C. Tanaka (2018). 'Association between age at onset of independent walking and objectively measured sedentary behavior is mediated by moderate-to-vigorous physical activity in primary school children', in: *PLOS One*. Sep 18. 13(9). <https://doi.org/10.1371/journal.pone.0204030>. eCollection.
- Asghar, A. & S. Naaz (2022). 'The transverse arch in the human feet: a narrative review of its evolution, anatomy, biomechanics and clinical implications', in: *Morphologie*. 106(355):225-34. <https://doi.org/10.1016/j.morpho.2021.07.005>.
- Barisch-Fritz, B., T. Schmeltzpfenning, C. Plank & S. Grau (2014). 'Foot deformation during walking: differences between static and dynamic 3D foot morphology in developing feet', in: *Ergonomics*. 57(6):921-933. <https://doi.org/10.1080/00140139.2014.899629>.
- Bosch, K., J. Gerß & D. Rosenbaum (2010). 'Development of healthy children's feet – Nine-year results of a longitudinal investigation of plantar loading patterns', in: *Gait Posture*. 32(4):564-571.
- Chen, K.C., L.C. Tung, C.H. Tung, C.J. Yeh, J.F. Yang & C.H. Wang (2014). 'An investigation of the factors affecting Flatfoot in children with delayed motor development', in: *Res. Dev. Disabil.* 35:639-645.
- Donatelli, R.A. (1995). *The Biomechanics of the Foot and Ankle*. 2nd Edition. F.A. Davis Company. Philadelphia.
- Francis, P. & G. Schofield (2020). 'From barefoot hunter gathering to shod pavement pounding. Where to from here? A narrative review', in: *BMJ Open Sport & Exercise Medicine*. 6:e000577. <https://doi.org/10.1136/bmjsem-2019-000577>.
- Hadders-Algra, M. & T. Dirks (2006). 'De neurale groepprobleemselectie: over het samenspel van aanleg en omgeving tijdens de ontwikkeling van motoriek', in: *Neuropraxis*. 10(6):165-168.
- Hadders-Algra, M., P. van Iersel & T. Dirks (2013). 'Motorische ontwikkeling', in: R. van Empelen, R. Nijhuis-van der Sanden & A. Hartman (red.). *Kindertherapie*. Reed Business Education.
- Heard-Booth, A.N. (2017). *Morphological and Functional Correlates of Variation in the Human Longitudinal Arch*. PhD-dissertation. Faculty of the Graduate School of The University of Texas at Austin.
- Ivanenko, Y.P., N. Dominici, G. Cappellini, B. Dan, G. Cheron & F. Lacquaniti (2004). 'Development of pendulum mechanism and kinematic coordination from the first unsupported steps in toddlers', in: *J Exp Biol*. 207:3797-3810. <https://doi.org/10.1242/jeb.01214>.
- Ivanenko, Y.P., N. Dominici & F. Lacquaniti (2007). 'Development of independent walking in toddlers', in: *Exerc Sport Sci Rev*. 35:67-73. <https://doi.org/10.1249/JES.0b013e31803eafa8>.
- Kelly, L.A., G. Lichtwark & A.G. Cresswell (2015). 'Active regulation of longitudinal arch compression and recoil during walking and running', in: *J. R. Soc. Interface*. 12: 20141076. <https://doi.org/10.1098/rsif.2014.1076>.
- Kelly, L.A., D.J. Farris, A.G. Cresswell & G.A. Lichtwark (2019). 'Intrinsic foot muscles contribute to elastic energy storage and return in the human foot', in: *J Appl Physiol*. Jan 1. 126(1):231-238. <https://doi.org/10.1152/jappphysiol.00736.2018>. Epub 2018, Nov 21.
- Landels, B. (2022). *Finding their feet*. Indie Experts P/L, Australasia.
- Liu, W., Q. Mei, P. Yu, Z. Gao, Q. Hu, G. Fekete, B. István & Y. Gu (2022). 'Biomechanical Characteristics of the Typically Developing Toddler Gait: A Narrative Review', in: *Children*. 9:406. <https://doi.org/10.3390/children9030406>.
- McKeon, P.O., J. Hertel, D. Bramble & I. Davis (2015). 'The foot core system: a new paradigm for understanding intrinsic foot muscle function', in: *Br J Sports Med*. Mar. 49(5):290.

- Mickle, K.J., J.R. Steele & B.J. Munro (2006). 'The feet of overweight and obese young children: are they flat or fat?', in: *Obesity (Silver Spring, Md.)*. 14(11):1949-1953. <https://doi.org/10.1038/oby.2006.227>.
- Morrison, S.C., J. McClymont, C. Price & C. Nester (2017). 'Time to revise our dialogue: how flat is the paediatric flatfoot?', in: *J Foot Ankle Res*. Nov 21. 10:50. <https://doi.org/10.1186/s13047-017-0233-2>. eCollection.
- Rygelová, M., J. Uchytíl, I.E. Torres & M. Janura (2023). 'Comparison of spatiotemporal gait parameters and their variability in typically developing children aged 2, 3, and 6 years', in: *PLOS One*. May 11;18(5):e0285558. <https://doi.org/10.1371/journal.pone.0285558>. eCollection.
- Schünke, M. (2005). *Anatomische Atlas*. Amsterdam: Uitgeverij Prometheus. 439-440.
- Smith, R.E., G.A. Lichtwark & L.A. Kelly (2022). 'Flexor digitorum brevis utilizes elastic strain energy to contribute to both work generation and energy absorption at the foot', in: *J Exp Biol*. Apr 15. 225(8). <https://doi.org/10.1242/jeb.243792>. Epub, Apr.
- Størvold, G.V., K. Aarethun & G.H. Bratberg (2013). 'Age for onset of walking and prewalking strategies', in: *Early Hum Dev*. Sep;89(9):655-9. <https://doi.org/10.1016/j.earlhumdev.2013.04.010>. Epub, May 20.
- Venkadesan, M., A. Yawar, C.M. Eng, M.A. Dias, D.K. Singh, S.M. Tommasini, A.H. Haims, M.M. Bandi & S. Mandre (2020). 'Stiffness of the human foot and evolution of the transverse arch', in: *Nature*. Mar. 579(7797):97-100. <https://doi.org/10.1038/s41586-020-2053-y>.
- Viseux, F.J.F. (2020). 'The sensory role of the sole of the foot: Review and update on clinical perspectives', in: *Neurophysiologie Clinique/Clinical Neurophysiology*. 50:55-68.
- WHO Multicentre Growth Reference Study Group (2006). 'WHO Motor Development Study: windows of achievement for six gross motor development milestones', in: *Acta Paediatr Suppl*. 450:86-95. <https://doi.org/10.1111/j.1651-2227.2006.tb02379.x>.

Voetfunctie

- Asghar, A. & S. Naaz (2022). 'The transverse arch in the human feet: a narrative review of its evolution, anatomy, biomechanics and clinical implications', in: *Morphologie*. 106(355):225-34. <https://doi.org/10.1016/j.morpho.2021.07.005>.
- Behling, A.-V., M.J. Rainbow, L.W. & L. Kelly (2023). 'Chasing footprints in time – reframing our understanding of human foot function in the context of current evidence and emerging insights', in: *Biol. Rev*. 98:2136-2151.
- D'Amico, J. (2016). 'Understanding the First Ray CME. Orthotics & biomechanics', in: *Podiatry Management*. September.
- Farris, D.J., L.A. Kelly, A.G. Cresswell, G.A. Lichtwark, W.M. Glasoe, H.J. Yack, C.L. Saltzman (2019). 'The functional importance of human foot muscles for bipedal locomotion', in: *PNAS*. January 29. 116(5):1645-1650.
- Farris, D.J., J. Birch & L. Kelly (2020). 'Foot stiffening during the push-off phase of human walking is linked to active muscle contraction, and not the windlass mechanism', in: *J. R. Soc. Interface*. 17: 20200208. <https://doi.org/10.1098/rsif.2020.0208>.
- Francis, P. & G. Schofield (2020). 'From barefoot hunter gathering to shod pavement pounding. Where to from here? A narrative review', in: *BMJ Open Sport & Exercise Medicine*. 6:e000577. <https://doi.org/10.1136/bmjsem-2019-000577>.
- Kelly, L.A., G. Lichtwark & A.G. Cresswell (2015). 'Active regulation of longitudinal arch compression and recoil during walking and running', in: *J. R. Soc. Interface*. 12:20141076. <http://dx.doi.org/10.1098/rsif.2014.1076>.
- Kelly, L.A., D.J. Farris, A.G. Cresswell & G.A. Lichtwark (2019). 'Intrinsic foot muscles contribute to elastic energy storage and return in the human foot', in: *J Appl Physiol*. Jan 1;126(1):231-238. Epub 2018, Nov 21. <http://dx.doi.org/10.1152/jappphysiol.00736.2018>.

- Smith, R.E., G.A. Lichtwark & L.A. Kelly (2022). 'Flexor digitorum brevis utilizes elastic strain energy to contribute to both work generation and energy absorption at the foot', in: *J Exp Biol.* Apr 15. 225(8):jeb243792. <http://dx.doi.org/10.1242/jeb.243792>. Epub, Apr.
- Venkadesan, M., A. Yawar, C.M. Eng, M.A. Dias, D.K. Singh, S.M. Tommasini, A.H. Haims, M.M. Bandi & S. Mandre (2020). 'Stiffness of the human foot and evolution of the transverse arch', in: *Nature.* Mar. 579(7797):97-100. <https://doi.org/10.1038/s41586-020-2053-y>.

Kindervoet(boog)ontwikkeling

- Banwell, H.A., M.E. Paris, S. Mackintosh, et al. (2018). 'Paediatric flexible flat foot: how are we measuring it and are we getting it right? A systematic review', in: *J Foot Ankle Res.* 11. Uden et al, 2017.
- Gijon-Nogueron, G., A. Martinez-Nova, P. Alfageme-Garcia, J. Montes-Alguacil, A.M. Evans (2019). 'International normative data for paediatric foot posture assessment: a cross-sectional investigation', in: *BMJ Open.* 9:e023341.
- Jiang, H., Q. Mei, Y. Wang, J. He, E. Shao, J. Fernandez & Y. Gu (2023). 'Understanding foot conditions, morphologies and functions in children: a current review', in: *Front. Bioeng. Biotechnol.* 11:1192524.
- Uden, H., R. Scharfbillig & R. Causby (2017). 'The typically developing paediatric foot: how flat should it be? A systematic review', in: *Journal of Foot and Ankle Research.* 10:37.

Fysiologische ontwikkeling kinderen

- Empelen, R. van, R. Nijhuis-van der Sanden & A. Hartman (red.)(2013). *Kinderfysiotherapie.* Derde, herziene druk. Amsterdam: Reed Business Education.

Motorische ontwikkeling

- Hadders-Algra, M., P. van Iersel & T. Dirks (2013). 'Motorische ontwikkeling', in: R. van Empelen, R. Nijhuis-van der Sanden & A. Hartman (red.)(2013). *Kinderfysiotherapie.* Amsterdam: Reed Business Education.
- Kroon, M.L.A. de, J. de Best, S. te Wierike & C. Lanting. *Richtlijn Motorische ontwikkeling.* 2019. Nederlands Centrum Jeugdgezondheid.

Sensorische ontwikkeling

- Bilo, R.A.C & H.W.A. Voorhoeve (2008). *Kind in ontwikkeling.* Zevende, herziene druk. Maarsen: Elsevier Gezondheidszorg.
- Hadders-Algra, M., & T. Dirks (2006). 'De neurale groepselectietheorie: over het samenspel van aanleg en omgeving tijdens de ontwikkeling van motoriek', in: *Neuropraxis.* 10(6):165-168.
- Hadders-Algra, M., P. van Iersel & T. Dirks (2013). 'Motorische ontwikkeling', in: R. van Empelen, R. Nijhuis-van der Sanden & A. Hartman (red.)(2013). *Kinderfysiotherapie.* Amsterdam: Reed Business Education.

Ontwikkeling looppatroon

- Böhm, H.; J. Stebbins, A. Kothari & C.U. Dussa (2024). 'Dynamic Gait Analysis in Paediatric Flatfoot: Unveiling Biomechanical Insights for Diagnosis and Treatment', in: *Children.* 11:604.
- Ivanenko, Y.P., N. Dominici, G. Cappellini, B. Dan, G. Cheron & F. Lacquaniti (2004). 'Development of pendulum mechanism and kinematic coordination from the first unsupported steps in toddlers', in: *J Exp Biol.* 207:3797-3810. <https://doi.org/10.1242/jeb.01214>.

- Ivanenko, Y.P., N. Dominici & F. Lacquaniti (2007). 'Development of independent walking in toddlers', in: *Exerc Sport Sci Rev.* 35:67-73. <https://doi.org/10.1249/JES.0b013e31803eafa8>.
- Liu, W., Q. Mei, P. Yu, Z. Gao, Q. Hu, G. Fekete, B. István, Y. Gu & B. István (2022). 'Biomechanical Characteristics of the Typically Developing Toddler Gait: A Narrative Review', in: *Children.* 9:406. <https://doi.org/10.3390/children9030406>.
- Rygelová, M., J. Uchytíl, I.E. Torres & M. Janura (2023). 'Comparison of spatiotemporal gait parameters and their variability in typically developing children aged 2, 3, and 6 years', in: *PLOS One.* May 11. 18(5):e0285558. <https://doi.org/10.1371/journal.pone.0285558>. eCollection.
- Størvold, G.V., K. Aarethun & G.H. Bratberg (2013). 'Age for onset of walking and prewalking strategies', in: *Early Hum Dev.* Sep. 89(9):655-9. <https://doi.org/10.1016/j.earlhumdev.2013.04.010>. Epub, May 20.
- WHO Multicentre Growth Reference Study Group (2006). 'WHO Motor Development Study: windows of achievement for six gross motor development milestones', in: *Acta Paediatr Suppl.* 450:86-95. <https://doi.org/10.1111/j.1651-2227.2006.tb02379.x>.

Risicofactoren voetontwikkeling: algemeen

- Abich, Y., T. Mihiret, T. Yihunie Akalu, M. Gashaw & B. Janakiraman (2020). 'Flatfoot and associated factors among Ethiopian school children aged 11 to 15 years: A school-based study', in: *PLOS One.* Aug 25. 15(8). <https://doi.org/10.1371/journal.pone.0238001>.
- Carr, J.B., S. Yang & L.A. Lather (2016). 'Pediatric Pes Planus: A State-of-the-Art Review', in: *Pediatrics.* March. 137(3). e2 0151230.
- Maheshwari, R.S & A.N. Johari (2023). 'Which Foot is at Risk? Understanding the Evolution of the Pediatric Flatfoot', in: *J Foot Ankle Surg (Asia-Pacific).* 10(2):48-55.
- Napolitano, C., S. Walsh, L. Mahoney & J. McCrea (2000). 'Risk factors that may adversely modify the natural history of the pediatric pronated foot', in: *J. Clin Podiatr Med Surg.* Jul. 17(3):397-417.
- Vittore, D., Patella, V., Petrera, M., et al. (2009). 'Extensor deficiency: first cause of childhood flexible flatfoot', in: *Orthopedics.* 32(1):28.
- Xu, L., H. Gu, Y. Zhang, T. Sun & J. Yu (2022). 'Risk Factors of Flatfoot in Children: A Systematic Review and Meta-Analysis', in: *Int. J. Environ. Res. Public Health.* Jul. 6. 19(14):8247. <https://doi.org/10.3390/ijerph19148247>.

Risicofactoren: schoenen – lengte boog

- Aibast, H., P. Okutoyi, T. Sigei, W. Adero, D. Chemjor, N. Ongaro, N. Fuku, K. Konstabel, C. Clark, D.E. Lieberman, et al. (2017). 'Foot Structure and Function in Habitually Barefoot and Shod Adolescents in Kenya', in: *Curr. Sports Med. Rep.* 16:448-458.
- Davis, I.S., K. Hollander, D.E. Lieberman, S.T. Ridge, I.C.N. Sacco & S.C. Wearing (2021). 'Stepping back to minimal footwear: applications across the lifespan', in: *Exerc. Sport Sci. Rev.* 49(4):228-243.
- Echarri, J.J. & F. Forriol (2003). 'The development in footprint morphology in 1851 Congolese children from urban and rural areas, and the relationship between this and wearing shoes', in: *J Pediatr Orthop B.* 12:141-146.
- Gimunová, M., K. Kolářová, T. Vodička, M. Bozděch & M. Zvonař (2022). 'How barefoot and conventional shoes affect the foot and gait characteristics in toddlers', in: *PLOS One.* 17(8). <https://doi.org/10.1371/journal.pone.0273388>.
- Hollander, K., J.E. de Villiers, S. Sehner, K. Wegscheider, K.-M. Braumann, R. Venter, A. Zech & J.E. Villiers (2017). 'Growing-up (habitually) barefoot influences the development of foot and arch morphology in children and adolescents', in: *Sci. Rep.* 7:8079.

- Mauch, M., K.J. Mickle, B.J. Munro, A.M. Dowling, S. Grau & J.R. Steele (2008). 'Do the feet of German and Australian children differ in structure? Implications for children's shoe design', in: *Ergonomics*. 51:4, 527-539.
- Medina-Alcantara, M., J.M. Morales-Asencio, A.M. Jimenez-Cebrian, J. Paez-Moguer, J.A. Cervera-Marin, G. Gijon-Nogueron & A. Belen Ortega-Avila (2019). 'Influence of Shoe Characteristics on the Development of Valgus Foot in Children', in: *J. Clin. Med.* 8:85. <https://doi.org/10.3390/jcm8010085>.
- Rao, U.B. & B. Joseph (1992). 'The influence of footwear on the prevalence of flat foot. A survey of 2300 children', in: *J Bone Joint Surg Br.* 74:525-527.
- Sachithanandam, V. & B. Joseph (1995). 'The influence of footwear on the prevalence of flat foot. A survey of 1846 skeletally mature persons', in: *J Bone Joint Surg Br.* 77(2):254-7.
- Sim-Fook, L. & A.R. Hodgson (1958). 'A Comparison of Foot Forms Among the Non-Shoe and Shoe-Wearing Chinese Population', in: *The Journal of Bone & Joint Surgery.* 40(5):1058-1062.
- Squibb, M., K. Sheerin & P. Francis (2022). 'Measurement of the Developing Foot in Shod and Barefoot Paediatric Populations: A Narrative Review', in: *Children.* 9:750.
- Tong, J.W. & Kong, P.W. (2016). 'Medial Longitudinal Arch Development of Children Aged 7 to 9 Years: A Longitudinal Investigation', in: *Phys. Ther.* 96:1216-1224.

Risicofactoren schoenen – groteteenstand

- González-Elena, M.L., A. Castro-Méndez, M. Coheña-Jiménez, A. Córdoba-FernándezKlein, et al. (2021). 'Relationship of the Use of Short Footwear with the Development of Hallux Valgus in a Sample of Andalusian Schoolchildren', in: *Int. J. Environ. Res. Public Health.* 18. <https://doi.org/10.3390/ijerph182111244>.
- Groll-Knapp, E., W. Kinz & M. Kundi (2007). *Kids:Healthy feet – healthy life*. Austrian Government. www.kinderfuesse.com/pdf/kids_healthy_feet_healthy_life.pdf.
- Kinz, W. (2004). *Kinderfüße-Kinderschuhe. Angewandte Forschung als Grundlage der Gesundheitsaufklärung [Children's feet – children's shoes. Applied research as basis for health education]* [Unpublished doctoral dissertation.] Universiteit van Salzburg, Oostenrijk.
- Kinz, W., E. Groll-Knapp & C. Klein (2015). 'Kinder in zukurzen Schuhen [Children wearing shoes of insufficient length]', in: *Pädiatrie & Pädologie.* 50(3):106-109. <https://doi.org/10.1007/s00608-015-0243-x>.
- Kinz, W., E. Groll-Knapp & M. Kundi (2021). 'Hallux valgus in pre-school-aged children: the effects of too-short shoes on the hallux angle and the effects of going barefoot on podiatric health', in: *Footwear Science.* 13(1):29-42.
- Klein C., E. Groll-Knapp, M. Kundi & W. Kinz (2009). 'Increased hallux angle in children and its association with insufficient length of footwear: a community based cross-sectional study', in: *BMC Musculoskelet Disord.* 17(10):159.
- Matsuda, S., K. Kasuga, T. Hanai, T. Demura & K. Komura (2017). 'The effect of the kindergarten barefoot policy on preschool children's toes', in: *Journal of Physiological Anthropology.* 36:4.
- Puszczalowska-Lizis, E., P. Zarzyzna, W. Mikulakova, M. Migala & S. Jandzis (2020). 'Influence of footwear fitting on feet morphology in 9 year old girls', in: *BMC Pediatr.* Jul 20. 20(1):349. <https://doi.org/10.1186/s12887-020-02245-z>.
- Puszczalowska-Lizis, E., A. Lukaszewicz, S. Lizis & J. Omorczyk (2021). 'The impact of functional excess of footwear on the foot shape of 7-year-old girls and boys', in: *Peer J.* 9. <http://doi.org/10.7717/peerj.11277>.
- Puszczalowska-Lizis, E., S. Lizis, M. Prusak & J. Omorczyk (2022). 'Impact of length and width of footwear on foot structure of preschool-aged children', in: *Peer J.* May 3. 10. <https://doi.org/10.7717/peerj.13403>.

Risicofactoren: schoenen – looppatroon en voetafwikkeling

- Cranage, S., L. Perraton, K.-A. Bowles & C. Williams (2019). 'The impact of shoe flexibility on gait, pressure and muscle activity of young children. A systematic review', in: *J Foot Ankle Res.* Nov 29. 12:55. <https://doi.org/10.1186/s13047-019-0365-7>. eCollection.
- Cranage, S., L. Perraton, K.-A. Bowles & C. Williams (2020). 'A comparison of young children's spatiotemporal measures of walking and running in three common types of footwear compared to bare feet', in: *Gait Posture.* Sep. 81:218-224.
- Davis, I.S., K. Hollander, D.E. Lieberman, S.T. Ridge, I.C.N. Sacco & S.C. Wearing (2021). 'Stepping back to minimal footwear: applications across the lifespan', in: *Exerc. Sport Sci. Rev.* 49(4):228-243.
- Gimunová, M., K. Kolářová, T. Vodička, M. Bozděch & M. Zvonař (2022). 'How barefoot and conventional shoes affect the foot and gait characteristics in toddlers', in: *PLOS One.* 17(8). <https://doi.org/10.1371/journal.pone.0273388>.
- Heidner, G.S., R.B. Nascimento, A.G. Aires & R.R. Baptista (2020). 'Barefoot walking changed relative timing during the support phase but not ground reaction forces in children when compared to different footwear conditions', in: *Gait Posture.* 83:287-293.
- Hillstrom, H.J., M.A. Buckland, C.M. Slevin, et al. (2013). 'Effect of shoe flexibility on plantar loading in children learning to walk', in: *J. Am. Podiatr. Med. Assoc.* 103(4):297-305.
- Hollander, K., J.E. de Villiers, R. Venter, S. Sehner, K. Wegscheider, K.-M. Braumann, A. Zech (2017). 'Foot Strike Patterns Differ Between Children and Adolescents Growing up Barefoot vs. Shod', in: *Int. J. Sports Med.* 39:97-103.
- Lythgo, N., C. Wilson & M. Galea (2009). 'Basic gait and symmetry measures for primary school-aged children and young adults whilst walking barefoot and with shoes', in: *Gait Posture.* 30:502-506.
- Matthias, E., H.A. Banwell & J.B. Arnold (2021). 'Children's school footwear: The impact of fit on foot function, comfort and jump performance in children aged 8 to 12 years', in: *Gait Posture.* 87:87-94.
- Morio, C., M.J. Lake, N. Gueguen, G. Rao & L. Baly (2009). 'The influence of footwear on foot motion during walking and running', in: *J Biomech.* 42(13): 2081-2088.
- Squibb, M., K. Sheerin & P. Francis (2022). 'Measurement of the Developing Foot in Shod and Barefoot Paediatric Populations: A Narrative Review', in: *Children.* 9:750.
- Wang, Y., H. Jiang, L. Yu, Z. Gao, W. Liu, Q. Mei & Y. Gu (2023). 'Understanding the Role of Children's Footwear on Children's Feet and Gait Development: A Systematic Scoping Review', in: *Healthcare.* 11:1418.
- Wegener, C., A.E. Hunt, B. Vanwanseele, J. Burns & R.M. Smith (2011). 'Effect of children's shoes on gait: a systematic review and meta-analysis', in: *Journal of Foot and Ankle Research.* 4(1):3.
- Wegener, C., A. Greene, J. Burns, A.E. Hunt, B. Vanwanseele & R.M. Smith (2015). 'In-shoe multi-segment foot kinematics of children during the propulsive phase of walking and running', in: *Human Movement Science.* 39:200-211.
- Williams, C., J. Kolic, W. Wu & K. Paterson (2021). 'Soft soled footwear has limited impact on toddler gait', in: *PLOS One.* May 10. 16(5):e0251175.
- Wolf, S., J. Simon, D. Patikas, W. Schuster, P. Armbrust & L. Doderlein (2008). 'Foot motion in children shoes: a comparison of barefoot walking with shod walking in conventional and flexible shoes', in: *Gait Posture.* 27(1):51-9.

Risicofactoren: schoenen – voetspieren

- Fong Yan, A., S. Quinlan & R.T.H. Cheung (2024). 'Minimalist school shoes improve intrinsic foot muscle size, strength, and arch integrity among primary school students', in: *J Sports Sci.* 2024 Jun. 42(12):1157-1163. <https://doi.org/10.1080/02640414.2024.2386213>. Epub, Aug 1.

- Quinlan, S., P. Sinclair, A. Hunt & A. Fong Yan (2022). 'The long-term effects of wearing moderate minimalist shoes on a child's foot strength, muscle structure and balance: A randomised controlled trial', in: *Gait & Posture*. February. 92:371-377.

Risicofactoren: fysieke activiteit

- Cetin, A., S. Sevil, L. Karaoglu & B. Yucekaya (2011). 'Prevalence of flat foot among elementary school students in rural and urban areas and at suburbs in Anatolia', in: *Eur J Orthop Surg Traumatol*. 21:327-31.
- Truszczynska-Baszak, A., J. Drzał-Grabiec, M. Rachwał, D. Chałubińska & E. Janowska (2017). 'Correlation of physical activity and fitness with arches of the foot in children', in: *Biomed. Hum. Kinet*. 9:19-26.

Risicofactoren: overgewicht

- Catan, L., E. Amaricai, R.R. Onofrej, C.M. Popoiu, E.R. Iacob, C.M. Stanculescu, S. Cerbu, D.I. Horhat & O. Suci (2020). 'The Impact of Overweight and Obesity on Plantar Pressure in Children and Adolescents: A Systematic Review', in: *Int J Environ Res Public Health*. Sep 10. 17(18):6600. <https://doi.org/10.3390/ijerph17186600>.
- Evans, A.M. & L. Karim (2015). 'The relationship between paediatric foot posture and body mass index: Do heavier children really have flatter feet?', in: *J. Foot Ankle Res*. 8:46-52.
- Mauch, M., S. Grau, I., Krauss, C., Maiwald & T. Horstmann (2008). 'Foot morphology of normal, underweight and overweight children', in: *International Journal of Obesity*. 32:1068-1075.
- Molina-García, C., J.D. Jiménez-García, D. Velázquez-Díaz, L. Ramos-Petersen, A. López-Del-Amo-Lorente, C. Martínez-Sebastián & F. Álvarez-Salvago (2023). 'Overweight and Obesity: Its Impact on Foot Type, Flexibility, Foot Strength, Plantar Pressure and Stability in Children from 5 to 10 Years of Age: Descriptive Observational Study', in: *Children (Basel)*. Apr 7. 10(4):696.
- Stolzman, S., M.B. Irby, A.B. Callahan & J.A. Skelton (2015). 'Pes Planus and Pediatric Obesity: A Systematic Review of the Literature', in: *Clin Obes*. April. 5(2):52-59. <https://doi.org/10.1111/cob.12091>.

Schoenen

- Breet, M.C. & R. Venter (2022). 'Are habitually barefoot children compelled to wear ill-fitting school shoes? A cross-sectional study', in: *Observational Study BMC Pediatr*. Apr 8. 22(1):187. <https://doi.org/10.1186/s12887-022-03263-9>.
- Coetzee, D.R., Y. Albertus, N. Tam & R. Tucker (2018). 'Conceptualizing minimalist footwear: an objective definition', in: *J Sports Sci*. Apr. 36(8):949-954. <https://doi.org/10.1080/02640414.2017.1346816>. Epub 2017, Jul 7.
- Davis, I.S., K. Hollander, D.E. Lieberman, S.T. Ridge, I.C.N. Sacco & S.C. Wearing (2021). 'Stepping back to minimal footwear: applications across the lifespan', in: *Exerc. Sport Sci. Rev*. 49(4):228-243.
- Esculier, J.-F., Dubois, B., C.E. Dionne, J. Leblond, J.-S. Roy (2015). 'A consensus definition and rating scale for minimalist shoes', in: *Journal of Foot and Ankle Research*. 8(1):42. <https://doi.org/10.1186/s13047-015-0094-5>.
- González, E.M.L. & A. Córdoba-Fernández (2019). 'Footwear fit in schoolchildren of southern Spain: a population study', in: *BMC Musculoskelet Disord*. May 10;20(1):208. <https://doi.org/10.1186/s12891-019-2591-3>.
- Hill, M., A. Healy & N. Chockalingam (2019). 'Key concepts in children's footwear research: a scoping review focusing on therapeutic footwear', in: *Journal of Foot and Ankle Research*. 12:25.

- Hill, M., A. Healy & N. Chockalingam (2020). 'Effectiveness of therapeutic footwear for children: A systematic review', in: *Journal of Foot and Ankle Research*. 13:23.
- Hill, M., A. Healy & N. Chockalingam (2021). 'Defining and grouping children's therapeutic footwear and criteria for their prescription: an international expert Delphi consensus study', in: *BMJ Open*. 11:e051381.
- Hodgson, L., M. Hodges, A.E. Williams, C.J. Nester & S.C. Morrison (2021). 'The "price-tag" of foot health in infancy and early childhood: a cross sectional survey of UK parents', in: *Eur J Pediatr*. May. 180(5):1561-1570. <https://doi.org/10.1007/s00431-020-03920-0>. Epub, Jan 15.
- Kanatli, U., E. Aktas & H. Yetkin (2016). 'Do corrective shoes improve the development of the medial longitudinal arch in children with flexible flat feet?', in: *J rthrop Sci*. Sep. 21(5):662-6. <https://doi.org/10.1016/j.jos.2016.04.014>. Epub, May 17.
- Mauch, M., S. Grau, I. Krauss, C. Maiwald & T. Horstmann (2009). 'A new approach to children's footwear based on foot type classification', in: *Ergonomics*. Aug. 52(8):999-1008. <https://doi.org/10.1080/00140130902803549>.
- Morrison, S.C., C. Price, J. McClymont & C. Nester (2018). 'Big Issues for Small Feet: Developmental, Biomechanical and Clinical Narratives on Children's Footwear', in: *J. Foot Ankle Res*. 11:39.
- Müller, S., A. Carlsohn, J. Müller, H. Baur & F. Mayer (2012). 'Static and dynamic foot characteristics in children aged 1-13 years: A cross-sectional study', in: *Gait & Posture*. 35:389-394.
- Quinlan, S., P. Sinclair, A. Hunt & A. Fong Yan (2022). 'The long-term effects of wearing moderate minimalist shoes on a child's foot strength, muscle structure and balance: A randomised controlled trial', in: *Gait & Posture*. February. 92:371-377.
- Staheli, L.T. (1991). 'Shoes for children: a review', in: *Pediatrics*. Aug. 88(2):371-5.
- Vrdojak, O. & M.K. Tiljak (2017). 'Anthropometric measurements of foot length and shape in children 2 to 7 years of age', in: *Periodicum Biologorum*. 119(2):125-129.
- Xu, M., Y. Hong, J.X. Li & L. Wang (2018). 'Foot morphology in Chinese school children', in: *Med Sci Monit*. 24:4536-4546.

Schoenen – lengte toegift

- Barisch-Fritz, B., Plank, C. & Grau, S (2016). 'Evaluation of the rule-of-thumb: calculation of the toe allowance for developing feet', in: *Footwear Sci*. 8:119-27.
- Breet, M.C. & R. Venter (2022). 'Are habitually barefoot children compelled to wear ill-fitting school shoes? A cross-sectional study', in: *BMC Pediatr*. Apr 8. 22(1):187. <https://doi.org/10.1186/s12887-022-03263-9>.
- González, E.M.L. & A. Córdoba-Fernández (2019). 'Footwear fit in schoolchildren of southern Spain: a population study', in: *BMC Musculoskelet Disord*. May 10;20(1):208. <https://doi.org/10.1186/s12891-019-2591-3>.
- Kinz, W. (2004). *Kinderfüße-Kinderschuhe. Angewandte Forschung als Grundlage der Gesundheitsaufklärung [Children's feet – children's shoes. Applied research as basis for health education]* [Unpublished doctoral dissertation.] Universiteit van Salzburg, Oostenrijk.
- Puszczalowska-Lizis, E., P. Zarzyzna, W. Mikulakova, M. Migala & S. Jandzis (2020). 'Influence of footwear fitting on feet morphology in 9 year old girls', in: *BMC Pediatr*. Jul 20. 20(1):349. <https://doi.org/10.1186/s12887-020-02245-z>.
- Puszczalowska-Lizis, E., S. Lizis, M. Prusak & J. Omorczyk (2022). 'Impact of length and width of footwear on foot structure of preschool-aged children', in: *Peer J*. May 3. 10:e13403. <https://doi.org/10.7717/peerj.13403>.
- Rajchel-Chyla, B., Skrzyńska, B., Janocha, M. & R. Gajewski (2012). 'The foot length changes due to age as well as load during ambulation and determination of the toe allowance', in: *Przeglad – WOS*. 3:23-26.

Schoenen – breedte toegift

- González, E., M.L. & A. Córdoba-Fernández (2019). 'Footwear fit in schoolchildren of southern Spain: a population study', in: *BMC Musculoskelet Disord.* May 10. 20(1):208. <https://doi.org/10.1186/s12891-019-2591-3>.
- Morio, C., M.J. Lake, N. Gueguen, G. Rao & L. Baly (2009). 'The influence of footwear on foot motion during walking and running', in: *J Biomech.* 42(13): 2081-2088.
- Müller, S., A. Carlsohn, J. Müller, H. Baur & F. Mayer (2012). 'Static and dynamic foot characteristics in children aged 1-13 years: A cross-sectional study', in: *Gait & Posture.* 35:389-394.
- Puszczalowska-Lizis, E., P. Zarzyczna, W. Mikulakova, M. Migala & S. Jandzis (2020). 'Influence of footwear fitting on feet morphology in 9 year old girls', in: *BMC Pediatr.* Jul 20. 20(1):349. <https://doi.org/10.1186/s12887-020-02245-z>.
- Puszczalowska-Lizis, E., A. Lukaszewicz, S. Lizis & J. Omorczyk (2021). 'The impact of functional excess of footwear on the foot shape of 7-year-old girls and boys', in: *Peer J.* 9:e11277. <http://doi.org/10.7717/peerj.11277>.
- Xu, M., Y. Hong, J.X. Li & L. Wang (2018). 'Foot morphology in Chinese school children', in: *Med Sci Monit.* 24:4536-4546.

Schoenen – sport

- Walther M., D. Herold, A. Sinderhauf & R. Morrison (2008). 'Children sport shoes – A systematic review of current literature', in: *Foot and Ankle Surgery.* 14:180-189.

Oefeningen

- Abd-Elmonem, A.M., E.H. El-Negamy, M.A. Mahran & A.T. Ramadan (2021). 'Clinical and radiological outcomes of corrective exercises and neuromuscular electrical stimulation in children with flexible flatfeet: A randomized controlled trial', in: *Gait Posture.* Jul. 88:297-303. <https://doi.org/10.1016/j.gaitpost.2021.06.008>. Epub, Jun 12.
- Hullumani, S.V. & P. Chippala (2020). 'Effects of barefoot walking on the flat foot in school going children: A Randomised control trial', in: *Int. J. Res. Pharm. Sci.* 11(SPL4):1805-1812.
- Köhler, B. & H. Reber (2006). *Kinder machen Fußgymnastik.* Zesde druk. Stuttgart: Thieme.
- Larsen, C., B. Meier & G. Wickihalder (2007). *Gesunde Füße für Ihr Kind – Alles über Senkfüße & Co – das Beste aus der Kinderfußschule.* Derde druk. Trias Verlag, Stuttgart
- Listyorini, I., M. Shanti & T. Prabowo (2015). 'Effectiveness in Dynamic Balance: a Comparison between Foot Muscle Strengthening Using Elastic Band and without Elastic Band in Children Aged 8-12 with Flexible Flatfeet', in: *IJIHS.* 3(1):26-32.
- Markowicz, M., W. Skrobot, A. Labuń, P. Poszytek, A. Orlikowska, E. Perzanowska, K. Krasowska, K. Drewek & J.J. Kaczor (2023). 'The Rehabilitation Program Improves Balance Control in Children with Excessive Body Weight and Flat Feet by Activating the Intrinsic Muscles of the Foot: A Preliminary Study', in: *J Clin Med.* May 9. 12(10):3364. <https://doi.org/10.3390/jcm12103364>.

Steunzolen en proprioceptieve zolen

- Choi, J.Y., W.H. Hong, J.S. Suh, J.H. Han, D.J. Lee & Y.J. Lee (2020). 'The long-term structural effect of orthoses for pediatric flexible flat foot: A systematic review', in: *Foot Ankle Surg.* Feb. 26(2):181-188. <https://doi.org/10.1016/j.fas.2019.01.007>. Epub 2019, Feb 1.
- Choi, J.Y., D.J. Lee, S.J. Kim & J.S. Suh (2020). 'Does the long-term use of medial arch support insole induce the radiographic structural changes for pediatric flexible flat foot? — A prospective comparative study', in: *Foot Ankle Surg.* Jun. 26(4):449-456. <https://doi.org/10.1016/j.fas.2019.05.017>.

- Dars, S., H. Uden, H.A. Banwell & S. Kumar (2018). 'The effectiveness of non-surgical intervention (Foot Orthoses) for paediatric flexible pes planus: A systematic review: Update', in: *PLOS One*. 13(2). <https://doi.org/10.1371/journal.pone.0193060>.
- Dars, S., H. Uden, S. Kumar & H.A. Banwell (2018). 'When, why and how foot orthoses (FOs) should be prescribed for children with flexible pes planus: a Delphi survey of podiatrists', in: *Peer J*. <https://doi.org/10.7717/peerj.4667>.
- Evans, A.M., K. Rome, M. Carroll & F. Hawke (2022). 'Foot orthoses for treating paediatric flat feet', in: *Cochrane Database Syst Rev*. Jan 14. 1(1). <https://doi.org/10.1002/14651858.CD006311.pub3>.
- Hell, A.K. (2017). *Kindlicher Knick-Senk-Fuß*. Januar. Federführende Fachgesellschaft Deutsche Gesellschaft für Orthopädie und Orthopädische Chirurgie (DGOOC).
- Maarj, M., V. Pacey, L. Tofts, M. Clapham & A. Coda (2023). 'The Impact of Podiatric Intervention on the Quality of Life and Pain in Children and Adolescents with Hypermobility', in: *Int J Environ Res Public Health*. Aug 22. 20(17):6623. <https://doi.org/10.3390/ijerph20176623>.
- Maringer, B. (2014). *Sensomotorische (propriozeptive) Schuheinlagen*. Hauptverband der österreichischen Sozialversicherungsträger. Oktober.

Houding

- Loon, P. van, A. Grotenhuis, H. Weinans & A. Soeterbroek (2013). 'Gameboy-generatie verleert gezonde houding', in: *Medisch contact*. 1 augustus. 1602-1604.
- Loon, P. van, R. van Erve & R. Oostendorp (2015). 'Gameboyrug in opkomst', in: *FysioPraxis*. juli/augustus. 24-27.

Klompvoeten en overige voetafwijkingen bij geboorte

- Grevinga, M., Y. Schönbeck, A.D. Hindori-Mohangoo, M.E.B. Reijnders & S.B. Detmar (2018). *Aangeboren afwijkingen in Nederland 2010-2016: Gebaseerd op de Landelijke Perinatale Registraties*. TNO-rapport voor Ministerie van Volksgezondheid, Welzijn en Sport. 16 december.
- Mai, C.T., J.L. Isenburg, M.A. Canfield, R.E. Meyer, A. Correa, C.J. Alverson, P.J. Lupo, T. Riehle-Colarusso, S.J. Cho, D. Aggarwal & R.S. Kirby (2019). 'National Birth Defects Prevention Network. National population-based estimates for major birth defects, 2010-2014', in: *Birth Defects Res*. November 1. 111(18):1420-1435. <https://doi.org/10.1002/bdr2.1589>.
- www.erfelijkheid.nl/ziektes.
- www.mmc.nl/kinderorthopedie/aandoeningen-en-behandelingen/klompvoeten.

X- en O-benen, intoeing, tenen lopen

- Arazi, M., T.C. Ögün & R. Memik (2001). 'Normal Development of the Tibiofemoral Angle in Children: A Clinical Study of 590 Normal Subjects From 3 to 17 Years of Age', in: *Journal of Pediatric Orthopaedics*. 21:264-267.
- Aswegen, M. van, S.H. Czyż & S.J. Moss (2020). 'The Profile and Development of the Lower Limb in Setswana-Speaking Children between the Ages of 2 and 9 Years', in: *Int J Environ Res Public Health*. May. 17(9):3245. <https://doi.org/10.3390/ijerph17093245>.
- Cao, L.A. & L. Wimberly (2022). 'When to Be Concerned About Abnormal Gait: Toe Walking, In-Toeing, Out-Toeing, Bowlegs, and Knock-Knees', in: *Pediatr Ann*. Sep. 51(9). <https://doi.org/10.3928/19382359-20220706-09>.
- Caserta, A., P. Morgan & C. Williams (2019). 'Identifying methods for quantifying lower limb changes in children with idiopathic toe walking: A systematic review', in: *Gait & Posture*. 67:181-186.

- Caserta, A.J., V. Pacey, M. Fahey, K. Gray, R.H.H. Engelbert & C. Williams (2019). 'Interventions for idiopathic toe walking', in: *Cochrane Database Syst Rev.* Oct 6. 10(10). <https://doi.org/10.1002/14651858.CD012363.pub2>.
- Deurloo, J., C. Lanting & R. van Zoonen (2019). *JGZ Richtlijn Extremititeiten*. TNO. September.
- Donne, J.H., J.A. Powell, M.C. Fahey, R. Beare, J. Kolic & C.M. Williams (2023). 'Some children with idiopathic toe walking display sensory processing difficulties but not all: A systematic review', in: *Acta Paediatrica.* 112:1620-1632.
- Evans, A.M. (2017). 'Mitigating clinician and community concerns about children's flatfeet, intoeing gait, knock knees or bow legs', in: *Journal of Paediatrics and Child Health.* 53:1050-1053.
- Herrin, K. & M. Geil (2016). 'A comparison of orthoses in the treatment of idiopathic toe walking: a randomized controlled trial', *Prosthetic. Orthotics Int.* 40(2):262-269.
- Lee, M.J., J.M. Perez-Rossello & B. Weissman (2009). 'Chapter 25 Pediatric Developmental and Chronic Traumatic Conditions, the Osteochondroses, and Childhood Osteoporosis', in: *Imaging of Arthritis and Metabolic Bone Disease.*
- Satila, H., A. Beilmann, P. Olsén, H. Helander, M. Eskelinen & H. Huhtala (2016). 'Does botulinum toxin a treatment enhance the walking pattern in idiopathic toe-walking?', in: *Neuropediatrics.* 47(3):162-168.

Hypermobiliteit bij kinderen

- Castori, M., B. Tinkle, H. Levy, R. Grahame, F. Malfait & A. Hakim (2017). 'A framework for the classification of joint hypermobility and related conditions', in: *Am. J. Med. Genet. Part C Semin. Med. Genet.* 175:148-157.
- Deurloo, J., C. Lanting & R. van Zoonen (2019). *JGZ Richtlijn Extremititeiten*. TNO. September.
- Maarj, M., V. Pacey, L. Tofts, M. Clapham & A. Coda (2023). 'The Impact of Podiatric Intervention on the Quality of Life and Pain in Children and Adolescents with Hypermobility', in: *Int J Environ Res Public Health.* Aug 22. 20(17):6623. <https://doi.org/10.3390/ijerph20176623>.
- Singh, H., M. McKay, J. Baldwin, et al. (2017). 'Beighton scores and cut-offs across the lifespan: cross-sectional study of an Australian population', in: *Rheumatology.* 56(11):1857-64. <https://doi.org/10.1093/rheumatology/kex043>.
- Tofts, L.J., J. Simmonds, S.B. Schwartz, R.M. Richheimer, C. O'Connor, E. Elias, R. Engelbert, K. Cleary, B. T. Tinkle, A.D. Kline, A. J. Hakim & M.A.J. van Rossum (2023). 'Verity Pacey. Pediatric joint hypermobility: a diagnostic framework and narrative review', in: *Orphanet J Rare Dis.* May 4. 18(1):104. <https://doi.org/10.1186/s13023-023-02717-2>.

Ziekte van Sever

- Fares, M.Y., H.A. Salhab, H.H. Khachfe, J. Fares, R. Haidar & U. Musharrafieh (2021). 'Sever's Disease of the Pediatric Population: Clinical, Pathologic, and Therapeutic Considerations', in: *Clin Med Res.* Sep. 19(3):132-137. <https://doi.org/10.3121/cmr.2021.1639>.
- Hernandez-Lucas, P., R. Leirós-Rodríguez, J. García-Liñeira & H. Diez-Buil (2024). 'Conservative Treatment of Sever's Disease: A Systematic Review', in: *J Clin Med.* Feb 28. 13(5):1391. <https://doi.org/10.3390/jcm13051391>.

Pediatric hallux valgus

- DeHeer, P. (2018). 'Pertinent Principles In Treating Juvenile Hallux Valgus', in: *Podiatry Today.* Februari. www.hmpgloballearningnetwork.com/site/podiatry/pertinent-principles-treating-juvenile-hallux-valgus.

- Groiso, J.A. (1992). 'Juvenile hallux valgus. A conservative approach to treatment', in: *J Bone Joint Surg Am*. Oct;74(9):1367-74.
- Maher, A.J. & T.E. Kilmartin (2022). 'Juvenile Hallux Valgus Part 1. Anatomy, Aetiology & Pathophysiology', in: *Canonbury Continuing Professional Update* series, November. CPU article number: 007.
- Maher, A.J. & T.E. Kilmartin (2023). 'Juvenile Hallux Valgus Part 2. Assessment, classification, conservative and surgical treatment', in: *Canonbury Continuing Professional Update* series, January. CPU article number: 008.
- Seidenstein, A.H, T.W. Torrez, N.A. Andrews, D.A. Patch, M.J. Conklin & A. Shah (2021). 'Pediatric hallux valgus: An overview of history, examination, conservative, and surgical management', in: *Paediatr Child Health*. Nov 1. 27(2):75-81. <https://doi.org/10.1093/pch/pxab074>. eCollection 2022, May.

Hygiëne en veiligheid

- Bristow, I. (2022). 'Paediatric Cutaneous Warts and Verrucae: An Update', in: *Int. J. Environ. Res. Public Health*. 19:16400. <https://doi.org/10.3390/ijerph192416400>.
- Ely, J.W., S. Rosenfeld & M. Seabury Stone (2014). 'Diagnosis and Management of Tinea Infections', in: *Am Fam Physician*. 90(10):702-710.
- Iorizzo, M., Lipner, S. & Vlahovic, T.C. (2017). 'Nail dystrophy due to toe malposition in children', in: *Eur J Pediatr*. 176:1089-1091.
- Kovitwanichkanont, T. & A.H. Chong (2019). 'Superficial fungal infections', in: *AJGP*. 48(10). October.
- Leung, A.K.C., J.M. Lam, K.F. Leong, K.L. Hon, B. Barankin, A.A.M. Leung & A.H.C. Wong (2020). 'Onychomycosis: An Updated Review', in: *Recent Patents on Inflammation & Allergy Drug Discovery*. 14:32-45.
- Leung, A.K.C., B. Barankin, J.M. Lam, K.F. Leong & K.L. Hon (2023). 'Tinea pedis: an updated review', in: *Drugs Context*. Jun 29:12:2023-5-1. <https://doi.org/10.7573/dic.2023-5-1>. eCollection.
- Vestergaard-Jensen, S. , A. Mansouri, L. Heilmann Jensen, G.B.E. Jemec, D.M.L. Saunte (2022). 'Systematic review of the prevalence of onychomycosis in children', in: *Review Pediatr Dermatol*. Nov. 39(6):855-865. <https://doi.org/10.1111/pde.15100>. Epub, Sep 21.
- Vidyadhara, S. & S.K. Rao (2006). 'Thorn prick osteomyelitis of the foot in barefoot walkers: a report of four cases', in: *Journal of Orthopaedic Surgery*. 14(2):222-4.
- Witchev, D.J., N.B. Witchev, M.M. Roth-Kauffman & M.K. Kauffman (2018). 'Plantar Warts: Epidemiology, Pathophysiology, and Clinical Management', in: *J Am Osteopath Assoc*. 118(2):92-105.