PRODUCT NAME: VROOAM MR3012



| 1.1. Product identifier | |
|--|--|
| Product form | : Mixture |
| Trade name | : VROOAM MR3012 |
| Product code | : 35142 |
| Type of product | : Lubricants |
| Product group | : Trade product |
| 1.2. Relevant identified us | ses of the substance or mixture and uses advised against |
| 1.2.1. Relevant identi | fied uses |
| Main use category | : Industrial use, Professional use, Consumer use |
| Use of the substance/ | mixture : Engine oil |
| 1.2.2. Uses advised ag | gainst |
| No additional informa | |
| 1.3. Details of the supplier | r of the safety data sheet |
| VROOAM Powersport | |
| Aventurijn 300 | |
| 3316 LB Dordrecht (NI | L) |
| 0031 (0) 78 750 1632 | , |
| www.vrooam-lubricar | nts.com |
| | |
| - | obtainable from: Product Safety Department |
| • Further information o | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) |
| • Further information of 1.4. Emergency telephone CTION 2: Hazards identific | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) |
| • Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the su | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture |
| Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the su Classification accordin | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) |
| Further information of Further information of TION 2: Hazards identific 2.1. Classification of the so | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture |
| Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the second classification accordine Not classified | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture |
| Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the so Classification accordin Not classified Adverse physicochem | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) sation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] |
| Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the so Classification accordin Not classified Adverse physicochem | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] nical, human health and environmental effects s product does not present any particular risk, provided it is handled in accordance with good occupation |
| Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the so Classification accordin Not classified Adverse physicochem To our knowledge, this hygiene and safety pra | obtainable from: Product Safety Department e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] nical, human health and environmental effects s product does not present any particular risk, provided it is handled in accordance with good occupation |
| Further information of Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the su Classification accordin Not classified Adverse physicochem To our knowledge, thi hygiene and safety pro 2.2. Label elements | a number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] hical, human health and environmental effects s product does not present any particular risk, provided it is handled in accordance with good occupatior actice. |
| Further information of Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the su Classification accordin Not classified Adverse physicochem To our knowledge, thi hygiene and safety pro 2.2. Label elements | e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] hical, human health and environmental effects s product does not present any particular risk, provided it is handled in accordance with good occupation actice. Regulation (EC) No. 1272/2008 [CLP] |
| Further information of Further information of 1.4. Emergency telephone CTION 2: Hazards identific Classification of the se Classification accordin Not classified Adverse physicochem To our knowledge, this hygiene and safety pra 2.2. Label elements Labelling according to No labelling applicable | e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] hical, human health and environmental effects s product does not present any particular risk, provided it is handled in accordance with good occupation actice. Regulation (EC) No. 1272/2008 [CLP] |
| Further information of Further information of 1.4. Emergency telephone CTION 2: Hazards identific 2.1. Classification of the so Classification accordin Not classified Adverse physicochem To our knowledge, this hygiene and safety pra 2.2. Label elements Labelling according to | e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] nical, human health and environmental effects s product does not present any particular risk, provided it is handled in accordance with good occupatior actice. Regulation (EC) No. 1272/2008 [CLP] e |
| Further information of Further information of Emergency telephone CTION 2: Hazards identific Classification of the single classification according Not classified Adverse physicochem To our knowledge, this hygiene and safety produce and saf | e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] nical, human health and environmental effects s product does not present any particular risk, provided it is handled in accordance with good occupatior actice. Regulation (EC) No. 1272/2008 [CLP] e |
| Further information of Further information of I.4. Emergency telephone CTION 2: Hazards identific Classification of the su Classification accordin Not classified Adverse physicochem To our knowledge, this hygiene and safety pra 2.2. Label elements Labelling according to No labelling applicable 2.3. Other hazards | e number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday) cation ubstance or mixture ng to Regulation (EC) No. 1272/2008 [CLP] nical, human health and environmental effects s product does not present any particular risk, provided it is handled in accordance with good occupatior actice. Regulation (EC) No. 1272/2008 [CLP] e |

3.2. Mixtures Comments

: Highly refined mineral oils and additives.

1

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM MR3012



Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346. This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

SECTION 4: First aid measures

4.1. Description of first aid measures First-aid measures general First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact First-aid measures after ingestion

Symptoms/effects after ingestion

- : If you feel unwell, seek medical advice (show the label where possible).
 : Remove person to fresh air and keep comfortable for breathing.
 : Wash skin with plenty of water.
- : Rinse eyes with water as a precaution.
- : Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : Not expected to present a s

: Not expected to present a significant hazard under anticipated conditions of normal use. : May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Unsuitable extinguishing media : Do not use a heavy water stream. 5.2. Special hazards arising from the substance or mixture : Combustible liquid. Fire hazard Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. 5.3. Advice for firefighters Protection during firefighting : Do not attempt to take action without suitable protective equipment. Selfcontained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

| 6.1.1. For non-emergency per | sonnel |
|--------------------------------|---|
| Emergency procedures | : Ventilate spillage area. |
| 6.1.2. For emergency respond | ers |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| 6.2. Environmental precautions | |

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Take up liquid spill into absorbent material.Other information: Dispose of materials or solid residues at an authorized site.

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

Version: 1.2

SAFETY DATA SHEET

PRODUCT NAME: VROOAM MR3012



6.4. Reference to other sections For further information refer to section 13.

| ECTION 7: Handling and storage | |
|---|--|
| 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures | : Provide good ventilation in process area to prevent formation of vapour. : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |
| 7.2. Conditions for safe storage, including | any incompatibilities |
| Storage conditions | : Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat. |
| Storage temperature | : 0 - 40 °C |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| VROOAM MR3012 | |
|--|---|
| EU - Occupational Exposure Limits | |
| Exposure limits/standards for materials that | 5 mg/m ³ - ACGIH TLV (inhalable fraction). |
| can be formed when handling this product. | |
| When mists/aerosols can occur the | |
| following is recommended | |

8.2. Exposure controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Materials for protective clothing:

Wear suitable protective clothing

Hand protection:

Protective gloves

| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
|-----------------|----------------|-------------------|----------------|-------------|------------|
| Reusable gloves | Nitrile rubber | 6 (> 480 minutes) | => 0.35 | | EN ISO 374 |
| | (NBR) | | | | |

Eye protection:

| Safety glasses | | | |
|----------------|---------|-----------------|----------|
| Туре | Use | Characteristics | Standard |
| Safety glasses | Droplet | clear | EN 166 |

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

3

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM MR3012

Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the environment.

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical an | d chemical properties |
|---------------------------------------|--|
| Physical state | : Liquid |
| Colour | : Brown. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| рН | : No data available |
| Relative evaporation | |
| rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : -21 °C - ASTM D5950 (pour point) |
| Boiling point | : No data available |
| Flash point | : 252 °C - ASTM D92 (COC) |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 0,897 kg/l (15 °C) - ASTM D4052 |
| Solubility : Water | : Practically not miscible. |
| Log Pow | : No data available |
| Viscosity, kinematic | : 105,2 mm²/s (40 °C) - ASTM D7279 |
| Viscosity, dynamic | : No data available |
| Explosive properties | : Presents no particular fire or explosion hazard. |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| | |
| 9.2. Other information | |
| VOC content : 0 % | |

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts violently with (strong) oxidizers.

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com



PRODUCT NAME: VROOAM MR3012



10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products No decomposition if stored normally.

SECTION 11: Toxicological information

| 11.1. Information on toxicological eff | ects |
|--|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

VROOAM MR3012

Viscosity, kinematic 105,2 mm²/s (40 °C) - ASTM D7279

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic)

- **12.2. Persistence and degradability** No additional information available
- **12.3. Bioaccumulative potential** No additional information available
- **12.4. Mobility in soil** No additional information available
- **12.5. Results of PBT and vPvB assessment** No additional information available
- **12.6. Other adverse effects** No additional information available

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

: Not classified

: Not classified

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM MR3012



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.

European List of Waste (LoW) code

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

RUBRIEK 14: Informatie met betrekking tot het vervoer

| In accordance with ADF | R / RID / IMDG / IATA | A / ADN | | |
|------------------------|-----------------------|----------------|----------------|----------------|
| ADR | IMDG | IATA | ADN | RID |
| 14.1. UN number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper ship | ping name | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazar | d class(es) | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental | hazards | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary inf | ormation available | | | |

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU-Regulations Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

6

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com v. vrooam-lubricants.com

PRODUCT NAME: VROOAM MR3012



Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals. Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 0 %

15.1.2. National regulations No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| | ns and acronyms: | | |
|-------|---|--|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inlan | | |
| | Waterways | | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | | |
| ATE | Acute Toxicity Estimate | | |
| BCF | Bioconcentration factor | | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | | |
| DMEL | Derived Minimal Effect level | | |
| DNEL | Derived-No Effect Level | | |
| EC50 | Median effective concentration | | |
| IARC | International Agency for Research on Cancer | | |
| IATA | International Air Transport Association | | |
| IMDG | International Maritime Dangerous Goods | | |
| LC50 | Median lethal concentration | | |
| LD50 | Median lethal dose | | |
| LOAEL | Lowest Observed Adverse Effect Level | | |
| NOAEC | No-Observed Adverse Effect Concentration | | |
| NOAEL | No-Observed Adverse Effect Level | | |
| NOEC | No-Observed Effect Concentration | | |
| OECD | Organisation for Economic Co-operation and Development | | |
| PBT | Persistent Bioaccumulative Toxic | | |
| PNEC | Predicted No-Effect Concentration | | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No | | |
| | 1907/2006 | | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | | |
| vPvB | Very Persistent and Very Bioaccumulative | | |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

7

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com