
Version: 1.5

SAFETY DATA SHEET

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



SECTION 3: Composition/information on ingredients

1

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com 3316 LB DORDRECHT THE NETHERLANDS w. vrooam-lubricants.com

VAT. NL 8225.41.051.B.01 CC. 50099833

Aventurijn 300

Supersedes: 24-12-2021

SAFETY DATA SHEET

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



3.1. Substances

Not applicable

3.2. Mixtures

Comments: Highly refined mineral oils and additives.Comments: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.</td>This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing.First-aid measures after skin contact: Wash skin with plenty of water.First-aid measures after eye contact: Rinse eyes with water as a precaution.First-aid measures after ingestion: Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	substance or mixture
Fire hazard	: Combustible liquid.
Hazardous decomposition	
products in case of fire	: Toxic fumes may be released. Incomplete combustion releases dangerous carbon
	monoxide, carbon dioxide and other toxic gases.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained
	breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1.1. For non-emergen	rotective equipment and emergency procedures cy personnel : Ventilate spillage area.
6.1.2. For emergency re	sponders
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precauti Avoid release to the env	

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC. 50099833 t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Take up liquid spill into absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		

6.4. Reference to other sections For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Precautions for safe handling	
Hygiene measures	

Provide good ventilation in process area to prevent formation of vapour.
Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from
	heat.
Storage temperature	: 0 - 40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

V-STREAM CHAINCASE OIL 220	
EU - Indicative Occupational Exposure Limit (IOEL)	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended	5 mg/m ³ - ACGIH TLV (inhalable fraction).

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

Appropriate engineering controls: Ensure good ventilation of the workstation.

Materials for protective clothing:

Wear suitable protective clothing

Hand protection: Protective gloves

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 Aventurijn 300 e. info@vrooam-lubricants.com 3316 LB DORDRECHT w. vrooam-lubricants.com THE NETHERLANDS

4

SAFETY DATA SHEET

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	=> 0.35		EN ISO 374
ye protection: afety glasses					
	Use	Characteristics	Standard		
Type Safety glasses	Droplet	clear	EN 166		
kin and body prote					
Vear suitable protec					
Respiratory protecti		suitable respiratory equi	nment		
Personal protective	equipment symbol	(s):			
Environmental expo	sure controls:				
Avoid release to the					
N 9: Physical and ch	emical properties				
nformation on basi	c physical and chen				
nformation on basic Physical state	c physical and chen :	Liquid			
nformation on basi Physical state Colour	c physical and chen : :	Liquid brown.			
nformation on basi Physical state Colour Odour	c physical and chen : : :	Liquid brown. characteristic.			
Information on basic Physical state Colour Odour Odour threshold	c physical and chen : : :	Liquid brown. characteristic. No data available			
Information on basic Physical state Colour Odour Odour threshold pH	c physical and chen : : : : :	Liquid brown. characteristic. No data available No data available			
Information on basic Physical state Colour Odour Odour threshold pH Relative evaporatic	c physical and chen : : : : :	Liquid brown. characteristic. No data available			
Information on basic Physical state Colour Odour Odour threshold pH	c physical and chen : : : : : : : : : : : :	Liquid brown. characteristic. No data available No data available			

Melting point	: Not applicable
Freezing point	: -18 °C - ASTM D5950 (pour point)
Boiling point	: No data available
Flash point	: 245 °C - ASTM D92 (COC)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,899 kg/l (15 °C) - ASTM D4052
Solubility	: Water : Practically not miscible.
Log Pow	: No data available
Viscosity, kinematic	: 220 mm²/s (40 °C) - ASTM D7279
Viscosity, dynamic	: No data available
Explosive properties	: Presents no particular fire or explosion hazard.
Oxidising properties	: No data available
Explosive limits	: No data available
Particle characteristics	: Not applicable

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC. 500<u>99833</u>

 1. +31 (0) 78 750 16 32

 1
 e. info@vrooam-lubricants.com

 3
 w. vrooam-lubricants.com

Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



9.2. Other information 9.2.1. Information with regard to physical hazard classes No additional information available

9.2.2. Other safety characteristics VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on toxicological e	effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye	: Not classified
damage/irritation	
Respiratory or skin	: Not classified
sensitisation	
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

V-STREAM CHAINCASE OIL 220

Viscosity, kinematic 220 mm²/s (40 °C) ASTM D7279

11.2. Information on other hazards

No additional information available

5

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32

e, info@vrooam-lubricants.com

w. vrooam-lubricants.com

Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



12.1. Toxicity		
Ecology - general		considered harmful to aquatic organisms nor to cause long-
Uppordous to the aquatic		s in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic	: Not classified	
environment, long-term (chronic)	. Not classified	
Not rapidly degradable		
V-STREAM CHAINCASE OIL 220		
LC50 - Fish [1]		> 100 mg/l (OECD 203 method)
EC50 - Crustacea [1]		> 100 mg/l (OECD 202 method)
ErC50 algae 12.2. Persistence and degradability No additional information available		> 100 mg/l (OECD 201 method)
ErC50 algae		> 100 mg/l (OECD 201 method)
ErC50 algae 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential		> 100 mg/l (OECD 201 method)
ErC50 algae 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential No additional information available		> 100 mg/l (OECD 201 method)
ErC50 algae 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential No additional information available 12.4. Mobility in soil		> 100 mg/l (OECD 201 method)
ErC50 algae L2.2. Persistence and degradability No additional information available L2.3. Bioaccumulative potential No additional information available L2.4. Mobility in soil No additional information available		> 100 mg/l (OECD 201 method)
ErC50 algae ErC50 algae 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential No additional information available 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment		> 100 mg/l (OECD 201 method)

SECTION 13: Disposal considerations

13.1. Waste treatment methods Waste treatment methods	: Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations European List of Waste (LoW) code	: Dispose in a safe manner in accordance with local/national regulations. : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

RUBRIEK 14: Informatie met betrekking tot het vervoer

IMDG	IATA	ADN	RID
Not applicable	Not applicable	Not applicable	Not applicable
pping name			
Not applicable	Not applicable	Not applicable	Not applicable
	Not applicable	Not applicable Not applicable pping name	Not applicable Not applicable Not applicable ping name

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



AAA Deditor many	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental ha	azards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary info	rmation available			
Special precautions for	user			
Overland transport				
Not applicable				
Transport by sea				
Not applicable				
Air transport				
Air transport Not applicable				
Not applicable	ort			
Not applicable Inland waterway transpo	ort			
Not applicable	ort			
Not applicable Inland waterway transpo	ort			

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 15.1.1. EU-Regulations
 REACH Annex XVII (Restriction List)
 Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List) Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

VOC Directive (2004/42) VOC content : 0 %

7

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC. 50099833 t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:				
Section	Changed item	Change	Comments	
	Revision date	Modified		
	Supersedes	Modified		
1.2	Function or use category	Added		
1.2	Use of the substance/mixture	Added		

Abbreviation	ns and acronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 Aventurijn 300 e. info@vrooam-lubricants.com 3316 LB DORDRECHT THE NETHERLANDS w. vrooam-lubricants.com

VAT. NL 8225.41.051.B.01 CC. 50099833

8

PRODUCT NAME: V-STREAM CHAINCASE OIL 220



VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com