SAFETY DATA SHEET

PRODUCT NAME: VROOAM ROTARY SCREW COMPRESSOR LUBE 46



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : VROOAM ROTARY SCREW COMPRESSOR LUBE 46

Product code : 35532, 35533, 35334, 35535, 35530

Type of product : Lubricants
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Use of the substance/mixture : Compressor oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

VROOAM Powersports Lubricants INT. B.V.

Aventurijn 300

3316 LB Dordrecht (NL)

0031 (0) 78 750 1632

www.vrooam-lubricants.com

info@vrooam-lubricants.com

· Further information obtainable from: Product Safety Department

1.4. Emergency telephone number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Highly refined mineral oils and additives.

1

SAFETY DATA SHEET

PRODUCT NAME: VROOAM ROTARY SCREW COMPRESSOR LUBE 46



Comments: The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No additional information available. Not expected to present a significant hazard under

anticipated conditions of normal use.

Symptoms/effects after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Hazardous decomposition

products in case of fire : Toxic fumes may be released. Incomplete combustion releases dangerous carbon

monoxide, carbon dioxide and other toxic gases.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

SAFETY DATA SHEET

PRODUCT NAME: VROOAM ROTARY SCREW COMPRESSOR LUBE 46



Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from

heat.

Storage temperature : 0 - 40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

VROOAM ROTARY SCREW COMPRESSOR LUBE 46	
EU - Occupational Exposure Limits	
Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended.	5 mg/m ³ - ACGIH TLV (inhalable fraction).

8.2. Exposure controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Materials for protective clothing : Wear suitable protective clothing

Hand protection : Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber	6 (> 480 minutes)	=> 0.35		EN ISO 374
	(NBR)				

Eye protection : Safety glasses

Туре	Use	Characteristics	Standard	
Safety glasses	Droplet	clear	EN 166	

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):

SAFETY DATA SHEET

PRODUCT NAME: VROOAM ROTARY SCREW COMPRESSOR LUBE 46





Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : brown. Odour : characteristic. Odour threshold : No data available : No data available рΗ Relative evaporation

rate (butylacetate=1) : No data available Melting point : Not applicable

Freezing point : -30 °C - ASTM D5950 (pour point)

Boiling point : No data available Flash point : 215 °C - ASTM D92 (COC) Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available

Relative vapour density at 20 °C : No data available Relative density : No data available : 0,867 kg/l (15 °C) - ASTM D4052 Density

Solubility : Water : Practically not miscible. Log Pow : No data available

Viscosity, kinematic : 46 mm²/s (40 °C) - ASTM D7279

Viscosity, dynamic : No data available

Explosive properties : Presents no particular fire or explosion hazard.

Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

VOC content :0%

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

SAFETY DATA SHEET

PRODUCT NAME: VROOAM ROTARY SCREW COMPRESSOR LUBE 46



10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity (oral) Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

VROOAM ROTARY SCREW COMPRESSOR LUBE 46

Viscosity, kinematic 46 mm²/s (40 °C) - ASTM D7279

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-

term adverse effects in the environment.

Hazardous to the aquatic environment,

short-term (acute)

Hazardous to the aquatic environment,

long-term (chronic)

: Not classified

No additional information available

12.3. Bioaccumulative potential

12.2. Persistence and degradability

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SAFETY DATA SHEET

PRODUCT NAME: VROOAM ROTARY SCREW COMPRESSOR LUBE 46



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not allow into drains or water courses. Dispose of contents/container in

accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

RUBRIEK 14: Informatie met betrekking tot het vervoer

In accordance with ADR / RID / IMDG / IATA / ADN

	in accordance with ADK / ND / NVDG / NATA / ADN						
ADR	IMDG	IATA	ADN	RID			
14.1. UN number							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.2. UN proper shipping name							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.3. Transport hazard class(es)							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.4. Packing group							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards							
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
No supplementary information available							

14.6. Special precautions for user

Overland transport : Not applicable
Transport by sea : Not applicable
Air transport : Not applicable
Inland waterway transport : Not applicable
Rail transport : Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 0 %

15.1.2. National regulations

No additional information available

SAFETY DATA SHEET

PRODUCT NAME: VROOAM ROTARY SCREW COMPRESSOR LUBE 46



15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Abbreviations and acronyms: ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE **Acute Toxicity Estimate** BCF Bioconcentration factor CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 DMEL Derived Minimal Effect level DNEL Derived-No Effect Level EC50 Median effective concentration IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods LC50 Median lethal concentration LD50 Median lethal dose LOAEL Lowest Observed Adverse Effect Level NOAEC No-Observed Adverse Effect Concentration No-Observed Adverse Effect Level NOAEL NOEC No-Observed Effect Concentration OECD Organisation for Economic Co-operation and Development PRT Persistent Bioaccumulative Toxic PNEC **Predicted No-Effect Concentration** REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 Regulations concerning the International Carriage of Dangerous Goods by Rail RID vPvB Very Persistent and Very Bioaccumulative BLV Biological limit value CAS-No. Chemical Abstract Service number EC-No. European Community number EN European Standard OEL Occupational Exposure Limit SDS Safety Data Sheet WGK Water Hazard Class

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.