PRODUCT NAME: VROOAM PRO GREEN COOLANT READY-MIX -26°C



1.1. Product identifier	
Product form	: Mixture
Trade name	: VROOAM PRO GREEN COOLANT READY-MIX -26°C
Product code	: 63854
Product group	: Trade product
1.2. Relevant identified	uses of the substance or mixture and uses advised against
 1.2.1. Relevant iden Intended for genera 	
Main use category	: Industrial use, Professional use, Consumer use
Use of the substance	e/mixture : Antifreeze and coolant
1.2.2. Uses advised	against
No additional inform	nation available
1.3. Details of the suppl	ier of the safety data sheet
	rts Lubricants INT. B.V.
Aventurijn 300	
3316 LB Dordrecht (NL)
0031 (0) 78 750 163	2
www.vrooam-lubricant	ts.com
info@vrooam-lubricant	ts.com
· Further information	n obtainable from: Product Safety Department

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Adverse physicochemical, human health and environmental effects To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

2.3. Other hazards No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances Not applicable

1

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM PRO GREEN COOLANT READY-MIX -26°C



3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium 2-ethylhexanoate	(CAS-No.) 19766-89-3 (EC-No.) 243-283-8	1 – 2,5	Repr. 2, H361
	(REACH-no) 01-2119972937-17		

Full text of H-statements: see section 16

SECTION 4: First aid measures

- 4.1. Description of first aid measures First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion
- : Remove person to fresh air and keep comfortable for breathing. : Wash skin with plenty of water.
- : Rinse eyes with water as a precaution.
- : Call a poison center or a doctor if you feel unwell.
- 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after inhalation : Inhalation may a

Symptoms/effects after ingestion

- : Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness.
 : Ingestion may cause nausea, vomiting and diarrhea.
- **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically. Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media : Do not use
 - : Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.
- 5.2. Special hazards arising from the substance or mixture Hazardous decomposition products in case of fire
- 5.3. Advice for firefighters Protection during firefighting

: Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency per	rsonnel			
Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray.			

 6.1.2. For emergency responders

 Protective equipment
 : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

2

PRODUCT NAME: VROOAM PRO GREEN COOLANT READY-MIX -26°C



6.2. Environmental precautions

Avoid release to the environment.

 6.3. Methods and material for containment and cleaning up

 Methods for cleaning up
 : Take up liquid spill into absorbent material.

 Other information
 : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Precautions for safe handling Hygiene measures

: Ensure good ventilation of the work station. Wear personal protective equipment.
: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

- 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store in a well-ventilated place. Keep cool.
- 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM PRO GREEN COOLANT READY-MIX -26°C



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses				
Туре	Use	Characteristics	Standard	
Safety glasses	Droplet	clear	EN 166	

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber	6 (> 480 minutes)	=> 0.35		EN ISO 374
	(NBR)				

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Geen.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 6,8 – 9
Relative evaporation	
rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: -26 °C
Boiling point	: 100 °C
Flash point	: 103 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 0,1 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1 kg/l
Solubility	: Water: completely miscible
Partition coefficient	
n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

4

Version: 1.2

SAFETY DATA SHEET

PRODUCT NAME: VROOAM PRO GREEN COOLANT READY-MIX -26°C

Oxidising properties Explosive limits : No data available : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

sodium 2-ethylhexanoate (19766-89-3)			
LD50 oral rat	2043 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD		
	Guideline 401		
	(Acute Oral Toxicity), 95% CL: 1445 - 2890		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402		
(Acute Dermal Toxicity)			
Skin corrosion/irritation	: Not classified		
	pH: 6,8 – 9		
Serious eye damage/irritation	: Not classified		
	pH: 6,8 – 9		
Respiratory or skin sensitisation	n : Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		

LUBRICANTS ®

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

5

PRODUCT NAME: VROOAM PRO GREEN COOLANT READY-MIX -26°C



 sodium 2-ethylhexanoate (19766-89-3)

 NOAEL (oral, rat, 90 days)
 ≈ 300 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)

2.1. Toxicity Ecology – general	: The product is not considered harmful to aquatic organisms nor to cause long-term
Leology general	adverse effects in the environment.
Hazardous to the aquati	ic : Not classified
environment, short-tern	
Hazardous to the aquati	ic : Not classified
environment, long-term	(chronic)
sodium 2-ethylhexanoa	ite (19766-89-3)
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	910 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	49,3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus
	subspicatus)
LOEC (chronic)	63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
VROOAM PRO GREEN COOLANT	
VROOAM PRO GREEN C Persistence and degrada	
	ial available
Persistence and degrada 2.3. Bioaccumulative potent No additional information 2.4. Mobility in soil No additional information	ability Biodegradable. ial a vailable a vailable
Persistence and degrada 2.3. Bioaccumulative potent No additional information 2.4. Mobility in soil No additional information	ability Biodegradable. ial a available a available a assessment
Persistence and degrada 2.3. Bioaccumulative potent No additional information 2.4. Mobility in soil No additional information 2.5. Results of PBT and vPvB	ability Biodegradable. ial a available a available a assessment

SECTIO	N 13: Disp	osal consid	derations

13.1. Waste treatment methods

Waste treatment methods : Construction : Constructi

European List of Waste (LoW) code

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: 16 01 14* - antifreeze fluids containing dangerous substances

6

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM PRO GREEN COOLANT READY-MIX -26°C



SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper sh	ipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

14.6. Special precautions for user

Overland transport	: Not applicable
Transport by sea	: Not applicable
Air transport	: Not applicable
Inland waterway transport	: Not applicable
Rail transport	: Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:				
Section	Changed item	Change	Comments	
	Revision date	Modified		
	Supersedes	Modified		
9.1	Freezing point	Modified		

7

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM PRO GREEN COOLANT READY-MIX -26°C



ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LD50	Median lethal dose		
LC50	Median lethal concentration		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		
BLV	Biological limit value		
CAS-No.	Chemical Abstract Service number		
EC-No.	European Community number		
EN	European Standard		
OEL	Occupational Exposure Limit		
WGK	Water Hazard Class		
	H- and EUH-statements:		
Repr. 2	Reproductive toxicity, Category 2		
H361	Suspected of damaging fertility or the unborn child.		
EUH210	Safety data sheet available on request.		

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com