

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
 Product name : VROOAM CHAIN CLEANER 0,4l  
 Product code : 63907  
 Type of product : Aerosols  
 Vaporizer : Aerosol  
 Product group : Trade product

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance/the mixture : Degreasing agent

### 1.3. Details of the supplier of the safety data sheet

VROOAM Powersports Lubricants INT. B.V.  
 Aventurijn 300  
 3316 LB Dordrecht (NL)  
 0031 (0) 78 750 1632  
[www.vrooam-lubricants.com](http://www.vrooam-lubricants.com)  
[info@vrooam-lubricants.com](mailto:info@vrooam-lubricants.com)

· Further information obtainable from: Product Safety Department

1.4. Emergency telephone number: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]



GHS02 flame

Aerosol 1 : H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.  
 Asp. Tox. 1 : H304 May be fatal if swallowed and enters airways.

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

The product is classified and labelled according to the CLP regulation.

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Danger

Hazard-determining components of labelling

: Hydrocarbons, C10-C13, n-alkanes, cyclic, <2%aromates, Benzene <0.1%

Hazard statements (CLP)

: H222 H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Precautionary statements (CLP)

: P101 If medical advice is needed, have product container or label at hand.

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



P102 Keep out of reach of children.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.  
 P260 Do not breathe spray.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves / eye protection.  
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P331 Do NOT induce vomiting.  
 P403 Store in a well-ventilated place.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Additional information : EUH066 Repeated exposure may cause skin dryness or cracking.

## 2.3 Other hazards

Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Description: Active substance with propellant

Dangerous components:		
CAS: 1174522-09-8 EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, cyclic, <2%aromates, Benzene <0.1% Asp. Tox. 1, H304	50-<75%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32	butane (containing < 0.1% butadiene (203-450-8)) Flam. Gas 1, H220; Press. Gas (Comp.), H280	10-<25%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1, H220; Press. Gas (Comp.), H280	10-<25%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27	isobutane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas 1, H220; Press. Gas (Comp.), H280	1-<2.5%

Ingredients according to detergents guideline 648/2004/EC	
aliphatic hydrocarbons	≥30%
non-ionic surfactants	≥5 - <15%

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

After inhalation : Supply fresh air; consult doctor in case of complaints.  
 After skin contact : Generally the product does not irritate the skin.  
 After eye contact : Rinse opened eye for several minutes under running water.  
 After swallowing : Do not induce vomiting; call for medical help immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing agents : Water haze  
Fire-extinguishing powder  
Carbon dioxide  
Alcohol resistant foam

For safety reasons unsuitable extinguishing agents : Water with full jet

### 5.2. Special hazards arising from the substance or mixture

No further relevant information available.

### 5.3. Advice for firefighters

Protective equipment : Mount respiratory protective device.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation/exhaustion at the workplace.  
Information about fire - and explosion protection : Do not spray onto a naked flame or any incandescent material.  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

Pressurised container : protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



lights. Do not pierce or burn, even after use.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles

: Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility

: Observe official regulations on storing packagings with pressurised containers.

Further information about storage conditions

: Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

## 7.3 Specific end use(s)

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

### 8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace:	
<b>1174522-09-8 Hydrocarbons, C10-C13, n-alkanes, cyclic, &lt;2%aromates, Benzene &lt;0.1%</b>	
OEL	Short-term value: 1200 mg/m <sup>3</sup> , 184 ppm
<b>106-97-8 butane (containing &lt; 0.1% butadiene (203-450-8))</b>	
WEL	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
<b>74-98-6 propane</b>	
WEL	Long-term value: 1800 mg/m <sup>3</sup>
<b>75-28-5 isobutane (containing &lt; 0,1 % butadiene (203-450-8))</b>	
WEL	Short-term value: 2400 mg/m <sup>3</sup> Long-term value: 1900 mg/m <sup>3</sup>

**Additional information:** The lists valid during the making were used as basis.

### 8.2. Exposure controls

**Personal protective equipment:**

General protective and hygienic measures : Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.

**Respiratory protection**

: Use suitable respiratory protective device in case of insufficient ventilation.  
Filter A2/P2

**Protection of hands:**



Protective gloves

Solvent resistant gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4I



Recommended thickness of the material: <sup>3</sup> 0.5 mm

### Penetration time of glove material

For continuous contact we recommend gloves with breakthrough time of at least 240 minutes, with the preference given to a breakthrough time greater than 480 minutes. For short-term or splash guard we recommend the same. We are aware that suitable gloves that offer this level of protection may not be available. In that case, a shorter breakthrough time are acceptable as long as the procedures governing maintenance and timely replacement are followed. The thickness of the gloves is not a good measure of the resistance of the gloves against a chemical substance, because this depends on the exact composition of the material from which the gloves are made.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### Eye protection:



Safety glasses

Tightly sealed goggles

**Body protection:** Use protective suit. (EN-13034/6)

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

General Information

Appearance:

Form : Aerosol  
Colour : Colourless

Odour : Odourless.  
Odour threshold : Not determined.  
pH -value : Not determined

Change in condition:

Melting point/freezing point : Undetermined  
Initial boiling point and boiling range : -44.5 °C

Flash point : -97 °C  
Flammability (solid, gas) : Not applicable.  
Auto-ignition temperature : Product is not self igniting.  
Explosive properties : Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.  
Not determined.

Explosion limits:

Lower : 0.7 Vol %  
Upper : 10.9 Vol %

Vapour pressure at 20 °C : 8300 hPa  
Density at 20 °C : 0.7 g/cm<sup>3</sup>  
Relative density : Not determined.  
Vapour density : Not determined.  
Evaporation rate : Not applicable.

Solubility in / Miscibility with

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



Water : Not miscible or difficult to mix.

Partition coefficient: n-octanol/water : Not determined.

Viscosity:

Dynamic : Not determined.

Kinematic : Not determined.

Solvent content:

Organic solvents : 95.0 %

## 9.2. Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No further relevant information available.

### 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

No further relevant information available.

### 10.5 Incompatible materials:

No further relevant information available.

### 10.6 Hazardous decomposition products:

No dangerous decomposition products known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
1174522-09-8 Hydrocarbons, C10-C13, n-alkanes, cyclic, <2% aromates, Benzene <0.1%		
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
Inhalative	LC50/4h	>4951 mg/l (rat)

Primary irritant effect:

Skin corrosion/irritation : Based on available data, the classification criteria are not met.

Serious eye damage/irritation : Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Reproductive toxicity : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



STOT-repeated exposure : Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1. Toxicity

Aquatic toxicity:	
1174522-09-8 Hydrocarbons,C10-C13,n-alkanes,cyclic,<2%aromates, Benzene <0.1%	
ELO (48h)	1000 mg/l (Daphnia magna)
ELO(72h)	1000 mg/l (Pseudokirchneriella subcapitata)
LL0(96h)	1000 mg/l (Oncorhynchus mykiss (96h))

### 12.2 Persistence and degradability

No further relevant information available.

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

Ecotoxicological effects:

Remark : Harmful to fish

Additional ecological information:

**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

### 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

### 12.6 Other adverse effects

No further relevant information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Recommendation : Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue	
HP3	Flammable

**Uncleaned packaging:**



Recommendation : Disposal must be made according to official regulations.

## RUBRIEK 14: Informatie met betrekking tot het vervoer

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



<b>14.1 UN-Number</b>	
ADR, ADN, IMDG, IATA	: UN1950
<b>14.2 UN proper shipping name</b>	
ADR, ADN	: UN1950 AEROSOLS
IMDG	: AEROSOLS
IATA	: AEROSOLS, flammable
<b>14.3 Transport hazard class(es)</b>	
<b>ADR</b>	
	
Class	: 2.1
Label	: 2.1
<b>ADN</b>	
ADN/R Class	: 2.1F
<b>IMDG, IATA</b>	
	
Class	: 2.1
Label	: 2.1
<b>14.4 Packing group</b>	
ADR, IMDG, IATA	: Void
<b>14.5 Environmental hazards:</b>	
Not applicable.	
<b>14.6 Special precautions for user</b>	
Warning	: Gases.
Danger code (Kemler)	: -
EMS Number	: F-D, S-U
	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
-Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2..
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	
Not applicable.	
<b>Transport/Additional information:</b>	
ADR	
Limited quantities (LQ)	: 1L
Excepted quantities (EQ)	: Code: E0
	Not permitted as Excepted Quantity



# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



Transport category	: 2
Tunnel restriction code	: D
IMDG	
Limited quantities (LQ)	: 1L
Excepted quantities (EQ)	: Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation"	: UN 1950 AEROSOLS, 2.1

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category

P3a FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Class	Share in %
NK	75-<100

VOC-CH 95.00 %

VOC-EU 665.0 g/l

Danish MAL Code 1-1

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

Contact: VROOAM Lubricants

Abbreviations and acronyms:

ADR	: Accord européen sur le transport des Carriage of Dangerous Goods by Road)
IMDG	: International Maritime Code for Dangerous Goods
IATA	: International Air Transport Association
GHS	: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS	: European Inventory of Existing Commercial Chemical Substances
ELINCS	: European List of Notified Chemical Substances
CAS	: Chemical Abstracts Service (division of the American Chemical Society)
MAL-Code	: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
LC50	: Lethal concentration, 50 percent
LD50	: Lethal dose, 50 percent

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM CHAIN CLEANER 0,4l



PBT	: Persistent, Bioaccumulative and Toxic
vPvB	: very Persistent and very Bioaccumulative
Flam. Gas 1	: Flammable gases – Category 1
Aerosol 1	: Aerosols – Category 1
Press. Gas (Comp.)	: Gases under pressure – Compressed gas
Asp. Tox. 1	: Aspiration hazard – Category 1

\* Data compared to the previous version altered. \*