according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner



1.1 Product identifier		
Product form	: Mixture	
Product name	: V-STREAM Cooling System Cleaner	
UFI	: 6SK9-G4EW-WW6Y-22RF	
Product code	: 74305	
Type of product	: Detergent	
Product group	: Cleaning product	
1.2 Relevant identified uses of	the substance or mixture and uses advised against	
1.2.1. Relevant identified u	ises	
Main use category	: Industrial use, Professional use	
1.2.2. Uses advised against		
No additional information a		
1.3. Details of the supplier of t	he safety data sheet	
VROOAM Powersports Lub	ricants INT. B.V.	
Aventurijn 300		
3316 LB Dordrecht (NL)		
0031 (0) 78 750 1632		
www.vrooam-lubricants.co	m	
info@vrooam-lubricants.cc)m	
· Further information obtain	nable from: Product Safety Department	
1.4. Emergency telephone num	ber: 0031 (0) 78 750 16 32 (9 AM to 5 PM, Monday to Friday)	

SECTION 2: Hazards identification

Classification according to Regula Serious eye damage/eye irritation	
Full text of H- and EUH-statement	
• •	health and environmental effects
Causes serious eye irritation.	
2.2 Label elements	
Labelling according to Regulation	(EC) No 1272/2008 (CLP)
Labelling according to Regulation Hazard pictograms (CLP)	(EC) No 1272/2008 (CLP)
0 0 0	(EC) No 1272/2008 (CLP) :
0 0 0	(EC) No 1272/2008 (CLP)
0 0 0	(EC) No 1272/2008 (CLP)
Hazard pictograms (CLP)	GHS07
Hazard pictograms (CLP) Signal word (CLP)	GHS07 : Warning
Hazard pictograms (CLP) Signal word (CLP) Contains	GHS07 : Warning : 2-Propylheptyl alcohol, ethoxylated (8 EO), Kaliumhydroxide
Hazard pictograms (CLP) Signal word (CLP)	GHS07 : Warning : 2-Propylheptyl alcohol, ethoxylated (8 EO), Kaliumhydroxide : H319 - Causes serious eye irritation.
Hazard pictograms (CLP) Signal word (CLP) Contains	GHS07 : Warning : 2-Propylheptyl alcohol, ethoxylated (8 EO), Kaliumhydroxide

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

Revision date:

10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner



Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-36	≥5-<10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315
Alcohols, C12-18, ethoxylated (>10- 20 EO)	CAS-No.: 78330-20-8 EC-No.: 932-183-6	≥1-<5	Eye Irrit. 2, H319
2-Aminoethanol substance with a Community workplace exposure limit	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455-28	< 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314

lame	Product identifier	Specific concentration limits	
2-Aminoethanol	CAS-No.: 141-43-5	(5 ≤C < 100) STOT SE 3, H335	
	EC-No.: 205-483-3		
	EC Index-No.: 603-030-00-8		
	REACH-no: 01-2119486455-28		

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact

: Remove person to fresh air and keep comfortable for breathing.

: Wash skin with plenty of water

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

First-aid measures after ingestion

- medical advice/attention. : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after eye contact : Eye irritation

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC. 50099833

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

2

Revision date:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media Suitable extinguishing media
- 5.2. Special hazards arising from the substance or mixture Hazardous decomposition products in case of fire
- 5.3. Advice for firefighters Protection during firefighting

: Water spray. Dry powder. Foam. Carbon dioxide.

: Toxic fumes may be released.

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
 6.1.1. For non-emergency personnel
 Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Take up liquid spill into absorbent material.Other information: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage 7.1. Precautions for safe handling Frecautions for safe handling Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities : Storage conditions Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

3

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC. 50099833 t +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com



4

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner

No additional information available

SECTION 8: Exposure controls/personal protection

National occupational exposure and 2-butoxyethanol (111-76-2)	
Netherlands - Occupational Exposure	Limits
TGG-8u (OEL TWA)	100 mg/m ³
TGG-15min (OEL STEL)	246 mg/m ³
(0110112)	
2-Aminoethanol (141-43-5)	
EU - Indicative Occupational Exposur	e Limit (IOEL)
Local name	2-Aminoethanol
IOEL TWA	2.5 mg/m ³
IOEL STEL	7.6 mg/m ³
IOEL STEL [ppm]	3 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
France - Occupational Exposure Limit	
Local name	Ethanolamine (2-Aminoéthanol)
VME (OEL TWA)	2.5 mg/m ³
VME (OEL TWA) [ppm]	1 ppm
VLE (OEL C/STEL)	7.6 mg/m ³
VLE (OEL C/STEL) [ppm]	3 ppm
Remark	Valeurs règlementaires contraignantes; risque de pénétration percutanée
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n°
	2019-1487)
Germany - Occupational Exposure Li	mits (TRGS 900)
Local name	2-Amino-ethanol
AGW (OEL TWA) [1]	0.5 mg/m ³
AGW (OEL TWA) [2]	0.2 ppm
Peak exposure limitation factor	1(I)
Remark	DFG;EU;Y;Sh;H;11
Regulatory reference	TRGS900
Netherlands - Occupational Exposure	Limits
Local name	2 -Aminoethanol
TGG-8u (OEL TWA)	2.5 mg/m ³
TGG-15min (OEL STEL)	7.6 mg/m ³
2-Aminoethanol (141-43-5)	
Remark	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen
	worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aar de totale inwendige blootstelling, hebben in de lijst een H-aanduiding. Bij
	deze stoffen moeten naast maatregelen tegen inademing ook adequate
	maatregelen ter voorkoming van huidcontact worden genomen.
Regulatory reference	Arbeidsomstandighedenregeling 2020
United Kingdom - Occupational Expo	
Local name	2-Aminoethanol
WEL TWA (OEL TWA) [1]	2.5 mg/m ³
, ,	1 ppm
WEL TWA (OEL TWA) [2]	



VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC, 50099833 t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

Revision date:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner



Rem	0.22 (0220.22)	[ppm]	3 pp	m				
1			Sk (0	Can be absorbed th				
				ch there are concer	ns that derma	al absorp	tion will lead	to systemic
			toxic	11				
Regu	latory reference	2	EH4	0/2005 (Fourth edi	tion, 2020). H	SE		
	mended monito litional informat							
	taminants form litional informat		le					
.4. DNEL a	nd PNEC							
	litional informat	ion availab	le					
. 5. Contro No ado	l banding litional informat	ion availab	le					
Exposure	controls							
•	priate engineeri	ing controls	5:					
	good ventilatio	-						
	protection:							
	ective gloves	Material		Permeation	Thick		Penetratior	Standard
Туре		Wateria		Permeation	(mm)	less	Penetration	Stanuaru
Disp	osable gloves,	Nitrile ru	bber (NBR),	5 (> 240 minutes			2 (< 1.5)	EN ISO 374
-	able gloves	Butyl rub			,		· · /	
Reus		Polyvinyl	chloride (PVC)					
Reus								
Eyeı	protection:							
Eye Safet	y glasses		Use		Characterist	tics		Standard
Eye j Safet Type	y glasses		Use Droplet		Characterist With side sh			Standard EN 166
Eye ı Safet Type	y glasses		Use Droplet		Characterist With side sh			Standard EN 166
Eye ı Safet Type Safet Skin	y glasses y glasses and body protect		Droplet					
Eye ı Safet Type Safet Safet	y glasses y glasses		Droplet					
Eye j Safet Type Safet Skin Wea Type	y glasses y glasses and body prote r suitable protec	tive clothin	Droplet					

VAT. NL 8225.41.051.B.01

CC. 50099833

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state : Liquid

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

15

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner

Colour Odour Odour threshold Melting point Freezing point Boiling point Flammability Explosive limits Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Viscosity, kinematic Viscosity, dynamic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50 °C Density	: Colourless : characteristic. : Not available : Not applicable : < 0 °C : 100 °C : Not applicable : Not available : Not available : Not available : Not available : Not available : Not available : ≈ 11 : 10 mm ² /s : <10 cP : In water, material soluble. : Not available : $\approx 1 \text{ g/cm}^3$
Density Delational and the	0,
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC. 50099833

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner



Information on toxicological effe Acute toxicity (oral)	: Not classified	
	: Not classified	
	: Not classified	
2-butoxyethanol (111-76-2)		
LD50 oral		1746 mg/kg bodyweight
LD50 dermal		435 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)		2200 mg/l
LD50 oral LD50 dermal		1515 mg/kg bodyweight 2504 mg/kg bodyweight
2-Aminoethanol (141-43-5)		
LC50 Inhalation - Rat (Dust/Mist)		136 mg/l
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	pH: ≈ 11 : Causes ser pH: ≈ 11 : Not classif : Not classif : Not classif : Not classif : Not classif	fied fied fied
Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard	: Not classif : Not classif	
Reproductive toxicity STOT-single exposure STOT-repeated exposure	: Not classif	

CTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Not rapidly degradable	
2-butoxyethanol (111-76-2)	
LC50 - Fish [1]	1474 mg/l
EC50 - Other aquatic organisms [1]	1550 mg/l waterflea
EC50 - Other aquatic organisms [2]	911 mg/l

7

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC. 50099833 t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner



2-Aminoethanol (141-43-5)		
LC50 - Fish [1]	349 mg/l	
EC50 - Other aquatic organisms [1]	65 mg/l water	ilea
EC50 - Other aquatic organisms [2]	2.5 mg/l	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
2-butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water (Log Pow	2)	0.8
	7	0.0
2-Aminoethanol (141-43-5)		
Partition coefficient n-octanol/water (Log Pow	r)	-1.31
· _		<u>.</u>
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment No additional information available		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

 Waste treatment methods

 : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number of	r ID number			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shi	pping name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport haz	ard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmenta	al hazards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

Revision date:

105

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner

14.6. Special precautions for user Overland transport

Not applicable

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport Not applicable

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

Entry title or descriptionbethanolSubstances or mixtures fulfilling the criteria for any of the following hazar classes or categories set out in Annex to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
criteria for any of the following hazar classes or categories set out in Annex to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other
) concerning the export and import of hazardous 21 on persistent organic pollutants) EU 1005/2009 on substances that deplete the ozone tion EU 2019/1148 on the marketing and use of
)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

 France

 Occupational diseases

 Code
 Description



VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

VAT. NL 8225.41.051.B.01 CC. 50099833 t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner



Skin disorders caused by	aliphatic, alicyclic amines or ethanolamines				
Respiratory disorders car	used by aliphatic amines, ethanolamines or isophoronediamine				
Conditions caused by liquid organic solvents for professional use: saturated or unsaturated					
aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons;					
nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and					
				dimethylsulfoxide	
	estrictions according Act on the Protection of Working Mothers (MuSchG) trictions according Act on the Protection of Young People in Employment				
ass (WGK) : WGK 1, Sli	ghtly hazardous to water (Classification according to AwSV, Annex 1)				
ent : Is not subj	ect of the Hazardous Incident Ordinance (12. BImSchV)				
	: B(4) - low hazard for aquatic organisms				
nkerverwekkende stoffen	: None of the components are listed				
	: None of the components are listed : None of the components are listed				
0					
protoxische stoffen –	: None of the components are listed				
protoxische stoffen –	: None of the components are listed				
egulations	: Pregnant/breastfeeding women working with the product must not be in di				
CEGUIALIOUS	contact with the product				
	: LK 10/12 - Liquids				
	Conditions caused by liques aliphatic or cyclic liquid h nitrated derivatives of ali aldehydes; aliphatic and dimethylacetamine; acet dimethylsulfoxide strictions : Observe res (JArbSchG) lass (WGK) : WGK 1, Slip				

SECTION 16: Other information

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
EC-No.	European Community number		

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

t +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com w. vrooam-lubricants.com Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

VAT. NL 8225.41.051.B.01 e. in CC, 50099833

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PRODUCT NAME: V-STREAM Cooling System Cleaner



EN	European Standard			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	Internati	onal Maritime Dangerous Goods		
LC50	Median l	ethal concentration		
LD50	Median l	ethal dose		
LOAEL	Lowest C	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation and Development			
OEL	Occupational Exposure Limit			
PBT	Persistent Bioaccumulative Toxic			
PNEC	Predicted No-Effect Concentration			
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety Data Sheet			
STP	Sewage treatment plant			
ThOD	Theoretical oxygen demand (ThOD)			
TLM	Median Tolerance Limit			
VOC	Volatile Organic Compounds			
CAS-No.	Chemical Abstract Service number			
N.O.S.	Not Otherwise Specified			
vPvB	Very Persistent and Very Bioaccumulative			
ED	Endocrine disrupting properties			
Full text of H	I- and EUH-sta	atements:		
Acute Tox. 4 (Demall)		Acute toxicity (oral), Category 4		
· · ·				

Full text of H- and EUH-statements:		
Acute Tox. 4 (Demall)	Acute toxicity (oral), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

VROOAM POWERSPORTS LUBRICANTS INTERNATIONAL B.V.

Aventurijn 300

t. +31 (0) 78 750 16 32 e. info@vrooam-lubricants.com 3316 LB DORDRECHT THE NETHERLANDS w. vrooam-lubricants.com

VAT. NL 8225.41.051.B.01 CC. 50099833