PRODUCT NAME: VROOAM GREENTEC BIO POWER DEGREASER



1.1 Product identifier							
Trade name	: VROOAM	GREENTEC E	BIO POWER DEGR	EASER			
Registration number (RE				2, 10 211			
Product code(s)	: 75401						
1.2 Relevant identified uses	of the substance or miv	turo and uc	oc adviced agains	+			
Relevant identified uses	: Cleaning a		es auviseu agailis				
herevant lacitimea ases	Industrial u	-					
	Professiona						
Uses advised against			purposes (house	hold).			
1.2. Details of the sumplice of	false sefets dete short						
1.3. Details of the supplier o VROOAM Powersports L							
	UDREARIES INT. B.V.						
Aventurijn 300							
3316 LB Dordrecht (NL)							
0031 (0) 78 750 1632 www.vrooam-lubricants	com						
info@vrooam-lubricants							
แก่งเขางเงิลกา-ในมาเปล่าไร							
· Further information ob	<i>tainable from:</i> Product S	afety Depar	tment				
1.4. Emergency telephone n	umber: 0031 (0) 78	750 16 32 (	9 AM to 5 PM, M	onday to Frida	v)		
			,				
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m	tance or mixture to Regulation (EC) No 1	-		egulation No 1	272/2008/	ΈC.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/	fication in a	ccordance with R	-	272/2008/	′EC.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the	fication in a	ccordance with R	-	272/2008/	′EC.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the	fication in a	ccordance with R	-	272/2008/	′EC.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the	fication in a	ccordance with R	-	272/2008/	'EC.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the	fication in a	ccordance with R	-	272/2008/	'EC.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co CTION 3: Composition/infor 3.1 Substances Not relevant (mixture)	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the	fication in a	ccordance with R	-	272/2008/	′εC.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co CTION 3: Composition/infor 3.1 Substances Not relevant (mixture) 3.2 Mixtures	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the mation on ingredients	fication in a	ccordance with R	-	272/2008/	′εC.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co CTION 3: Composition/infor 3.1 Substances Not relevant (mixture) 3.2 Mixtures Description of the mixt	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the mation on ingredients	fication in a	sed to be a PBT of	r a vPvB.			
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co CTION 3: Composition/infor 3.1 Substances Not relevant (mixture) 3.2 Mixtures	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the mation on ingredients	fication in a	ccordance with R	-	272/2008/	/EC. Specific Conc. Limits	M- Factor
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co CTION 3: Composition/infor 3.1 Substances Not relevant (mixture) 3.2 Mixtures Description of the mixt	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment ontain any substances the mation on ingredients	fication in a	ccordance with R sed to be a PBT of Classification	r a vPvB.		Specific Conc.	
CTION 2: Hazards identificat 2.1 Classification of the subs Classification according This mixture does not m 2.2 Label elements Labelling according to R not required 2.3 Other hazards Results of PBT and vPvB This mixture does not co CTION 3: Composition/infor 3.1 Substances Not relevant (mixture) 3.2 Mixtures Description of the mixt Name of substance	stance or mixture to Regulation (EC) No 1 eet the criteria for classi egulation (EC) No 1272/ s assessment antain any substances the mation on ingredients	fication in a	ccordance with R sed to be a PBT of Classification acc. to GHS	r a vPvB.		Specific Conc.	M- Factor

1

t. +31 (0) 78 750 16 32
e. sales@vrooam-lubricants.com
w. vrooam-lubricants.com

Version: 6.0

# **SAFETY DATA SHEET**

PRODUCT NAME: VROOAM GREENTEC BIO POWER DEGREASER

### For full text of H-phrases: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### **Following inhalation**

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### Self-protection of the first aider

Provision of sufficient ventilation. Wear suitable protective clothing, gloves and eye/face protection.

#### 4.2 Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2)

### Unsuitable extinguishing media

Water jet

# 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Self-contained breathing apparatus (SCBA). SCBA with a chemical protection suit only where personal (close) contact is likely.



e. sales@vrooam-lubricants.com

Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

t. +31 (0) 78 750 16 32

vrooam-lubricants.com

PRODUCT NAME: VROOAM GREENTEC BIO POWER DEGREASER

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Follow emergency procedures such as the need to evacuate the danger area or to consult an expert. Remove persons to safety. Provision of sufficient ventilation. Prevent skin contact. Avoid inhaling sprayed product. Collection and use of expertise.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

# 6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

# Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: Sawdust, Kieselgur (diatomite), Sand, Universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

# Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of effects Protect from sunlight. - Packaging compatibilities Keep only in original container.

#### 7.3 Specific end use(s)

Cleaning agent. Industrial uses. Professional uses.

3

t. +31 (0) 78 750 16 32 e. sales@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM GREENTEC BIO POWER DEGREASER



# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

75401

National limit values

Occupational exposure limit values (Workplace Exposure Limits) These information are not available.

Polovant DNELs of components of the mixtur

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Alcohols, secondary C11-15, ethoxylated	68131-40-8	DNEL	42.32 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic – systemic effects
Alcohols, secondary C11-15, ethoxylated	68131-40-8	DNEL 6 mg/kg bw/day	human, dermal	worker (industry)	chronic – systemic Effects	

Relevant PNECs of con	Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold	Organism	Environmental	Exposure time	
			level		compartment		
Alcohols, secondary	68131-40-8	PNEC	0.015 mg/l	aquatic	water	intermittent release	
C11-15, ethoxylated				organisms			
Alcohols, secondary	68131-40-8	PNEC	12.9 mg/kg	terrestrial	soil	short-term (single	
C11-15, ethoxylated				organisms		instance)	
Alcohols, secondary	68131-40-8	PNEC	0.055 mg/l	aquatic	freshwater	short-term (single	
C11-15, ethoxylated				organisms		instance)	
Alcohols, secondary	68131-40-8	PNEC	0.005 mg/l	aquatic	marine water	short-term (single	
C11-15, ethoxylated				organisms		instance)	
Alcohols, secondary	68131-40-8	PNEC	8.24 mg/l	aquatic	sewage	short-term (single	
C11-15, ethoxylated				organisms	treatment	instance)	
					plant (STP)		
Alcohols, secondary	68131-40-8	PNEC	0.008 mg/kg	aquatic	freshwater	short-term (single	
C11-15, ethoxylated				organisms	sediment	instance)	
Alcohols, secondary	68131-40-8	PNEC	0.001 mg/kg	aquatic	marine	short-term (single	
C11-15, ethoxylated				organisms	sediment	instance)	

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment) Eye/face protection

Wear eye/face protection. Use safety goggle with side protection.

#### Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/ impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Type of material

NBR: acrylonitrile-butadiene rubber

#### - Material thickness

> 0.35 mm

4

t. +31 (0) 78 750 16 32 e. sales@vrooam-lubricants.com w. vrooam-lubricants.com

**PRODUCT NAME:** VROOAM GREENTEC BIO POWER DEGREASER

#### - Breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### - Other protection measures

Protective clothing against liquid chemicals. Footwear protecting against chemicals. Preventive skin protection (barrier creams/ointments) is recommended. Take recovery periods for skin regeneration. Wash hands thoroughly after handling.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance				
liquid				
yellowish brown				
characteristic				

Juner	salety	parameters	

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	300 °C at 1,022 mbar
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapour pressure	4.2 mbar at 25 °C (calculated value, referring to a component of the mixture)
Density	0.9 g/cm <sup>3</sup> at 20 °C
Vapour density this information is	not available
Solubility(ies)	not determined

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	338 °C
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

VROOAM LUBRICANTS INTERNATIONAL

Version: 6.0

# SAFETY DATA SHEET

PRODUCT NAME: VROOAM GREENTEC BIO POWER DEGREASER

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidisers

#### **10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Acute toxicity of components of the mixture						
Name of substance	Value	Species				
Alcohols, secondary C11-15, ethoxylated	68131-40-8	oral	LD50	2,000 mg/kg	rat	
Alcohols, secondary C11-15, ethoxylated	68131-40-8	dermal	LD50	>2,000 mg/kg	rat	

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

6



t. +31 (0) 78 750 16 32 e. sales@vrooam-lubricants.com w. vrooam-lubricants.com

**PRODUCT NAME:** VROOAM GREENTEC BIO POWER DEGREASER

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
Alcohols, secondary C11- 15, ethoxylated	68131-40-8	LL50	1.53 mg/l	fish	96 h		
Alcohols, secondary C11- 15, ethoxylated	68131-40-8	EL50	5.66 mg/l	aquatic invertebrates	48 h		

Aquatic toxicity (chronic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
Alcohols, secondary C11-	68131-40-8	EC50	824 mg/l	microorganisms	3 h		
15, ethoxylated							

#### 12.2 Persistence and degradability

Name of substance	CAS No	EC No	Process	Degradation rate	Time	Method	Source
Alcohols, secondary C11- 15, ethoxylated	68131-40-8		oxygen depletion	65 %	28 d		ECHA

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture							
Name of substance         CAS No         BCF         Log KOW         BOD5/COD							
Alcohols, secondary	68131-40-8	181 - 3,010	5.9 (25 °C)				
C11-15, ethoxylated							

#### 12.4 Mobility in soil

Data are not available.

# 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adversbe effects

Endocrine disrupting potential

None of the ingredients are listed.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Sewage disposal-relevant information Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

7

t. +31 (0) 78 750 16 32 e. sales@vrooam-lubricants.com w. vrooam-lubricants.com

PRODUCT NAME: VROOAM GREENTEC BIO POWER DEGREASER

### Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# RUBRIEK 14: Informatie met betrekking tot het vervoer

14.1 UN number

not subject to transport regulations

- 14.2 UN proper shipping name not relevant
- 14.3 Transport hazard class(es) None
- 14.4 Packing group not relevant
- 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations
- **14.6 Special precautions for user** There is no additional information.
- **14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code** The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV) none of the ingredients are listed

Deco-Paint Directive (2004/42/EC) VOC content 0 %

8



# t. +31 (0) 78 750 16 32 e. sales@vrooam-lubricants.com w. vrooam-lubricants.com

Version: 6.0

# SAFETY DATA SHEET

**PRODUCT NAME:** VROOAM GREENTEC BIO POWER DEGREASER

Directive on industrial emissions (VOCs, 2010/75/EU) VOC content 97.5 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR) none of the ingredients are listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD) none of the ingredients are listed

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

Section	Former entry (text/value)	Actual entry (text/value)	Safetyrelevant	
15.1	Restrictions according to REACH, Annex XVII	:	yes	
	none of the ingredients are listed			
	ions and acronyms			
Abbr.	Descriptions of used abbreviations			
ADN		Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)		
ADR		Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)		
BCF	Bioconcentration factor			
BOD	Biochemical Oxygen Demand	Biochemical Oxygen Demand		
CAS	Chemical Abstracts Service (service th	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
CLP	Regulation (EC) No 1272/2008 on clas	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures		
COD	Chemical oxygen demand	Chemical oxygen demand		
DGR	Dangerous Goods Regulations (see IA	Dangerous Goods Regulations (see IATA/DGR)		
DNEL	Derived No-Effect Level	Derived No-Effect Level		
EC No		The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)		
EINECS	European Inventory of Existing Commercial Chemical Substances			
ELINCS	European List of Notified Chemical Substances			
Eye Dam.	Seriously damaging to the eye			
Eye Irrit.	Irritant to the eye			
GHS	"Globally Harmonized System of Class	ification and Labelling of Chemicals" develop	ped by the United Nation	
IATA	International Air Transport Association	n		
IATA/DG	R Dangerous Goods Regulations (DGR) f	or the air transport (IATA)		
ICAO	International Civil Aviation Organization	on		
IMDG	International Maritime Dangerous Go	International Maritime Dangerous Goods Code		
index No	The Index number is the identification No 1272/2008	a code given to the substance in Part 3 of An	nex VI to Regulation (EC)	
log KOW	n-Octanol/water			
MARPOL	International Convention for the Prev	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")		
NLP	No-Longer Polymer			
PBT	Persistent, Bioaccumulative and Toxic			

9

Aventurijn 300 3316 LB DORDRECHT THE NETHERLANDS

#### 5

**PRODUCT NAME:** VROOAM GREENTEC BIO POWER DEGREASER



PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations	
	concerning the International carriage of Dangerous goods by Rail)	
SCBA	Self-contained breathing apparatus	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H315	Causes skin irritation.
H319	Causes serious eye irritation.

#### Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

t. +31 (0) 78 750 16 32 e. sales@vrooam-lubricants.com w. vrooam-lubricants.com