

Literatuurlijst Lezing hallux valgus

1. Abdalbary SA. Foot Mobilization and Exercise Program Combined with Toe Separator Improves Outcomes in Women with Moderate Hallux Valgus at 1-Year Follow-up A Randomized Clinical Trial. *J Podiatr Med Assoc.* 2018 Nov;108(6):478-486. doi: 10.7547/17-026. Epub 2018 Apr 23.
2. Ahn, A. C., Tewari, M., Poon, C. S., & Phillips, R. S. (2006). The clinical applications of a systems approach. *PLoS Medicine*, 3(7), 0956–0960. <https://doi.org/10.1371/journal.pmed.0030209>
3. Akaras Esedullah, Nevin A Guzel, Nihan Kafa, Yaprak A Özdemir. The acute effects of two different rigid taping methods in patients with hallux valgus deformity. *J Back Musculoskelet Rehabil.* 2020;33(1):91-98. doi: 10.3233/BMR-181150.
4. Aman J.E., N. Elangovan, I-LingYeh en J. Konczak. The effectiveness of proprioceptive training for improving motor function: a systematic review. *Frontiers in Human Neuroscience.* January 2015 Volume 8 Article 1075 pp.1-18
5. Aman J.E., N. Elangovan, I-LingYeh en J. Konczak. The effectiveness of proprioceptive training for improving motor function: a systematic review. *Frontiers in Human Neuroscience.* January 2015 Volume 8 Article 1075 pp.1-18
6. Amshoff T. Syllabus cursus Spiraldynamik® - die Neue Fusschule. Hannover 2-3 juni 2016.
7. Arge A, , Lenzner A, Gapeyeva H, Pääsuke M. Range of motion and pain intensity of the first metatarsophalangeal joint in women with hallux valgus deformation after two-month home exercise programme. *Acta Kinesiologiae Universitatis Tartuensis* 2012: 18: 111–118.
8. Bayar B, Erel S, Şimşek I, Sümer E, Bayar K. The effects of taping and foot exercises on patients with hallux valgus: a preliminary study. *Turk J Med Sci*, 2011: 41 (3): 403-409.
9. Becking-Linthorst L., Pijnloos bewegen begint bij de voeten. Een praktische gids op basis van de bewegingsanalyse van Rudolf Laban en de therapie van Mida Schutte. Boekengilde 2014
10. Bek N, Kurklu B. Comparison of different conservative treatment approaches in patients with hallux valgus. *Artroplastik Artroskopik Cerrahi* 2002: 13: 90–93. (in het Turks)
11. Brantingham James W, Sioban Guiry, Heidi H. Kretzmann, Victoria J. Kite en Gary Globe. A pilot study of the efficacy of a conservative chiropractic protocol using graded mobilization and ice in the treatment of symptomatic hallux abductovalgus bunions. *Clinical Chiropractic* Volume 8, Issue 3, September 2005, Pages 117-13
12. Bruijn Sjoerd M. en Jaap H. van Dieën. Control of human gait stability through foot placement. *J. R. Soc. Interface* 15:20170816.
13. Busquet L., Las cadenas musculares. Editions Frison Roche 2006
14. Cha YH, Kim SJ, Lee KH, Kwon JY, Kim DH, Seo A, et al. Designing personalized toe spreaders for hallux valgus with three-dimensional scanning and printing. *J Biomed Eng Biosci.* 2018;5:1–6.
15. Chadchavalpanichaya, Navaporn, Voraluck Prakotmongkol, Nattapong Polhan, Pitchaya Rayothee, Sirirat Seng-la. Effectiveness of the custom-mold room temperature vulcanizing silicone toe separator on hallux valgus: A prospective, randomized single-blinded controlled trial. *Prosthet Orthot Int.* 2018 Apr;42(2):163-170. doi: 10.1177/0309364617698518. Epub 2017 Mar 20.
16. Chin-Hsuan Liu et al. Study of Postural Stability Features by Using Kinect Depth Sensors to Assess Body Joint Coordination Patterns, *Sensors* 2020, 20, 1291
17. Davids, K., Glazier, P., Araujo, D., & Bartlett, R. (2003). Movement Systems as Dynamical systems. *Sports Medicine*, 33(4), 245–260.
18. De Nederlandse Orthopaedische Vereniging. Richtlijn Hallux Valgus ©. Richtlijnen database; 2021.
19. du Plessis M, Zipfel B, Brantingham J. Manual and manipulative therapy compared to night splint for symptomatic hallux abducto valgus: an exploratory randomised clinical trial. *Foot*, 2011: 21: 71–78.

20. Everett Tony en Clare Kell. Human Movement An introductory text. 6e druk 2010 Churchill Livingstone Elsevier
21. Fay B Hora. Postural orientation and equilibrium: what do we need to know about neural control of balance to prevent falls? Age Ageing . 2006 Sep;35 Suppl 2:ii7-ii11
22. Feldenkrais Moshe. Bewustworden door bewegen De Vrieseborch Haarlem 1997
23. Florez-García M, García-Pérez F, Curbelo R, Pérez-Porta I, Nishishinya B, Rosario Lozano MP, Carmona L. Efficacy and safety of home-based exercises versus individualized supervised outpatient physical therapy programs after total knee arthroplasty: a systematic review and meta-analysis. Knee Surg Sports Traumatol Arthrosc. 2017 Nov;25(11):3340-3353.
24. Franklin S, Grey MJ, Heneghan N, Bowen L, Li F. Barefoot vs common footwear: A systematic review of the kinematic, kinetic and muscle activity differences during walking. Gait & Posture 42 (2015) 230–239.
25. Fraser JJ, Hertel J. Effects of a 4-Week Intrinsic Foot Muscle Exercise Program on Motor Function: A Preliminary Randomized Control Trial. J Sport Rehabil. 2019 May 1;28(4):339-349.
26. Garber CE, Blissmer B, Deschenes MR, et al. American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. Med Sci Sports Exerc. 2011;43(7):1334---1359.
27. Garofolini, A., and Taylor, S. (2019). The effect of running on foot muscles and bones: a systematic review. Hum. Mov. Sci. 64, 75-88
28. Glasoe W. Treatment of Progressive First MTP Hallux Valgus Deformity: A Biomechanically-Based Muscle Strengthening Approach. Journal of Orthopaedic and Sports Physical Therapy. 2016: 46(7):1-30.
29. Goldmann Jan-Peter en Gert-Peter Brüggemann. The potential of human toe flexor muscles to produce force. J. Anat. (2012) 221, pp187–194
30. Goldmann JP, Sanno M, Willwacher S, Heinrich K, Brüggemann GP J. The potential of toe flexor muscles to enhance performance. Sports Sci. 2013;31(4):424-33.
31. Goo, Y.-M., Kim, D.-Y., & Kim, T.-H. (2016). The effects of hip external rotator exercises and toe-spread exercises on lower extremity muscle activities during stair-walking in subjects with pronated foot. Journal of Physical Therapy Science, 28(3), 816–819.
32. Gooding TM, Feger MA, Hart JM, Hertel J. Intrinsic foot muscle activation during specific exercises: a T2 time magnetic resonance imaging study. J Athl Train. 2016 Aug;51(8):644-650.
33. Griffin, N. L., Miller, C. E., Schmitt, D., & Ao, K. D. (2015). Understanding the Evolution of the Windlass Mechanism of the Human Foot from Comparative Anatomy : Insights , Obstacles , and Future Directions. American Journal of Physical Anthropology, 156, 1–10.
<https://doi.org/10.1002/ajpa.22636>
34. Hansen S, Aaboe J, Mechlenburg I, Overgaard S, Mikkelsen LR. Effects of supervised exercise compared to non-supervised exercise early after total hip replacement on patient-reported function, pain, health-related quality of life and performance-based function - a systematic review and meta-analysis of randomized controlled trials. Clin Rehabil. 2019 Jan;33(1):13-23.
35. Hartmann A, Murer K, de Bie RA, de Bruin ED. The effect of a foot gymnastic exercise programme on gait performance in older adults: a randomised controlled trial. Disabil Rehabil. 2009;31(25):2101-10.
36. Hasegawa Kazuhiro, Masashi Okamoto, Shun Hatsushikano, Haruka Shimoda, Masatoshi Ono, Takao Homma en Kei Watanabe. Standing sagittal alignment of the whole axial skeleton with reference to the gravity line in humans. J. Anat. (2017) 230, pp619—630
37. Hasegawa Kazuhiro, Masashi Okamoto, Shun Hatsushikano, Haruka Shimoda, Masatoshi Ono,
38. Hora Fay B. Postural orientation and equilibrium: what do we need to know about neural control of balance to prevent falls? Age Ageing . 2006 Sep;35 Suppl 2:ii7-ii11Larsen, C. FüÙe in guten Händeren. 3^e druk. Thieme, 2014

39. Huijting Peter A, Rolf W van de Langenberg, Jorit J Meesters, Guus C Baan. Extramuscular myofascial force transmission also occurs between synergistic muscles and antagonistic muscles. *J Electromyogr Kinesiol* 2007 Dec;17(6):680-9.
40. Jastifer, J. R., & Gustafson, P. A. (2014). The subtalar joint: Biomechanics and functional representations in the literature. *The Foot*, 24(4), 203–209.
<https://doi.org/10.1016/j.foot.2014.06.003>
41. Karabicak G, Bek N, Tiftikci U. Short-Term Effects of Kinesiotaping on Pain and Joint Alignment in Conservative Treatment of Hallux Valgus. *J Manipulative Physiol Ther*. 2015: Oct:38(8):564-71.
42. Kendall Florence Peterson c.s. *Spieren Tests en functies*. Vierde, herziene druk 2008
43. Khamis & Yizhar. Effect of feet hyperpronation on pelvic alignment in a standing position. *Gait Posture*. 2007 Jan;25(1):127-34.
44. Kim M, Yi C, Weon J, Cynn H, Jung D, Kwon O. Effect of toe-spread-out exercise on hallux valgus angle and cross-sectional area of abductor hallucis muscle in subjects with hallux valgus. *J. Phys. Ther*. 2015: Apr:27(4):1019-22.
45. Kim, M, Kwon O, Kim S, Jung D. Comparison of muscle activities of abductor hallucis and adductor hallucis between the short foot and toe-spread-out exercises in subjects with mild hallux valgus. *J Back Musculoskelet Rehabil* 2013: 26: 163-8.
46. Kleipool, R. P., & Blankevoort, L. (2010). The relation between geometry and function of the ankle joint complex: A biomechanical review. *Knee Surgery, Sports Traumatology, Arthroscopy*, 18(5), 618–627. <https://doi.org/10.1007/s00167-010-1088-2>
47. Krause Frieder, Jan Wilke, Lutz Vogt and Winfried Banzer. Intermuscular force transmission along myofascial chains: a systematic review. *J. Anat.* (2016) 228, pp910--918 Pinto RZ, Souza TR, Trede RG, Kirkwood RN, Figueiredo EM, Fonseca ST. Bilateral and unilateral increases in calcaneal eversion affect pelvic alignment in standing position. *Man Ther*. 2008 Dec;13(6):513-9
48. Kurihara Toshiyuki, Junichiro Yamauchi, Mitsuo Otsuka, Nobuaki Tottori, Takeshi Hashimoto en Tadao Isaka. Maximum toe flexor muscle strength and quantitative analysis of human plantar intrinsic and extrinsic muscles by a magnetic resonance imaging technique. *Journal of Foot and Ankle Research* 2014, 7:26
49. Larsen, C. *FüÙe in guten Handen*. 3e druk. Thieme, 2014
50. Lee, Diane. *The pelvic girdle*. Churchill Livingstone Elsevier. Vierde editie 2011
51. Lee, Sun-Min en Jung-Hoon Lee. Effects of balance taping using kinesiology tape in a patient with moderate hallux valgus: A case report. *Medicine* (2016) 95:46(e5357)
52. Lesondak, David. *Fascia*. Samsara. 2017
53. Lotfy R, Mohamed M, Ibrahim A. Conventional Tape versus Kinesiotape for Hallux Valgus Correction. *International Journal of Medical Research & Health Sciences* 2017: 6(1): 71-78.
54. Maeder A, Poultney N, Morgan G, Lippiatt R.J Telemed Telecare. Patient Compliance in Home-Based Self-Care Telehealth Projects 2015 Dec;21(8):439-42. doi: 10.1177/1357633X15612382.
55. Mailuhu AK, Verhagen EA, van Ochten JM, Bindels PJ, Bierma-Zeinstra SM, van Middelkoop M. The trAPP-study: cost-effectiveness of an unsupervised e-health supported neuromuscular training program for the treatment of acute ankle sprains in general practice: design of a randomized controlled trial. *BMC Musculoskelet Disord*. 2015 Apr 9;16:78. doi: 10.1186/s12891-015-0539-9.
56. Malcolm Paul Formosa, Alfred Gatt, Cynthia Formosa. Evaluating Quality of Life in Patients with Hallux Abducto Valgus Deformity After a Taping Technique. *J Am Podiatr Med Assoc*. 2017 Jul;107(4):287-291. doi: 10.7547/15-110.
57. Mickle KJ, Angin S, Crofts G, Nester CJ. Effects of Age on Strength and Morphology of Toe Flexor Muscles. *J Orthop Sports Phys Ther*. 2016 Dec;46(12):1065-1070.
58. Mickle KJ, Caputi P, Potter JM, Steele JR. Efficacy of a progressive resistance exercise program to increase toe flexor strength in older people. *Clinical Biomechanics*, 2016, 40:14-19.

59. Miller EE, Whitcome KK, Lieberman DE, Norton HL, Dyer RE. The effect of minimal shoes on arch structure and intrinsic foot muscle strength. *J Sport Heal Sci.* 2014;3:74–85
60. Moree JJ. Dynamiek van het menselijk bindweefsel. Bohn Stafleu van Loghum. 2014; en Alessie Jeroen, Karl Jacobs, Jan Jaap de Morree (†) Dynamiek van het menselijk bindweefsel zevende herziene druk.
61. Mortka K en Lisiński P. Hallux valgus—a case for a physiotherapist or only for a surgeon? Literature review. *J. Phys. Ther. Sci.* 2015; 27: 3303–3307.
62. Nawoczenski, Deborah, A., Saltzman, Charles, L., Cook, & Thomas. (1998). The effect of foot structure on the three-dimensional kinematic coupling behavior of the Leg and Rear Foot. *Physical Therapy*, 78(4), 404.
63. Nguyen, A. D., & Shultz, S. J. (2009). Identifying relationships among lower extremity alignment characteristics. *Journal of Athletic Training*, 44(5), 511–518. <https://doi.org/10.4085/1062-6050-44.5.511>
64. Nigg, B. M., Cole, G. K., & Nachbauer, W. (1992). Effects of arch height of the foot on angular motion of the lower extremities in running. *Journal of Biomechanics*, 26(8), 909–916. <https://doi.org/10.1249/00005768-199211000-00011>
65. Page P., F. Clare, R. Lardner. Assessment and Treatment of Muscle Imbalance. The Janda Approach. *Human Kinetics*, 2010.
66. Pinto RZ, Souza TR, Trede RG, Kirkwood RN, Figueiredo EM, Fonseca ST. Bilateral and unilateral increases in calcaneal eversion affect pelvic alignment in standing position. *Man Ther.* 2008 Dec;13(6):513-9
67. Powers CM, Witvrouw E, Davis IS, Crossley KM. Evidence-based framework for a pathomechanical model of patellofemoral pain: 2017 pain consensus statement from the 4th international patellofemoral pain research retreat, Manchester, UK: part 3. *Br J Sports Med.* 2017;51(24):1713–23
68. Reischl, S. F., Powers, C. M., Rao, S., & Perry, J. (1999). Relationship between foot pronation and rotation of the tibia and femur during walking. *Foot and Ankle International*, 20(8), 513–520. <https://doi.org/10.1177/107110079902000809>
69. Richter P, E. Hebgen Trigger Points and Muscle Chains in osteopathy. Thieme 2009
70. Rolf, I. Rolfing. Reestablishing the natural alignment and structural integration of the human body for vitality and well-being. Healing Arts Press. 1989
71. Scattone Silva R, Maciel CD, Serrão FV. The effects of forefoot varus on hip and knee kinematics during single-leg squat. *Man Ther.* 2015 Feb;20(1):79-83.
72. Schleip R. Cursus Fascial Fitness Intro Course. 6-7 February 2016. Amsterdam
73. Schleip R. Fascia in Sport and Movement. Handspring Publishers. 2007
74. Siegler, S., Chen, J., & Schneck, C. D. (1988). The three-dimensional kinematics and flexibility characteristics of the human ankle and subtalar joint-part II: Flexibility characteristics. *Journal of Biomechanical Engineering*, 110(4), 364–373. <https://doi.org/10.1115/1.3108456>
75. Standing Susan (Editor). *Gray's Anatomy*. 41ste online edition (2015). Chapter 1.7 A Critical evaluation of the current status of myofascial chains.”
76. Stoneham Richard, Gillian Barry, Lee Saxby en Mick Wilkinson. The influence of great toe valgus on pronation and frontal plane knee motion during running. *The Foot and Ankle Online Journal* 13 (1): 7
77. Struyf-Denys G. De spier- en gewrichtskettingen. E. Guyot 1987
78. Sueki, D. G., Cleland, J. A., & Wainner, R. S. (2013). A regional interdependence model of musculoskeletal dysfunction: research, mechanisms, and clinical implications. *The Journal of Manual & Manipulative Therapy*, 21(2), 90–102. <https://doi.org/10.1179/2042618612Y.0000000027>
79. Takao Homma en Kei Watanabe. Standing sagittal alignment of the whole axial skeleton with reference to the gravity line in humans. *J. Anat.* (2017) 230, pp619–630

80. Tang SF, Chen CP, Pan J-L, Chen J-L, LeongC-P, Chu N-K. The effects of a new foot-toe orthosis in treating painful hallux valgus. *Arch Phys Med Rehabil* 2002;83:1792-5.
81. Tateuchi Hiroshige, Osamu Wada, Noriaki Ichihashi. Effects of calcaneal eversion on three-dimensional kinematics of the hip, pelvis and thorax in unilateral weight bearing. *F Hum Mov Sci* . 2011 Jun;30(3):566-73.
82. Tehraninasr A, Saeedi H, Forogh B, Bahramizadeh M, Keyhani MR. Effects of insole with toe-separator and night splint on patients with painful hallux valgus: a comparative study. *Prosthet Orthot Int*. 2008;32:79–83.
83. Tourillon Romain, Boris Gojanovic en François Fourchet. How to Evaluate and Improve Foot Strength in Athletes: An Update . *Frontiers in Sports Act. Living*, 11 October 2019 1:46
84. Viseux Frederic, Antoine Lemaire, Franck Barbier, Pascal Charpentier, Sebastien Leteneur, Philippe Villeneuve. How can the stimulation of plantar cutaneous receptors improve postural control? Review and clinical commentary. *Neurophysiologie Clinique/ClinicalNeurophysiology*(2019) 49, 263—268
85. Wal van der J. The Architecture of the Connective Tissue in the Musculoskeletal System—An Often Overlooked Functional Parameter as to Proprioception in the Locomotor Apparatus. *International journal of therapeutic massage and bodywork—volume 2, number 4, december 2009*
86. Ward G. en C. Sritharan. The Flow Motion Model. *Cursus Lissabon*. 14-20 oktober 2018
87. Ward G. *What the Foot?* Soap Box Books 2013
88. Willard F H, A Vleeming, M D Schuenke, L Danneels, R Schleip. The thoracolumbar fascia: anatomy, function and clinical considerations *J Anat*. 2012 Dec;221(6):507-36.
89. Wyndow Narelle, Amy De Jong , Krystal Rial, Kylie Tucker, Natalie Collins, Bill Vicenzino, Trevor Russell en Kay Crossley. The relationship of foot and ankle mobility to the frontal plane projection angle in asymptomatic adults. *Journal of Foot and Ankle Research* (2016) 9:3
90. Wyndow Narelle, Natalie J. Collins, Bill Vicenzino, Kylie Tucker en Kay M. Crossley. Foot and ankle characteristics and dynamic knee valgus in individuals with patellofemoral osteoarthritis *Journal of Foot and Ankle Research* (2018) 11:65
91. Young JL, Rhon DI, de Zoete RMJ, Cleland JA, Snodgrass SJ. The influence of dosing on effect size of exercise therapy for musculoskeletal foot and ankle disorders: a systematic review. *Braz J Phys Ther*. 2018 Jan - Feb;22(1):20-32.